

GLASS SYSTEMS





1 CANOPIES

4 - 19

2 SPIDERS




20 - 25



3 SLIDING DOORS

26 - 41

4 SHOWER CABINS



42 - 55




5 SWING DOORS

56 - 65

6 GLASS DOOR COMPONENTS

66 - 79



7 GLASS WALL PROFILES

80 - 87

8 • GLASS DOOR FRAMES • DOOR HANDLES • ACCESSORIES


88 - 118






1

CANOPIES



**PROFILE
SYSTEM**



**TUBE
SYSTEM**





**ROD
SYSTEM**

ZERO

LINE




STATIC STUDIO





SET 1

new





AL/PR7-1500-N-E-SET1	1,5 m	2x	7x	1x1,5 m	2x1,5 m	1x	2x	7x	7x	6x
AL/PR7-1500-R7016-SET1				1x1,5 m	2x1,5 m	A19/PR7-3-013-03.0 A19/PR7-3-017-03.0 A19/PR7-3-021-03.0				
AL/PR7-3000-N-E-SET1	3 m	4x	14x	1x3 m	2x3 m	2x	14x	14x	12x	
AL/PR7-3000-R7016-SET1				1x3 m	2x3 m	A19/PR7-3-013-03.0 A19/PR7-3-017-03.0 A19/PR7-3-021-03.0				





SET 2

new




AL/PR7-1500-N-E-SET2	1,5 m	2x	7x	2x1,5 m	1x1,5 m	1x	1x1,5 m	7x	7x	6x
AL/PR7-1500-R7016-SET2				2x1,5 m	1x1,5 m	A19/PR7-3-013-03.0 A19/PR7-3-017-03.0 A19/PR7-3-021-03.0				
AL/PR7-3000-N-E-SET2				2x3 m	1x3 m	2x				
AL/PR7-3000-R7016-SET2	3 m	4x	14x	2x3 m	1x3 m	A19/PR7-3-013-03.0 A19/PR7-3-017-03.0 A19/PR7-3-021-03.0	1x3 m	14x	14x	12x



SET 3



new




AL/PR7-1500-N-E-SET3	1,5 m	2x	7x	1x1,5 m	2x1,5 m	1x A19/PR7-3-013-03.0 A19/PR7-3-017-03.0 A19/PR7-3-021-03.0	4x	7x	7x
AL/PR7-1500-R7016-SET3				1x1,5 m					
AL/PR7-3000-N-E-SET3				1x3 m					
AL/PR7-3000-R7016-SET3	3 m	4x	14x	1x3 m	2x3 m	2x A19/PR7-3-013-03.0 A19/PR7-3-017-03.0 A19/PR7-3-021-03.0		14x	14x

PROFILE SYSTEM PR7 - PROFILE


STATIC STUDIO



new




new




Quality	Finish	Effect	art.	L	glass t	Gmax (kN/m²)	
ALUMINIUM	natural	ELOX	AL/PR7-1500-N-E	1500	12,76-21,52	1,5	✓
	matte	RAL 7016	AL/PR7-1500-R7016				
	natural	ELOX	AL/PR7-3000-N-E	3000			
	matte	RAL 7016	AL/PR7-3000-R7016				


art.	L(m)	glass t	LED
A19/PR7-3-013-03.0	3	12,76 (6.6.2)	
		13,52 (6.6.4)	
A19/PR7-3-017-03.0		16,76 (8.8.2)	
		17,52 (8.8.4)	
A19/PR7-3-021-03.0		20,76 (10.10.2)	
		21,52 (10.10.4)	




AL/PR7 1500 - DRILLING




AL/PR7 3000 - DRILLING






Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/PR7-4-S-E
	matte	RAL 7016	AL/PR7-4-R7016

new




Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR7-5-N-E
	matte	RAL 7016	AL/PR7-5-R7016

new




Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR7-1-N-E
	matte	RAL 7016	AL/PR7-1-R7016

new




Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR7-2-1500-N-E
	matte	RAL 7016	AL/PR7-2-1500-R7016
	natural	ELOX	AL/PR7-2-3000-N-E
	matte	RAL 7016	AL/PR7-2-3000-R7016
	natural	ELOX	AL/PR7-2-6000-N-E
	matte	RAL 7016	AL/PR7-2-6000-R7016

new



Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR7-3-1500-N-E
	matte	RAL 7016	AL/PR7-3-1500-R7016
	natural	ELOX	AL/PR7-3-3000-N-E
	matte	RAL 7016	AL/PR7-3-3000-R7016
	natural	ELOX	AL/PR7-3-6000-N-E
	matte	RAL 7016	AL/PR7-3-6000-R7016


new



LED

Material	art.	L
PVC raw	A19/23x24-LED-PVC	2500

new



Material	art.
PVC raw	A19/PR7-1

new



Material	art.
PVC raw	A19/PR7-2



new




Quality	Finish	Effect	art.	L	glass t	G max. (kN)	
ALUMINIUM	natural	ELOX	AL/PR2-N-E-2500	2500	17,52	1,5	✓

CERTIFICATED: Glass TVG/VSG

						...
AL/PR2-N-E-2500	1x	1x	1x	1x	6x 1m	...




Material	Finish	art.
PVC	Gray	AL/PR2-N-E-cap







Quality	Finish	Effect	art.	L	glass t	G max. (kN)	LED
ALUMINIUM	natural	ELOX	AL/PR3-N-E-3000	3000	16,76	2,0	✓


CERTIFICATED: Glass TVG/VSG


						...
AL/PR3-N-E-3000	1x	1x	2x	1x	2x	...

AL/PR3-KIT



Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR3-N-E-cap










Quality	Finish	Effect	art.	L	glass t	G max. (kN)	LED
ALUMINIUM	natural	ELOX	AL/PR4-N-E-3000-NEW	3000	21,52	1,5	✓

CERTIFICATED: Glass TVG/VSG


							...
AL/PR4-N-E-3000-NEW	3m	3m	3x3m	9x	6x	9x	...





Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR4-N-E-cap




Material	Finish	art.	L
Rubber	black	A19/PR-T15x11-M	M

new






Quality	Finish	Effect	art.	L	glass t	G max. (kN)	
ALUMINIUM	natural	ELOX	AL/PR5-N-E-3000	3000	17,52	1,3	-

					...	
AL/PR5-N-E-3000	3m	2x	2x3m	15x	15x	...






Material	Finish	Effect	art.
ALUMINIUM	natural	ELOX	AL/PR5-N-E-cap







Quality	Finish	art.	glass t
AISI304	satın	GS/PR-800x220-D42	12,76

new




Quality	Finish	art.	glass t
AISI304	satın	GS/PR-800x220	12,76



Quality	Color	art.	a	b	h	
VSG/ESG		GS/12,76-140x100-clear	1400	1000	800-930	2 x A14/PR12-1000-M12
		GS/12,76-140x100-milk				
		GS/12,76-180x120-clear	1800	1200	920-1080	2 x A14/PR12-1250-M12
		GS/12,76-180x120-milk				



top



Quality	Color	art.	a	b	h	
VSG/ESG		GS/12,76-240x120-clear	2400	1200	920-1080	3 x A14/PR12-1250-M12
		GS/12,76-240x120-milk				

ROD SYSTEM PR-R3 - SETS

STATIC STUDIO



Quality	Finish	art.	h	L	A14/PR70x40-M12	A14/PR70x40-60	A14/PR-60-M12		
AISI304		GS/PR-R3-M12-set-1400						2 x	GS/12,76-140x100-clear
AISI316	satin	GS14/PR-R3-M12-set-1400	800-930	1400				A14/PR12-1000-M12	
		GS14/PR-R3-M12-set-1400-M			2x	2x	2x		GS/12,76-140x100-milk
		GS14/PR-R3-M12-set-1800		1800				2 x	GS/12,76-180x120-clear
		GS14/PR-R3-M12-set-1800-M	920-1080					A14/PR12-1250-M12	GS/12,76-180x120-milk
		GS14/PR-R3-M12-set-2400		2400	3x	3x	3x	3 x	GS/12,76-240x120-clear
		GS14/PR-R3-M12-set-2400-M						A14/PR12-1250-M12	GS/12,76-240x120-milk

top



GS14/PR-R3-M12-set




GS14/PR-R3-M12





Quality	Finish	art.	glass t	A14/PR70x40-M12	A14/PR70x40-60	A14/PR-60-M12	A14/PR12-1000-M12
AISI304	satin	GS/PR-R3-M12-set		2x	2x	2x	2x
		GS/PR-R3-M12	8,76-17,52	1x	1x	1x	1x
Quality	Finish	art.	glass t	A14/PR70x40-M12	A14/PR70x40-60	A14/PR-60-M12	A14/PR12-1000-M12
AISI316	satin	GS14/PR-R3-M12-set		2x	2x	2x	2x
		GS14/PR-R3-M12	8,76-17,52	1x	1x	1x	1x

ALTERNATIVE		
Quality	Finish	art.
AISI304	satin	A/1732-050-10
AISI316		A14/1732-050-10 <i>new</i>




The technical drawing shows a shaft with a central hole of diameter $\varnothing 5$. The total length is L . The shaft has a central section with a diameter of $\varnothing 5$ and two end sections with a diameter of $\varnothing 12$. The length of the central section is 30 mm, and the length of each end section is 30 mm. The drawing includes a photograph of the physical shaft above the technical drawing.

Quality	Finish	art.	L
AISI304	satin	A/PR12-1000-M12	1000
AISI316		A14/PR12-1000-M12	
		A14/PR12-1250-M12	1250
		A14/PR12-1500-M12	1500
		A14/PR12-2000-M12	2000





Quality	Finish	art.	A14/PR16-55x28-M10	A14/PR16-350	A14/PR16-71x28-M12
AISI316	satín	A14/PR-2x60-M12	2x	1x	1x



ROD SYSTEM

PR-R


- SETS




							
Quality	Finish	art.	A14/120-R	A14/120-70-R	A14/70-R	A14/PR12-1000-M12	GS/12,76-140x100-clear
AISI316	satin	GS14/PR-R-set/glass	2x	2x	2x	2x	1x




							
Quality	Finish	art.	glass t	A14/120-R	A14/120-70-R	A14/70-R	A14/PR12-1000-M12
AISI316	satin	GS14/PR-R-M12	12,76-17,52	1x	1x	1x	1x




Quality	Finish	art.
AISI316	satin	A14/120-R



Quality	Finish	art.
AISI316	satin	A14/120-70-R



Quality	Finish	art.
AISI316	satin	A14/70-R



Quality	Finish	art.	L
AISI316	satin	A14/PR12-1000-M12	1000
		A14/PR12-1250-M12	1250
		A14/PR12-1500-M12	1500
		A14/PR12-2000-M12	2000

2

SPIDERS









FIXED





ADJUSTABLE





Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS/ZP-101R-95	6-12,76	15



Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS/ZP-102R-90-95	6-12,76	15



Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS/ZP-102R-180-95	6-12,76	15




Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS/ZP-104R-95	6-12,76	15








Quality	Finish	art.
AISI304	satin	GS-304/ZA-200-1



Quality	Finish	art.
AISI304	satin	GS-304/ZA-200-2




Quality	Finish	art.
AISI304	satin	GS-304/ZA-200-2-1




Quality	Finish	art.
AISI304	satin	GS-304/ZA-200-4




Quality	Finish	art.
AISI304	satın	GS-304/ZA-200-3



Quality	Finish	art.	glass hole	glass t
AISI304	satın	GS-304/ZA-R55	40	12-26
		GS-304/ZA-R55-B		12-18



Quality	Finish	art.
AISI304	satın	GS-304/ZA-PIN



3


SLIDING DOORS





PROFILE SYSTEM

MANUAL



BAR SYSTEM

MANUAL


COMPONENTS





Components



Quality	Finish	Effect	art.	glass t	glass max. (kg)	Soft Stop
ALUMINIUM	natural	ELOX	GS-AL/P8102/N/E-set	8-10	80	-




Glass preparation








Components




Quality	Finish	Effect	art.	wood t	wood max. (kg)	Soft Stop WS/P8000
ALUMINIUM	natural	ELOX	WS/P8101-SET	16-45	60	optional






Components





Quality	Finish	Effect	art.	glass t	glass max. (kg)	Soft Stop
ALUMINIUM	natural	ELOX	GS-AL/P8105/N/E-set	8-12	80	✓




Accessories

art.	GS-AL/P8105	GS-AL/LN8105/N/E	GS-AL/LK8105/N/E
Quantity	1x	1x	1x






Quality	Finish	Effect	art.	glass t	glass max. (kg)	Soft Stop	 (kg)	 (kg)
ALUMINIUM	natural	ELOX	GS-AL/P8107/N/E-3M	8-12	80	✓	30-60	60-80
	matte	RAL 9005	GS-BLACK/P8107/N/B-3M					




Accessories					
					
Quantity	1x	1x	2x	2x	2x

Glass preparation




3000






Components



Quality	Finish	Effect	art.	L	glass t	glass max. (kg)	Soft Stop
ALUMINIUM	natural	ELOX	GS-AL/P8106/N/E-set	3000	8-12	80	✓
			GS-AL/P8106/N/E-synchro	6000		160	

new



	GS-AL/P8106	GS-AL/P8106-synchro	GS-AL/LN8106/N/E	GS-AL/LZ8106/N/E	GS-AL/ZP-21x27/ N/E-DIEL	GS-AL/LK8106/N/E
GS-AL/P8106/N/E-set	1x	-	1x	1x	1x	1x
GS-AL/P8106/N/E-synchro	-	1x	2x	2x	2x	2x


+

Profile	glass t			L	Quantity/ pcs
	8	10	12		
 GS-PVC/ZP-2127-8/N/T	GS-PVC/ZP-2127-10/N/T	GS-PVC/ZP-2127-12/N/T		3000	4






Components




Quality	Finish	Effect	art.	glass t	glass max. (kg)	Soft Stop	(kg)	(kg)
ALUMINIUM	natural	ELOX	GS-AL/P8108/N/E-3M	8-12	80	✓	30-60	60-80








Accessories							
Quantity	1x	1x	2x	2x	2x	1x	2x3m

Glass preparation



3000













Quality	Finish	Effect	art.	L	glass t	glass width	glass max. (kg)	Soft Stop
ALUMINIUM	natural	ELOX	GS-AL/P2000-3/N/E-set	3000	10-12	600-1200	80	✓

new

ASSEMBLY VIDEO







Quality	Finish	Effect	art.	L	glass t	glass width	glass max. (kg)	Soft Stop
ALUMINIUM	natural	ELOX	GS-AL/P2000-4/N/E-set	3000	10-12	600-1200	80	✓

new

ASSEMBLY VIDEO



1 PCS	6 PCS	2 PCS	2 PCS	1 PCS	1 PCS	1 PCS	2 PCS	2 PCS







Components




Quality	Finish	art.	glass t	glass max. (kg)	L (mm)	STOP
AISI304	satin	GS-304/P9201/S-set	10	80	3000	 

Glass preparation



Components



2 pcs



2 pcs



2 pcs



2 pcs





2 pcs



1 pcs

Quality	Finish	art.	glass t	glass max. (kg)	STOP	
AISI304	polish	GS-304/P9802/P/Cr	8-10	65		✓









Components





Quality	Finish	art.	wood t	glass max. (kg)	Soft Stop
AISI304	satın	WS/P9101/S-set	30-40	80	-





Components



Quality	Finish	art.	glass t	glass max. (kg)	Soft Stop
AISI304	satın	GS-304/P9102/S-set	8-12	100	-



Glass preparation





Quality	Finish	art.	compatibility
AISI304	satın	GS/P9100A16	A/25x2-2000







GS/P9100A6-L




GS/P9100A6-R


Quality	Finish	art.	compatibility
AISI304	satın	GS/P9100A6-L	A/25x2-2000
		GS/P9100A6-R	



Quality	Finish	art.	compatibility
AISI304	satın	GS/P9100A1	A/25x2-2000



Quality	Finish	art.
AISI304	satın	WS/P9100-11





Quality	Finish	art.
AISI304	satın	GS/P9100A11S



Quality	Finish	art.	compatibility
AISI304	satín	GS/P9100-set	GS/P8000

Quality	Finish	art.	L	D	Soft Stop	compatibility
AISI304	satín	GS/P8000	2000	25	✓	GS/P9100A1A
		A/25x2-2000			-	WS/P9100-1-i





Quality	Finish	art.	glass t	glass max. (kg)
AISI304	satín	GS/P9100A1A	8-12	60




WS/P9100-1



WS/P9100-B



WS/P9100-1



WS/P9100-B


Quality	Finish	art.	wood max. (kg)
AISI304	satín	WS/P9100-1	60
		WS/P9100-B	




4

SHOWER CABINS





FIXED CLAMPS





STABILIZING BARS, CONNECTORS



KNOBS, HANDLES





SEALS, THRESHOLD PROFILES





Quality	Finish	Effect	art.	glass t	b x h	mounting
AISI304	satin	-	GS-304/ZP-901/S	8-10	45x45	wall/glass
Brass	matte	RAL 9005	GS-BLACK/ZP-901/S			
AISI304	polish	-	GS-304/ZP-901/P/Cr			



new





Quality	Finish	art.	glass t	b x h	mounting
AISI304	satin	GS-304/ZP-904/S	8-10	45x45	glass/ glass





Quality	Finish	art.	glass t	b x h	mounting
AISI304	satin	GS-304/ZP-906/S	8-10	45x45	glass/ glass
	polish	GS-304/ZP-906/P/Cr			





Quality	Finish	Effect	art.	glass t	b x h	mounting
AISI304	satin	-	GS-304/ZP-907/S	8-10	45x45	wall/glass
Brass	matte	RAL 9005	GS-BLACK/ZP-907/S			
AISI304	polish	-	GS-304/ZP-907/P/Cr			





Quality	Finish	art.	glass t	b x h	mounting
AISI304	satin	GS-304/ZP-917/S	8-10	45x45	glass/ glass





Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-901/S	8-10	45x45	wall/ glass
	polish	GS-ZN/ZP-901/P/Cr			





Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-903/S	8-10	45x45	wall/ glass
	polish	GS-ZN/ZP-903/P/Cr			






Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-904/S	8-10	45x45	glass/ glass
	polish	GS-ZN/ZP-904/P/Cr			






Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-906/S	8-10	45x45	glass/ glass
	polish	GS-ZN/ZP-906/P/Cr			




Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-907/S	8-10	45x45	wall/ glass
	polish	GS-ZN/ZP-907/P/Cr			




Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-909/S	8-10	45x45	wall/ glass
	polish	GS-ZN/ZP-909/P/Cr			





Quality	Finish	art.	glass t	b x h	mounting
ZAMAK	satin	GS-ZN/ZP-917/S	8-10	45x45	glass/ glass
	polish	GS-ZN/ZP-917/P/Cr			






Quality	Finish	art.	L
AISI304	polish	A/30x10x1,5-2000-L	2000
ALUMINIUM		AL/30x10x1,5-2000-L	



Quality	Finish	art.
AISI304	polish	GS-304/ZP-221/P/Cr



Quality	Finish	art.
AISI304	polish	GS-304/ZP-220/P/Cr






Quality	Finish	art.
AISI304	polish	GS-304/ZP-222/P/Cr




Quality	Finish	art.
AISI304	polish	GS-304/ZP-223/P/Cr






Quality	Finish	art.
AISI304	polish	GS-304/ZP-224/P/Cr





Quality	Finish	art.
AISI304	polish	GS-304/ZP-225/P/Cr



Quality	Finish	art.
AISI304	polish	GS-304/ZP-226/P/Cr




Quality	Finish	art.
AISI304	polish	GS-304/ZP-227/P/Cr



STABILIZING BARS COMPONENTS



Quality	Finish	art.	glass t
AISI304	polish	-	8-12
		GS-304/ZP-900L/P/Cr	
		GS-304/ZP-900R/P/Cr	
	satin	PVD black	
		GS-BLACK/ZP-900L/S	
		GS-BLACK/ZP-900R/S	




4




Quality	Finish	art.	glass t
AISI304	polish	GS-304/ZP-900L/P/Cr-B	8-12
		GS-304/ZP-900R/P/Cr-B	


new



Quality	Finish	art.	glass t
AISI304	polish	GS-304/ZP-900/P/Cr-B	8-12



new







Quality	Finish	Effect	art.	glass t	mounting	L
AISI304	satin	PVD black	GS-BLACK/ZP-925/S	8-10	wall/ glass	750-1050
		-	GS-304/ZP-925/S			
	polish	-	GS-304/ZP-925/P/Cr			

new




Quality	Finish	Effect	art.	glass t	mounting	L
AISI304	satin	PVD black	GS-BLACK/ZP-926/S	6-10	wall/ glass	730-1200
		-	GS-304/ZP-926/S			
	polish	-	GS-304/ZP-926/P/Cr			


new



Quality	Finish	art.
AISI304	satin	GS-304/M-924/S
	polish	GS-304/M-924/P/Cr




Quality	Finish	art.
AISI304	satin	GS-304/M-926/S
	polish	GS-304/M-926/P/Cr




Quality	Finish	Effect	art.
AISI304	matte	RAL 9005	GS-BLACK/M-929/S
	polish	-	GS-304/M-929/P/Cr

SHOWER HANDLES




Quality	Finish	Effect	art.	D	H	h
AISI304	matte	RAL 9005	GS-BLACK/M1-25-300/S	25	300	200
	polish	-	GS-304/M1-25-300/P/Cr			

new




Quality	Finish	Effect	art.	D	H	h
AISI304	matte	RAL 9005	GS-BLACK/M3-20-300/S	20	320	300
	polish	-	GS-304/M3-20-300/P/Cr			

new



Quality	Finish	Effect	art.	axb	L
ALUMINIUM	satın	ELOX	GS-AL/M3-24-240/S-E	24x24	240




Quality	Finish	Effect	art.
ALUMINIUM	satın	ELOX	GS-AL/M3-10060/S-E


new




Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T1-8/N/T	6-8	2500




Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T3-8	6-8	2500



Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T6-8/N/T	6-8	2500




Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T14-8	6-8	2500





Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T10-8	6-8	2500





GS-PVC/D-T101-8






GS-PVC/D-T101-8-180

Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T101-8	6-8	2500
		GS-PVC/D-T101-8-180		




Quality	Finish	art.	glass t	L
PVC	transparent	GS-PVC/D-T103-8/N/T	6-8	2500



Quality	Finish	Effect	art.	L
ALUMINIUM	matte	RAL 9005	GS-BLACK/P	2000
	natural	ELOX	GS-AL/P	

new



Quality	Finish	art.	L
PVC	transparent	GS-PVC/P	2000

5

**SWING
DOORS**









SPRING HINGES






HYDRAULIC HINGES







LIFT HINGES



Quality	Finish	Effect	art.	glass t	Gmax (kg)/2pcs	STOP	door width	
AISI304	satin	-	GS-304/D-B-990-1/S-B	8-10	45	±90°, 0°	850	±15°
		PVD black	GS-BLACK/D-B-990-1/S-B					
	polish	-	GS-304/D-B-990-1/P/Cr-B					



Quality	Finish	art.	glass t	Gmax (kg)/2pcs	STOP	door width	
AISI304	satin	GS-304/D-B-990-5/S-B	8-10	45	±90°, 0°	850	±15°
	polish	GS-304/D-B-990-5/P/Cr-B					



GS-304/D-B-990...



GS-BLACK/D-B-990...






Quality	Finish	Effect	art.	glass t	Gmax (kg)/2pcs	STOP	door width	
AISI304	satin	-	GS-304/D-B-990-6/S-B	8-10	45	±90°, 0°	850	±15°
		PVD black	GS-BLACK/D-B-990-6/S-B					
	polish	-	GS-304/D-B-990-6/P/Cr-B					

art.	glass t	
GS-PVC/990	6*	




* Optional Gasket 1 mm for model 990




Quality	Finish	Effect	art.	glass t	Gmax (kg)/2pcs	STOP	door width	
AISI304	satin	-	GS-304/D-B-990-2/S-B	8-10	45	±90°, 0°	850	±15°
		PVD black	GS-BLACK/D-B-990-2/S-B					
	polish	-	GS-304/D-B-990-2/P/Cr-B					




Quality	Finish	art.	glass t	Gmax (kg)/2pcs	STOP	door width	
AISI304	satin	GS-304/D-B-990-3/S-B	8-10	45	±90°, 0°	850	±15°
	polish	GS-304/D-B-990-3/P/Cr-B					




Quality	Finish	art.	glass t	Gmax (kg)/2pcs	STOP	door width	
AISI304	satin	GS-304/D-B-990-4/S-B	8-10	45	±90°, 0°	850	±15°
	polish	GS-304/D-B-990-4/P/Cr-B					






Quality	Finish	art.	glass t	Gmax (kg)/2pcs	STOP	door width	manual alignment of closing position	
Brass	satin	GS-MS/D-B-980-1/S-B	8-12	45	±90°, 0°	950	±20°	±15°
	polish	GS-MS/D-B-980-1/P/Cr-B						






Quality	Finish	art.	glass t	Gmax (kg)/2pcs	STOP	door width	manual alignment of closing position	
Brass	satin	GS-MS/D-B-980-2/S-B	8-12	45	±90°, 0°	950	±20°	±15°
	polish	GS-MS/D-B-980-2/P/Cr-B						






Quality	Finish	art.	glass t	Gmax (kg)/2pcs	STOP	door width	manual alignment of closing position	
Brass	satin	GS-MS/D-B-980-6/S-B	8-12	45	±90°, 0°	950	±20°	±15°
	polish	GS-MS/D-B-980-6/P/Cr-B						



Quality	Finish	art.	Gmax (kg)/2pcs	STOP	door width	manual alignment of reference position		
Brass	satin	GS-MS/D-B-1000-1/S	45	±90°, 0°	950	0°-180°	±25°	✓
	polish	GS-MS/D-B-1000-1/P/Cr						



Quality	Finish	art.	Gmax (kg)/2pcs	STOP	door width	manual alignment of reference position		
Brass	satin	GS-MS/D-B-1000-2/S	45	±90°, 0°	950	0°-180°	±25°	✓
	polish	GS-MS/D-B-1000-2/P/Cr						



Quality	Finish	art.	Gmax (kg)/2pcs	STOP	door width	manual alignment of reference position		
Brass	satin	GS-MS/D-B-1000-6/S	45	±90°, 0°	950	0°-180°	±25°	✓
	polish	GS-MS/D-B-1000-6/P/Cr						

SYSTEM SPRING ADJUSTABLE



Quality	Finish	Effect	art.	Gmax (kg)/2pcs	STOP	door width		manual alignment of reference position	closing spring adjustment		
Brass	polish	-	GS-MS/D-B-8060-1/P/Cr	35	±90°, 0°	950	±20°	0°-180°	✓	±25°	✓
	satín	PVD black	GS-BLACK/D-B-8060-1/S-B								

new



Quality	Finish	Effect	art.	Gmax (kg)/2pcs	STOP	door width		manual alignment of reference position	closing spring adjustment		
Brass	polish	-	GS-MS/D-B-8060-6/P/Cr	35	±90°, 0°	950	±20°	0°-180°	✓	±25°	✓
	satín	PVD black	GS-BLACK/D-B-8060-6/S-B								

new




Quality	Finish	Effect	art.	Gmax (kg)/2pcs	STOP	door width		manual alignment of reference position	closing spring adjustment		
Brass	polish	-	GS-MS/D-B-8060-2/P/Cr	35	±90°, 0°	950	±20°	0°-180°	✓	±25°	✓
	satín	PVD black	GS-BLACK/D-B-8060-2/S-B								

new



GS-AL/D-B-900-1/P/Cr

GS-AL/D-B-910-1/P/Cr




Quality	Finish	Effect	art.	glass t	Gmax (kg)/2pcs	STOP	door width	closing spring adjustment
AISI304	satin	-	GS-304/D-B-991-10/S-B	8-12	50	±90°, 0°	800	✓
		PVD black	GS-BLACK/D-B-991-10/S-B					

new



Quality	Finish	Effect	art.	glass t	Gmax (kg)/2pcs	STOP	door width	closing spring adjustment
AISI304	satin	-	GS-304/D-B-991-20/S-B	8-12	50	±90°, 0°	800	✓
		PVD black	GS-BLACK/D-B-991-20/S-B					

new








GS...2L




GS...2R




Quality	Finish	Effect	art.	G max. (kg)/2pcs	door width		LIFT
Brass	polish	-	GS-MS/D-B-900-2L/P/Cr-B	40	950	✓	0-5mm
			GS-MS/D-B-900-2R/P/Cr-B				
	matte	RAL 9005	GS-BLACK/D-B-900-2L/P/Cr				
			GS-BLACK/D-B-900-2R/P/Cr				




new




GS...4L




GS...4R




GLASS CUT



Quality	Finish	Effect	art.	G max. (kg)/2pcs	door width		LIFT
Brass	polish	-	GS-MS/D-B-900-4L/P/Cr-B	40	950	✓	0-5mm
			GS-MS/D-B-900-4R/P/Cr-B				
	matte	RAL 9005	GS-BLACK/D-B-900-4L/P/Cr				
			GS-BLACK/D-B-900-4R/P/Cr				



or



new

6

GLASS DOOR COMPONENTS





GLASS DOOR COMPONENTS



ADJUSTABLE GLASS DOOR ADAPTERS




PULL HANDLES



LOCKS



HINGES FOR GLASS DOORS



1 GS-304/ZP-811/S



2 GS-304/ZP-808/S



3 GS-304/ZP-802/S



4 GS-304/ZP-801/S



5 GS-304/ZP-800/S



6 GS-304/ZP-802/S-B



7 GS-304/ZP-809/S




8 GS-304/ZP-821/S
GS-304/ZP-822/S-B




9 GS-304/M1...




10 GS-304/ZP-814/S



Quality	Finish	art.	
AISI304	satın	GS-304/ZP-800/S	5





Quality	Finish	art.	
AISI304	satın	GS-304/ZP-802/S-B	6



GS-BLACK/ZP-801/S

GS-304/ZP-801/S


Quality	Finish	Effect	art.	
AISI304	satın	-	GS-304/ZP-801/S	4
		PVD black	GS-BLACK/ZP-801/S	



GS-BLACK/ZP-802/S




GS-304/ZP-802/S

Quality	Finish	Effect	art.	
AISI304	satın	-	GS-304/ZP-802/S	3
		PVD black	GS-BLACK/ZP-802/S	











Quality	Finish	art.	
AISI304	satin	GS-304/ZP-811/S	1



Quality	Finish	art.	
AISI304	satin	GS-304/ZP-808/S	2




Quality	Finish	art.	
AISI304	satin	GS-304/ZP-809/S	7








Quality	Finish	art.
AISI304	satin	GS-304/ZP-882/S
		GS-304/ZP-881/S






Quality	Finish	Effect	art.	Gmax (kg)	STOP	
AISI304	satin	-	GS-304/ZP-804/S-C	100	±90°, 0°	✓
		PVD black	GS-BLACK/ZP-804/S-C			



Quality	Finish	Effect	art.	Gmax (kg)	glass t	STOP	
AISI304	satin	-	GS-304/ZP-805/S	100	8-12	±90°, 0°	✓
		PVD black	GS-BLACK/ZP-805/S				

new








Quality	Finish	art.	Gmax (kg)	STOP	
AISI304	satin	GS-304/ZP-822/S-B	150	±90°, 0°	✓





8



Quality	Finish	art.
AISI304	satin	GS-304/ZP-814/S

10




Quality	Finish	art.
AISI304	satin	GS-304/ZP-815/S

Quality	Finish	art.
AISI304	satin	GS-304/ZP-820/S


GLASS THICKNESS		DOOR HEIGHT (mm)									
		1500	1600	1700	1800	1900	2000	2100	2200	2300	2500
DOOR WIDTH	500	-	6	6	8	8	8	8	10	10	12
	600	-	6	6	8	8	8	10	10	12	12
	700	-	6	6	8	8	8	10	10	12	12
	800	-	6	8	8	8	10	10	12	12	12
	900	-	6	8	8	8	10	10	12	12	12
	1000	-	8	8	8	10	10	12	12	12	12
	1100	-	8	8	10	10	10	12	12	12	12
	1200	-	8	8	10	10	12	12	12	12	12




Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS-304/ZA-100-1	8-10	25




Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS-304/ZA-100-2	8-10	25





Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS-304/ZA-100-3	8-10	25





Quality	Finish	art.	glass t	glass hole
AISI304	satin	GS-304/ZA-100-4	8-10	25







Quality	Finish	Effect	art.	D	H	h	
AISI304	satin	-	GS-304/M1-25-300/S	25	300	200	6
	matte	RAL 9005	GS-BLACK/M1-25-300/S				
	satin	-	GS-304/M1-25-300/S-PRO		400	300	6
			GS-304/M1-25-400/S				
			GS-304/M1-25-500/S		500	400	6
			GS-304/M1-25-500/S-PRO				
			GS-304/M1-25-800/S-PRO		800	700	6

new
newnew
new

Quality	Finish	Effect	art.	D	H	h	
AISI304	satin	-	GS-304/M3-20-300/S	20	320	300	6
	matte	RAL 9005	GS-BLACK/M3-20-300/S				
	satin	-	GS-304/M3-20-400/S		420	400	6
			GS-304/M3-20-500/S				
	matte	RAL 9005	GS-BLACK/M3-20-500/S		520	500	6


new

new




Quality	Finish	art.	D	H	h	
AISI304	satin	GS-304/M4-25-400/S	25	420	400	6
		GS-304/M4-25-500/S		520	500	

GLASS DOOR HANDLES



Quality	Finish	Effect	art.	axb	L
ALUMINIUM	satin	ELOX	GS-AL/M3-24-240/S-E	24x24	240




Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	GS-AL/M3-10060/S-E

new

GLASS DOOR LOCKS




GS-304/D-201-L18D/S



Quality	Finish	Effect	art.
AISI304	satin	-	GS-304/D-201/S
		PVD black	GS-BLACK/D-201/S
		-	GS-304/D-201-L18D/S

new

new



Quality	Finish	art.
AISI304	satin	GS-304/D-204/S


new




GS-304/D-207/S




GS-304/D-207-H/S




Quality	Finish	art.	
AISI304	satin	GS-304/D-207/S	✓
		GS-304/D-207-H/S	-




Quality	Finish	art.	compatibility
AISI304	satin	GS-304/D-L18S/S	GS-304/D-206/S GS-304/D-207/S



GS-304/D-206-H/S




Quality	Finish	Effect	art.	
AISI304	satin	-	GS-304/D-206/S	✓
		PVD black	GS-BLACK/D-206/S	
		-	GS-304/D-206-H/S	-





Quality	Finish	art.	compatibility
AISI304	satin	GS-304/D-L18R/S	GS-304/D-206/S GS-304/D-207/S


GLASS DOOR HINGES



Quality	Finish	Effect	art.	G max. (kg)/2pcs
ALUMINIUM	satin	INOX	GS-AL/D-808/S-VA	45




Quality	Finish	Effect	art.	G max. (kg)/2pcs
ALUMINIUM	satin	INOX	GS-AL/D-809/S-VA	45
	matte	RAL 9005	GS-BLACK/D-809/S	



Quality	Finish	Effect	art.	G max. (kg)/2pcs
ALUMINIUM	satin	ELOX	GS-AL/D-815/S	50
	matte	RAL 9005	GS-BLACK/D-815/S	

new




Quality	Finish	Effect	art.	G max. (kg)/2pcs
ALUMINIUM	satin	INOX	GS-AL/D-816/S-VA	50
	matte	RAL 9005	GS-BLACK/D-816/S	


new





Quality	Finish	Effect	art.	G max. (kg)/2pcs
AISI304	satin	INOX	GS-304/D-810/S	50
ALUMINIUM			GS-AL/D-810/S-VA	




Quality	Finish	Effect	art.	G max. (kg)/2pcs
AISI304	satin	-	GS-304/D-811/S	50
ALUMINIUM		INOX	GS-AL/D-811/S-VA	



Quality	Finish	Effect	art.	G max. (kg)/2pcs
AISI304	satin	-	GS-304/D-805/S-B	45
ALUMINIUM		INOX	GS-AL/D-805/S-VA	



Quality	Finish	art.	G max. (kg)/2pcs
steel	Zn	GS-ZN/D-V180-OS	50




Quality	Finish	art.	G max. (kg)/2pcs
steel	Zn	GS-ZN/D-V180-OW	50

7

GLASS WALL PROFILES





GLAZING PROFILE




U - PROFILES



GLASS JOINING PROFILES

GLASS WALLS GLAZING PROFILE



GS-.../N/B


art.
GS-AL/ZP-32x46/N/B
GS-AL/ZP-32x100/N/B
GS-304/ZP-32x46/S
GS-304/ZP-32x100/S
GS-AL/ZP-32x46/N/E
GS-AL/ZP-32x100/N/E
GS-AL/ZP-32x46/S-VA

GS/ZP-002	GS/ZP-L02	GS/ZP-A02-a	GS/ZP-A02-i	GS/ZP-A02-ai	GS-AL/ZP-A02/N/B	GS-AL/ZP-A02W/N/E	GS-304/ZP-A02W/S	GS-AL/ZP-A02W/N/B	GS-PVC/ZP-32686
3 m	9 pcs/3m	3 m	3 m	3 m	3 m	3 m	3 m	3 m	3 m
ALUMINIUM	black	ALSI304	ALUMINIUM	black	ALSI304				





7

Quality	Finish	Effect	art.	Quantity/ pairs	b x h	Glass t		
						8	10	12
ALUMINIUM	natural	RAL 9005	GS-AL/ZP-Z02A-8/N/B	1	32x46	✓		
			GS-AL/ZP-Z02A-10/N/B				✓	
			GS-AL/ZP-Z02A-12/N/B					✓
			GS-AL/ZP-Z02AW-8/N/B		33x100	✓		
			GS-AL/ZP-Z02AW-10/N/B				✓	
			GS-AL/ZP-Z02AW-12/N/B					✓
ALSI304	satin	-	GS-304/ZP-Z02A-8/S		32x46	✓		
			GS-304/ZP-Z02A-10/S				✓	
			GS-304/ZP-Z02A-12/S					✓
			GS-304/ZP-Z02AW-8/S		33x100	✓		
			GS-304/ZP-Z02AW-10/S				✓	
			GS-304/ZP-Z02AW-12/S					✓
ALUMINIUM	natural	ELOX	GS-AL/ZP-Z02A-8/N/E		32x46	✓		
			GS-AL/ZP-Z02A-10/N/E				✓	
			GS-AL/ZP-Z02A-12/N/E					✓
			GS-AL/ZP-Z02AW-8/N/E		33x100	✓		
			GS-AL/ZP-Z02AW-10/N/E				✓	
			GS-AL/ZP-Z02AW-12/N/E					✓




GS-.../N/B


Quality	Finish	Effect	art.	Quantity/ pcs	h	L
ALUMINIUM	natural	RAL 9005	GS-AL/ZP-A02/N/B	1	46	3000
			GS-AL/ZP-A02W/N/B			
AISI304	satin	-	GS/ZP-A02-i			
			GS-304/ZP-A02W/S			
ALUMINIUM	natural	ELOX	GS/ZP-A02-a		100	
	satin	INOX	GS/ZP-A02-ai		46	
	natural	ELOX	GS-AL/ZP-A02W/N/E	100		




Quality	Finish	Effect	art.	L	G max	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-30x40/N/E-U	3000	30 kg/m	8



				
art	1 x 3 m	6 pcs	2 x 3 m	2 pcs
GS-AL/ZP-30x40/N/E-U	ALUMINIUM			PVC







GLASS WALLS GLAZING PROFILE



Quality	Finish	Effect	art.	L	G max	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-30x39/N/E-U	3000	40 kg/m	8-10
	matte	RAL 9005	GS-BLACK/ZP-30x39/N/B-U			




art	1 x 3 m	6 pcs	2 x 3 m	2 x 3 m
GS-AL/ZP-30x39/N/E-U	✓	✓	✓	-
GS-BLACK/ZP-30x39/N/B-U			-	✓




Quality	Finish	Effect	art.	L	G max	glass t
ALUMINIUM	natural	-	GS-AL/ZP-30x50/N/E-U	3000	50 kg/m	12
	matte	RAL 9005	GS-BLACK/ZP-30x50/N/B-U			

new

art	1 x 3 m	9 pcs	1 x 3 m	1 x 3 m
GS-AL/ZP-30x50/N/E-U	✓	✓	✓	-
GS-BLACK/ZP-30x50/N/B-U			-	✓



GLASS WALLS GLAZING PROFILE




Quality	Finish	Effect	art.	L	G max	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-3535/N/E-U	3000	30 kg/m	8-10
	matte	RAL 9005	GS-BLACK/ZP-3535/N/B-U			

new




	8	10	L	Quantity/ pcs
	GS-PVC/ZP-3535-8/N/B + GS-PVC/ZP-3535-10/N/B	GS-PVC/ZP-3535-10/N/B	3000	2
	GS-PVC/ZP-3535-8/N/T + GS-PVC/ZP-3535-10/N/T	GS-PVC/ZP-3535-10/N/T		




22x6x100
GS-PVC/G-3535/N/B
PVC




	
GS-AL/C-3535/E	GS-AL/C-3535/B
ALUMINIUM	



Quality	Finish	Effect	art.	L	G max	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-3535/N/E	3000	30 kg/m	8-10
	matte	RAL 9005	GS-BLACK/ZP-3535/N/B			



	8	10	L	Quantity/ pcs
	GS-PVC/ZP-3535-8/N/B + GS-PVC/ZP-3535-10/N/B	GS-PVC/ZP-3535-10/N/B	3000	2
	GS-PVC/ZP-3535-8/N/T + GS-PVC/ZP-3535-10/N/T	GS-PVC/ZP-3535-10/N/T		




Left/Right
GS-PVC/C-3535
PVC




	
GS-AL/C-3535/E	GS-AL/C-3535/B
ALUMINIUM	




22x6x100
GS-PVC/G-3535/N/B
PVC

GLASS WALLS GLAZING PROFILE



Quality	Finish	Effect	art.	L	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-20x21/N/E	3000	8-10
	matte	RAL 9005	GS-BLACK/ZP-20x21/N/B		




	glass t		L	Quantity pcs
	8	10		
	GS-PVC/ZP-2021-8/N/G	GS-PVC/ZP-2021-10/N/G	6000	1
	GS-PVC/ZP-2021-8/N/B	GS-PVC/ZP-2021-10/N/B		






10x3x100
GS-PVC/G-2021/N/B
PVC



GS-AL/C-2021/E	GS-AL/C-2021/B
ALUMINIUM	






GLASS WALLS U - PROFILE



GS-AL/ZP...

GS-BLACK/ZP...

Quality	Finish	Effect	art.	A	B	L	glass t						
ALUMINIUM	polish	-	GS-AL/ZP-2012/P/Cr	12	8	3000	optional	optional	-	-	-	-	✓
			GS-AL/ZP-2014/P/Cr	14	10		-	-	optional	-	-	-	
	satin	ELOX	GS-AL/ZP-2012/S-E	20	8		-	optional	-	-	-	-	-
			GS-BLACK/ZP-2012/S	12	8		-	-	-	-	optional	-	






Quality	Finish	Effect	art.	L	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-2019/N/E	3000	8-10
	matte	RAL 9005	GS-BLACK/ZP-2019/N/B		



	glass t		L	Quantity pcs
	8	10		
	GS-PVC/ZP-2021-8/N/G	GS-PVC/ZP-2021-10/N/G	6000	1
	GS-PVC/ZP-2021-8/N/B	GS-PVC/ZP-2021-10/N/B		



GS-AL/C-2019/E	GS-AL/C-2019/B
ALUMINIUM	



Quality	Finish	Effect	art.	L	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-3619/N/E	3000	8-10
	matte	RAL 9005	GS-BLACK/ZP-3619/N/B		


	glass t		L	Quantity pcs
	8	10		
	GS-PVC/ZP-2021-8/N/G	GS-PVC/ZP-2021-10/N/G	6000	1
	GS-PVC/ZP-2021-8/N/B	GS-PVC/ZP-2021-10/N/B		




15x9x28
GS-PVC/G-3619/N/B
PVC



	
GS-AL/C-2021/E	GS-AL/C-2021/B
ALUMINIUM	




Quality	Finish	art.	L	glass t
PVC	transparent	GS-PVC/H-8	3000	8
		GS-PVC/H-10		10
		GS-PVC/H-12		12
		GS-PVC/H-14		14

8

GLASS DOOR FRAMES





DOOR FRAMES



DOOR HANDLES











ACCESORIES




GLASS DOORS FRAMES

Components

Quality	Finish	Effect	art.	L	glass t
ALUMINIUM	natural	-	GS-AL/ZR-N-E	3000	8







GLASS DOORS FRAMES



Components





Quality	Finish	Effect	art.	L	glass t
ALUMINIUM	natural	ELOX	GS-AL/ZP-N-E	2500	8-10




GLASS DOORS FRAMES



Quality	Finish	Effect	art.	L
ALUMINIUM	natural	ELOX	GS-AL/ZU-N-E-U	2300x1200x2300





SECTION A-A



DETAIL B

DETAIL C







GS-AL/D-808/S

GS-304/D-206/S


GLASS DOORS FRAMES

Components





Quality	Finish	Effect	art.	L
ALUMINIUM	natural	ELOX	GS-AL/ZZ-6000-N-E	6000
			GS-AL/ZL-6000-N-E	


new




SECTION A-A




DETAIL B




DETAIL C







Components




Quality	Finish	Effect	art.	glass t	L
ALUMINIUM	natural	ELOX	GS-AL/ZG-N-E-U	8-10	2300x1200x2300





SECTION A-A




DETAIL B




DETAIL C






Quality	Finish	art.
PVC	transparent	D8/DD



Quality	Finish	art.
AISI304	satın	D8/DD-i

new



Quality	Finish	art.
PVC	black	D8/DK-B
	gray	D8/DK-G
	white	D8/DK-W



Quality	Finish	Color	art.	Dimensions	Door: ↔ /G/°max
AISI304	satın	-	WS/Z-104	182x41x63	900mm/60kg/180°
ALUMINIUM	matte	RAL 9005	WS-BLACK/Z-104		

new


DOOR HANDLES







Quality	Finish	art.
AISI304	satin	D8/16-i

new




Quality	Finish	art.
AISI304	satin	D8/17-i

new




Quality	Finish	art.
AISI304	satin	D8/18-i

new



Quality	Finish	art.
AISI304	satin	D8/20-i


new




DOOR HANDLES





Quality	Finish	Effect	art.
AISI304	satin	-	D8/03-i
		PVD black	D8/03-BLACK




Quality	Finish	art.
AISI304	satin	D8/01-i



Quality	Finish	art.
AISI304	satin	D8/06-i



Quality	Finish	art.
AISI304	satin	D8/010-i



DOOR HANDLES



Quality	Finish	art.
AISI304	satın	D8/02-i







Quality	Finish	Effect	art.
AISI304	satin	-	D8/05-i
		PVD black	D8/05-BLACK




Quality	Finish	Effect	art.	Orientation	
AISI304	satin	-	D8/05G-R-i	right	fixed position
			D8/05G-L-i	left	
		pVD black	D8/05G-R-BLACK	right	
			D8/05G-L-BLACK	left	
		-	D8/05-GR	right	opens together with handle
			D8/05-GL	left	





Quality	Finish	Effect	art.		
AISI304	satin	-	D8/04-i	fix	-
			D8/04L-i	-	open
			D8/04R-i	open	-
			D8/04-2-i	fix	fix
			D8/04-2-R-i	open	fix
			D8/04-2-L-i	fix	open
			D8/04O-2-i	open	open
		PVD black	D8/04-BLACK	fix	-








Quality	Finish	art.
AISI304	satın	D8/15-i



Quality	Finish	art.	Orientation
AISI304	satın	D8/15G-R-i	right
		D8/15G-L-i	left




Quality	Finish	art.
AISI304	satın	D8/014-i



D8/09i

D8/09B-i

Quality	Finish	art.
AISI304	satın	D8/09-i
		D8/09B-i
		D8/08-i
		D8/08B-i



DOOR HANDLES



Quality	Finish	art.
AISI304	satin	D8/DD-i

new



Quality	Finish	art.	M
steel 8.8	Zn	D0/06-Zn	10

new



Quality	Finish	art.
AISI304	satin	D8/08-WC

new



Quality	Finish	art.
AISI304	satin	D8/09-WC

new



Quality	Finish	art.
AISI304	satin	PNL/HANDLES

new

8

ACCESSORIES






Quality	Finish	art.	M	L
AISI304	natural	A-DIN 914-A2 M5x5	5	5
		A-DIN 914-A2 M5x6		6
		A-DIN 914-A2 M5x8	6	8
		A-DIN 914-A2 M6x6		6
		A-DIN 914-A2 M8x40	8	40
AISI316		A4-DIN 914 M5x5	5	5

new




Quality	Finish	art.
AISI304	natural	A-DIN 916-A2 M10x14
AISI316		A4-DIN 916 M10x14




Quality	Finish	art.	M	D
AISI304	natural	A-DIN 6334V M8x25-A2	8	11
		A-DIN 6334V M10x25-A2	10	13
		A-DIN 6334V M12x40-A2	12	40

new



Quality	Finish	art.	M	L
AISI304	natural	A-DIN 913-A2 M5x10	5	10
		A-DIN 913-A2 M6x10		
		A-DIN 913-A2 M6x12	6	12
		A-DIN 913-A2 M6x35		35
		A-DIN 913-A2 M8x16	8	16
		A-DIN 913-A2 M8x20		20
		A-DIN 913-A2 M8x25		25
		A-DIN 913-A2 M8x30		30
		A-DIN 913-A2 M8x40	10	40
		A-DIN 913-A2 M8x80		80
		A-DIN 913-A2 M10x12		12
		A-DIN 913-A2 M10x35	10	35
		A-DIN 913-A2 M10x100		100
AISI316		A4-DIN 913 M5x5	5	5
		A4-DIN 913 M5x10		10
		A4-DIN 913 M6x10	6	
		A4-DIN 913 M6x12		12
		A4-DIN 913 M10x12	10	16
		A4-DIN 913 M10x16		
		A4-DIN 913 M10x55		55

new



Quality	Finish	art.	M	L
steel 8.8	Zn	DIN 7991 M8x20-Zn	8	20
		DIN 7991 M12x30-Zn	12	30
		DIN 7991 M12x40-Zn		40
AISI304	natural	A-DIN 7991-A2 M5x8	5	8
		A-DIN 7991-A2 M5x12	5	12
		A-DIN 7991-A2 M5x16		16
		A-DIN 7991-A2 M5x20		20
		A-DIN 7991-A2 M6x8	6	8
		A-DIN 7991-A2 M6x14		14
		A-DIN 7991-A2 M6x16		16
		A-DIN 7991-A2 M6x20		20
		A-DIN 7991-A2 M6x40	8	40
		A-DIN 7991-A2 M6x60		60
		A-DIN 7991-A2 M8x12		12
		A-DIN 7991-A2 M8x16		16
		A-DIN 7991-A2 M8x30	8	30
		A-DIN 7991-A2 M8x35		35
		A-DIN 7991-A2 M8x50		50
		A-DIN 7991-A2 M8x70		70
		A-DIN 7991-A2 M8x80	10	80
		A-DIN 7991-A2 M8x110		110
		A-DIN 7991-A2 M10x35		35
		A-DIN 7991-A2 M12x16	12	16
AISI316		A4-DIN 7991 M5x8	5	8
		A4-DIN 7991 M5x16		16
		A4-DIN 7991 M6x14	6	14
		A4-DIN 7991 M6x40		40
		A4-DIN 7991 M8x20		20
		A4-DIN 7991 M8x30	8	30
		A4-DIN 7991 M8x70		70
		A4-DIN 7991 M8x100		100
		A4-DIN 7991 M8x120		120
		A4-DIN 7991 M10x20	10	20
		A4-DIN 7991 M12x30	12	30

new

new

new

new

new

new


new

new


new

new


new



Quality	Finish	art.	M	L
steel 8.8	Zn	DIN 933 M10x30-Zn	10	30
		DIN 933 M12x80-Zn	12	80
		DIN 933 M16x80-Zn	16	
AlSi316	natural	A4-DIN 933 M10x30	10	30




Quality	Finish	art.	M	L
AlSi304	natural	A-DIN 603-A2 M8x16	8	16



Technical drawing of a bolt with the following dimensions: M8, 5, 20, and Ø 21,5.




Quality	Finish	art.	M	L
AISI304	natural	SOL-M8x25	8	25




Quality	Finish	art.	d	L
AISI304	natural	SOL-TSS-530	5,5	30
		SOL-TSS-540		40

new




Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7504K-A2 4,2x13	4,2	13
		A-DIN 7504K-A2 4,2x16		16
		A-DIN 7504K-A2 5,5x25	5,5	25
		A-DIN 7504K-A2 6,3x16	6,3	16


new
new
new
new




Quality	Finish	art.	d	L
AISI304	natural	A-PH 5x20	5	20
		A-PH 5x35		35
		A-PH 6x45	6	45



Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7981C-A2-TX 4,2x60	4,2	60




Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7505A 4,2x16	4,2	16
		A-DIN 7505A 5x20	5	20
		A-DIN 7505A 5x35		35
		A-DIN 7505A 5x45		45



Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7982C-TX-A2 4,2x22	4,2	22

new




Quality	Finish	art.	pack [pcs]
Fe	Zn	H/01PVC-FS	6
		H/01PVC-FS-J	4

new





Quality	Finish	art.
Fe	Zn	H/01PVC-FS-AL


new




Quality	Finish	art.	d	anchor system
AISI316	satın	A14/7604-005	3-5	C2



Quality	Finish	art.	d	anchor system
AISI316	satın	A14/7601-005	7	C2



Quality	Finish	art.	d2	M	D	h	anchor system
AISI316	satın	A14/7350-003	6,5	6	12	6	C2,C3
		A14/7350-005	9,5	10	20	9,7	



Quality	Finish	art.	M	H	L	C	K	Ø	anchor system
AISI316	satin	A14/7333-M6	6	14	44	30	4	8,5	C3
		A14/7333-M6 LEFT							
		A14/7333-M10	10	22	90	63	6	10,5	
		A14/7333-M10 LEFT							

new
new
new
new




Quality	Finish	art.	M	t	d	D
steel	Zn	DIN 7980 M10-Zn	10		10	16
		DIN 7980 M12-ZN	12	2,5	12	18
		DIN 127 B M12	12		12	21

new
new
new



Quality	Finish	art.	M	plate t
steel	Zn	MK-M8 Zn	8	1,8 - 3,2
		MK-M10 Zn	10	

new
new




Quality	Finish	art.
PVC	natural	VCT.40 FP-M8

new




A19/04-PVC A19/04-PVC-L A19/04-PVC-BLACK

Quality	Finish	art.
PVC	natural	A19/04-PVC
	polish	A19/04-PVC-L
	black	A19/04-PVC-BLACK



Quality	Finish	art.
steel	Zn	M4-GN505

new




A12/12-PVC





A12/12-35-PVC

Quality	Finish	art.
PVC	natural	A12/12-PVC
		A12/12-35-PVC




A12/12-35-PVC



Quality	Finish	art.	M	t
steel 8.8	Zn	DIN 934 M6-Zn	6	5
		DIN 934 M8-Zn	8	6,5
		DIN 934 M10-Zn	10	8
		DIN 934 M12-Zn	12	10
AISI304	natural	A-DIN 934 M6	6	5
		A-DIN 439B-A2 M8	8	4
		A-DIN 934 M8	8	6,5
		A-DIN 934 M10	10	8
		A-DIN 934 M12	12	10
		A-DIN 934 M16	16	13
AISI316		A4-DIN 439B M8	8	4
		A4-DIN 934 M10	10	8

new
new
new
new
new



new



Quality	Finish	art.	D	d	t
steel	Zn	DIN 125 M6-Zn	12	6,4	1,6
		DIN 125 M8-Zn	16	8,4	
		DIN 125 M10-Zn	20		2
		DIN 9021 M10-Zn	30	10,5	2,5
		DIN 9021 M12-Zn	37	13	
		DIN 9021 M16-Zn	50	17	3
		DIN 125 M12-Zn	24	13	2,5
		DIN 125 M16-Zn	30	17	3
AISI304	natural	A-DIN 125-A2 M5	10	5	1
		A-DIN 9021-A2 M8	30	8	2,5
		A-DIN 125-A2 M8	16		1,6
		A-DIN 125-A2 M10	20	10	2
		A-DIN 125-A2 M12	24	12	2,5
		A-DIN 433-A2 M12	20		
AISI316		A4-DIN 9021 M8	24	8,4	2
		A4-DIN 9021 M16	50	17	2,5



new
new
new
new
new
new
new
new

new





Quality	Finish	art.	M	t
steel	Zn	DIN 1587 M6-Zn	6	12
		DIN 1587 M8-Zn	8	15
		DIN 1587 M10-Zn	10	18
		DIN 1587 M12-Zn	12	22
AISI304	natural	A-DIN 1587-A2 M6	6	12
		A-DIN 1587-A2 M8	8	15
		A-DIN 1587-A2 M10	10	18
		A-DIN 1587-A2 M12	12	22
AISI316		A4-DIN 1587 M10	10	18



new
new
new
new
new




Quality	Finish	art.	M	s	t
AISI304	natural	A-DIN 562 M6	6	10	3,2
		A-DIN 562 M8	8	13	4
		A-DIN 562 M10	10	17	5




Quality	Finish	art.	M	t
AISI304	natural	A-DIN 6923-A2 M8	8	10



Quality	Finish	art.	M	t
AISI304	natural	A-DIN 917 M8	8	10
		A-DIN 917 M10	10	12




Quality	Finish	art.
AISI304	natural	A-DIN 7337-A2 4,8x20



Quality	Finish	art.	M	L	b	h	SW
AISI304	natural	A-DIN 9210 M6x60-A2	6	60	20	37	-
		A-DIN 9210 M8x60-A2	8		42	48	✓
		A-DIN 9210 M8x100-A2	8	100	30	57	✓
AISI316	natural	A-DIN 9210 M10x100-A2	10		30	57	✓
		A4-DIN 9210 M6x100	6	100			✓
		A4-DIN 9210 M8x60	8	60	20	37	-
		A4-DIN 9210 M8x100	8	100	42	48	✓




Quality	Finish	art.	M
steel	Zn	WOOD/M8-D	8
		WOOD/M10-D	10





Quality	Finish	art.	M	L	a	b	SW
AISI316	natural	A4-DUAL M6/M6	6	65	30	30	✓ <i>new</i>
		A4-DUAL M10/M10	10				



Quality	Finish	art.	M	L
AISI304	natural	A-FTT-M5	5	12
		A-FTT-M6	6	14
		A-FTT-M8	8	16,5
		A-FTT-M10	10	19



Quality	Finish	art.
AISI316	natural	A14/08-WASHER





Quality	Finish	art.	L	Ø	D/v	CE	load
steel	Zn	Q5/08-M8-75SK/S	75	22/5	-	-	medium
		Q5/08-HAZ-M8-80SK/S	80	20,5/5	✓	-	heavy
		Q5/08-FH12-50	125	12	22/5,8	✓	heavy
		Q5/08-12-125	125	12	22/5,8	-	heavy
AISI304	natural	A5/08-12-125	125	12	22/5,8	-	heavy
AISI316	natural	A5/08-HAZ-M8-80SK/A4	80	20,5/5	✓	-	heavy

new
top
new
new



Quality	Finish	art.	M	L	d	D/v	CE	load
steel	Zn	Q5/08-M8-80S/S	8	80	11	22/7,5	-	medium
		Q5/08-HAZ-M8-85S/S	8	85	12	20/7,5	✓	heavy
		Q5/08-M8-120S/S	10	120	11	22/7,5	-	medium
		Q5/08-FH15/25 S	10	89	15	25/9,5	✓	heavy
		Q5/08-HAZ-M10-106S/S	10	106	14	25/8,3	-	medium
		Q5/08-M10-120S/S	10	120	14	25/8,3	-	medium
AISI304	natural	A5/08-M8X80	8	80	10	20/7,5	-	medium
		A5/08-M8-80S/S	8	80	11	22/7,5	-	medium
		A5/08-M8-120S/S	10	120	11	22/7,5	-	medium
		A5/08-M10-70S/S	10	70	14	25/8,3	-	medium
		A5/08-HAZ-M8-85S/A4	8	85	12	20/7,5	✓	heavy
		A5/08-HAZ-M10-106S/A4	10	106	15	25/9,5	✓	heavy

new
new
new
new
new
new



Quality	Finish	art.	CE	load
AISI304	natural	A5/08-105x11xM8	-	N/A
AISI316	natural	A14/08-105x11xM8	-	N/A



Quality	Finish	art.	M	CE	load
steel	natural	Q11/FPX-M8	8	✓	heavy
		Q11/FPX-M10	10	✓	heavy



Quality	Finish	art.	CE	load
steel	Zn	Q5/09-Quick-Fix QF5	-	N/A


Quality	Finish	art.	d	L	CE	load
steel 5.8	Zn	Q5/08-BS-S-10-90/S	10	90	✓	heavy
AISI316	natural	A5/08-BS-S-10-90/A4	10	90	✓	heavy
steel 5.8	Zn	Q5/08-BS-S-12-110/S	12	110	✓	heavy
AISI316	natural	A5/08-BS-S-12-110/A4	12	110	✓	heavy

new




Quality	Finish	art.	CE	load
steel	Zn	Q5/08-FAZ-IG-M10-70/S	✓	heavy
AISI316	natural	A5/08-FAZ-IG-M10-70/A4	✓	heavy


Quality	Finish	art.	D	screw	L
NYLON	gray	Q5/07-8 NYLON	8	4,5-6	40
		Q5/07-10 NYLON	10	6-8	50
		Q5/07-12 NYLON	12	8-10	60



Quality	Finish	art.	M	L		CE	load
steel	Zn	Q5/08-VM 250-M10-115	10	115	✓		heavy
		Q5/08-VM 250-M10-165		165	✓		heavy
		Q5/08-VM 250-M12-135	12	135	✓		heavy
		Q5/08-VM 250-M12-160		160	✓		heavy
AISI316	natural	A5/08-VM 250-M10-115-A4	10	115	✓		heavy
		A5/08-VM 250-M10-165-A4		165	✓		heavy
		A5/08-VM 250-M12-135-A4	12	135	✓		heavy
		A5/08-VM 250-M12-160-A4		160	✓		heavy




Quality	Finish	art.	M	L	D	b		CE	load
AISI304	natural	A19/27-M8	8	11			-		N/A
		A19/27-M10	10	140		15	-		N/A
		A19/27-M12	12	130	15	25	-		N/A



Quality	Finish	art.	M	L		CE	load
AISI304	natural	A-DIN 975-1587 M10x100	10	100	N/A		N/A

new



Quality	Finish	art.	M	L		CE	load
steel	Zn	Q5/06-6x60CE	6	60	-		heavy
		Q5/06-8x100CE	8	92	-		heavy
		Q5/06-10x120CE	10	120	-		heavy
		Q5/06-12x110CE	12	110	-		heavy
		Q5/08-FBN12-30		126	✓		heavy
		Q5/06-16x123CE	16	123	-		heavy
AISI304	natural	Q5/06-16x138CE	16	138	-		heavy
		A-Q5/06-8x90CE	8	90	-		heavy
		A-Q5/06-10x120CE	10	120	-		heavy
AISI316	natural	A-Q5/06-12x110CE			-		heavy
		A4-Q5/06-12x110CE	12	110	✓		heavy


new

new

new

new

new




Quality	Finish	art.	M	L		CE	load
steel	Zn	DIN 975 M6-Zn	6	1000			
		DIN 975 M8-Zn	8				
		DIN 975 M10-Zn	10				
		DIN 975 M12-Zn	12				
		DIN 975 M16-Zn	16				
AISI304	natural	A-DIN 975 M6	6	1000			
		A-DIN 975 M8	8				
		A-DIN 975 M8-100			100		
		A-DIN 975 M8-120			120		
		A-DIN 975 M8-150	8		150		
		A-DIN 975 M8-200			200		
		A-DIN 975 M10	10				
		A-DIN 975 M10-100			100		
		A-DIN 975 M10-120			120		
		A-DIN 975 M10-150	10		150		
		A-DIN 975 M10-200			200		
		A-DIN 975 M12	12				
		A-DIN 975 M12-100			100		
		A-DIN 975 M12-120			120		
		A-DIN 975 M12-150	12		150		
		A-DIN 975 M12-200			200		
AISI316	natural	A-DIN 975 M16	16				
		A4-DIN 975 M10	10				

new
new
new
new
new

new
new
new
new
new

new
new
new
new
new

new
new
new
new
new



Quality	Finish	art.	M	L	D		CE	load
steel 5.8	Zn	Q5/08-VI-IG-M8-100/S	8	100	12	✓		heavy
		Q5/08-VI-IG-M10-80/S	10	80	16	✓		heavy
		Q5/08-VI-IG-M12-125/S	12	125	20	✓		heavy
AISI316	natural	A5/08-VI-IG-M8-100/A4	8	100	12	✓		heavy
		A5/08-VI-IG-M10-80/A4	10	80	16	✓		heavy
		A5/08-VI-IG-M12-125/A4	12	125	20	✓		heavy



art.	ml	quality	description
Q5/01GF-300 Nordic		vinylester	-20°C +10°C
Q5/01GF-400 Nordic			
Q5/01GF-300			-10°C +30°C
Q5/01GF-400			

top



art.	ml	quality	description
Q5/01B-300		vinylester	-10°C +40°C
Q5/01B-400			-10°C +40°C
Q5/01B-400 Winter			-20°C +20°C

new



art.	ml	quality	description
Q5/01GFP-300		Polyester	-5°C +30°C
Q5/01GFP-400			



art.	ml	quality	description
Q5/05TR-310		Silicone	-5°C +40°C



art.	ml	quality	description
Q5/01-WIT-UH300...	320	uretan vinylester	-5°C +40°C
Q5/01-WIT-VM250...	300	vinylester	-10°C +40°C



Q5/04-250

art.	M	L
Q5/04	17	215
Q5/04-250	8	250

new



art.	ml	description
A/spray-R7016	400	Repair spray



art.	description
Q5/03-50	50ml, profi



art.	ml	description
Q5/05-LOCTITE	50	epoxy adhesive



art.	description
Q5/03-300	300ml, hobby



art.	description
Q5/03-400	400ml, profi




art.	description
Q5/01-16x130	mesh



art.	description
Q5/02	blow pump



art.	t	b	L
Q9/03-3x12	3	12	16,5





art.	t	b	L
Q9/03-0,2x9	0,2	9	50
Q9/03-0,5x9	0,5	9	33
Q9/03-2x6	2	6	16,5


new



Quality	Finish	art.
AISI304	natural	A19/model741-8



art.	Ø	description
Q1/B02-INOX	3-45	Pipe cutting



art.	compatibility
Q1/B02-INOX-RK	Q1/B02-INOX




Q/INOX-INSTALL-SET



Q/INOX-INSTALL-SET-B

new

art.								
Q/INOX-INSTALL-SET	1x	-	-	1x	1x	1x	1x	1x
Q/INOX-INSTALL-SET-B	-	1x	1x	2x	2x	1x	1x	2x



art.	granularity
Q1/G01	360



art.	description
Q1/RN01-125x1	cutting disc
Q1/RN01-150x1,6	
Q1/RN01-230x2	

top
new




art.	description
Q1/L01-125-40	flap disc
Q1/L01-125-60	
Q1/L01-125-80	
Q1/L01-125-120	

new



new

art.	description	operation
Q8/LP-7x4,5	riveting punch	2 steps




new

art.	description	operation
Q8/LP-7x4,5-B	riveting punch	1 step




new


Quality	art.	use	Ø
HSS-TIN	A-DRILL-D4-20	metal	4-20




Quality	art.	M	Ø
HSS-CO5	A-DRILL-M5	5	4
	A-DRILL-M6	6	4,8
	A-DRILL-M8	8	6,4



Quality	art.	M
HSSE	A/FDRILL-M5C	5
	A/FDRILL-M6C	6
	A/FDRILL-M8C	8
	A/FDRILL-M10C	10



art.	Mould size	W	H
Q8/95	4	4	3
	6	5	3,5
	8	6	4,5
	10	6,5	5,4
	16	7,3	6,4
	25	9	7,4
	35	11	9,2
	50	13	10,8
	70	15	12,6





CA/ACTIVATOR CA/LAK

art.	g	description
CA/ACTIVATOR	1000	corten effect
CA/LAK		lacquer for corten

new
new



art.	ml	description
A/spray-WS	400	INOX

top



art.	ml	description
A/Cleaner-500ml	500	INOX



A/GLUE-577-50g A/GLUE-638-10g A/GLUE-638-50g

art.	g	gap	description
A/GLUE-577-50g	50	0,4	INOX, contains activator
A/GLUE-638-10g	10	0,15-	
A/GLUE-638-50g	50	0,25	

new
new
new



art.	g	description
A/ACTIVATOR-500ml	500 ml	for A/Glue..



new

art.	description	ml
J08/08	cutting/drilling oil	400



art.	g	gap	description
A/GLUE-10g-C	10	0,2	INOX



A/GLUE-403-20g A/GLUE-20g

art.	g	gap	description
A/GLUE-20g	20	0,2	all purpose superfast
A/GLUE-403-20g			

new



art.	g	gap	description
A/GLUE-50g-C	50	0,2	INOX
A/GLUE-50g-D		0,4	INOX



new

art.	ml	description
Q5/05-MAMUT	290	instant fix



new

art.	ml
GS/Cleaner-Glass	200



new

art.	ml
GS/Cleaner-Metal	200



Art.
PNL/G04-23x15-BOX



Art.	profile sample
PNL/G04-23x15	AL/0004-PRO
PNL/G05-23x15	AL/0004-LIGHT
PNL/G06-23x15	AL/0006-UNO
PNL/G07-23x15	AL/0005-UNO
PNL/G08-23x15	AL/0011-ProXL

new
new
new
new



Art.
REK-CASE-ALU-FLEX


new



Art.
REK-CASE-ALU



Art.
REK-CASE-INOX3



Art.
REK-CASE-FG


new



Art.
KAT-SOLAR-SYSTEMS-2024/25



Art.
KAT-GATES-2024/25



Art.
KAT-ALU-SYSTEMS-2024/25






Art.
KAT-GLASS RAILINGS-2024/25



Art.
KAT-POST RAILINGS-2024/25



Art.
KAT-GLASS SYSTEMS-2024/25



INOX AISI304 ✓ AISI316 ✓ S.S. 2205 ✓ ALUMINIUM ✓ ZAMAK ✓	INOX AISI304 ✓ AISI316 ✓ S.S. 2205 ✓ ALUMINIUM ✓ ZAMAK ✗	INOX AISI304 ✗ AISI316 ✓ S.S. 2205 ✓ ALUMINIUM ✓ ZAMAK ✗
INOX AISI304 ✗ AISI316 ✓ S.S. 2205 ✓ ALUMINIUM ✓ ZAMAK ✗	INOX AISI304 ✗ AISI316* ✓ S.S. 2205 ✓ ALUMINIUM ✓ ZAMAK ✗	INOX AISI304 ✗ AISI316 ✗ S.S. 2205 ✓ ALUMINIUM ✗ ZAMAK ✗

* only mirror finish (polished)

							
material	AISI304	nerezová oceľ	stal nierdzewna	rozsdamentes acél	stainless steel	Edelstahl	INOX
	AISI316						
	S.S. 2205						
	CORTEN	corten oceľ	corten stal	corten acél	corten steel	Cortenstahl	corten
	ALUMINIUM	hliník	aluminium	aluminium	aluminium	Aluminium	aluminium
	ZAMAK	zliatina Zn+Al	stop cynku i aluminium	Zn+Al ötvözet	ZAMAC	Zinkdruckguss	alliage Zn+Al
	Fe	železo	želazo	vas	iron	Eisen	fer
	Zn	zinok	cynk	cink	zinc	Zink	zinc
	Brass	mosadz	miedź	sárgaréz	brass	Messing	laiton
	PVC	polyvinyl chloride					
PETG	polyethylene terephthalate glycol						
Rubber	guma	guma	gumi	rubber	Gummi	gomme	
Beech	buk	buk	bükk	beech	Buche	hêtre	
Oak	dub	dąb	tölgy	oak	Eiche	chêne	
Spruce	smrek	świerk	lucfenyő	spruce	Fichte	épicéa	
VSG/ESG	sklo	szklo	üveg	glass	Glas	verre	
satin	brus K320	szlif K320	szálciszolt K320	brushed K320	geschliffen K320	brossé K320	
silver	strieborný	srebro	ezüst	silver	Silber	argent	
polish	lesk	polerowany	tükör polírozott	polished	poliert	poli	
raw	surový	surowy	nyers	raw	roh	brossé	
natural	nebrúsený	neszlifovaný	natúr	rough	ungeschliffen	non-brossé	
INOX	nerez	nierdzewny	rozsdamentes	inox	Edelstahl	inox	
ELOX	eloxovaný	anodowany	eloxált	elox	Eloxiert	anodisé	
	potrebné úpravy	niezbędne przystosowanie	szükséges módosítás	necessary modification	Anpassung ist notwendig	modification nécessaire	
 not assembled	nezmontované	niezłożone	nem összeszerelt	not assembled	unmontiert	non assemblé	
≈	približný rozmer	przybliżone wymiary	közelítő méretek	approximate dimension	die Abmessungen sind ungefähr	dimensions approximatives	
top	bestseller	bestseller	legjobban eladott	best seller	Bestseller	best-seller	
new	novinka	nowość	új	new	Neuheit	nouveau	
	RAL color						
	PVD = (physical vapor deposition) coating PVD-L = polished surface finish						
	LED						

- INOX AISI 304**
- vhodný do prostredia bez chlóru a oxidu siričitého
INOX AISI 316
- vhodný do prostredia s vysokým obsahom chlóru, oxidu siričitého, vysokej vlhkosti, do prímorských regiónov
INOX S.S. 2205 - vhodný do prostredia s vysokým obsahom chlóru, oxidu siričitého, vysokej vlhkosti s prítomnosťou soli na pobreží a na voľnom mori.
- INOX AISI 304**
- suitable for the environment without chlorine and sulphur dioxide load
INOX AISI 316
- suitable for the environment with a high content of chlorine, sulphur dioxide load, high humidity, coastal regions
INOX S.S. 2205
- Suitable for environments with a high content of chlorine, sulfur dioxide, high humidity with salt on the coast and on the high seas.
- INOX AISI 304**
- przeznaczone dla środowiska bez dwutlenku siarki oraz chloru
INOX AISI 316
- przeznaczone dla środowiska o wysokiej zawartości dwutlenku siarki oraz chloru, wysokiej wilgotności oraz w regionach nadmorskich
INOX S.S. 2205
- Nadaje się do środowisk o wysokiej zawartości chloru, dwutlenku siarki, o wysokiej wilgotności, o dużym zasoleniu, w strefach nadmorskich, lub w bezpośrednim kontakcie z wodą morską.
- INOX AISI 304**
- alkalmazható olyan környezetben, ahol nincs klór és kén-dioxid terhelés
INOX AISI 316
- alkalmazható olyan környezetben, ahol magas a klór-, vagy kén-dioxid terhelés, magas a páratartalom, tengerparti régiókban
INOX S.S. 2205
- „Alkalmazható magas klór-, kén-dioxid-, sós nedvességtartalmú környezetben, valamint tengerparton és a nyílt tengeren”.
- INOX AISI 304**
- geeignet in Umgebung ohne Chlor und Schwefeldioxid
INOX AISI 316
- geeignet in Umgebung mit einem hohen Gehalt an Chlor, Schwefeldioxid oder in Umgebung mit hoher Luftfeuchtigkeit, in Küstenregionen
INOX S.S. 2205
- geeignet für Umgebungen mit hohem Gehalt an Chlor, Schwefeldioxid und hoher Luftfeuchtigkeit mit Salz an der Küste und auf hoher See
- INOX AISI 304**
- Convenable pour les environnements sans chlore et/ ou bioxyde de soufre
INOX AISI 316
- Convenable pour les environnements avec un contenu élevé de chlore et/ ou de bioxyde de soufre, une grande humidité, régions maritimes
INOX S.S. 2205
- Convenable au milieu avec un contenu élevé du dioxyde de soufre, ainsi qu'au milieu humide contenant du sel, tel que le bord de mer ou la mer ouverte.