

FRAMELESS GLASS RAILINGS



STATIC STUDIO

GAMIN



Faculty of Civil
Engineering



TESTED BY
RISE
SWEDEN

1 AL PROFILE SYSTEMS

4 - 65

2 GLASS ADAPTERS

66 - 77

3 SPIGOTS

78 - 85

4 JULIET BALCONY

86 - 87

5 CAP RAILS

88 - 103

6 LED HANDRAILS

104 - 111

7 GLASS CONNECTORS HANDRAIL HOLDERS FOR GLASS

112 - 119


8 ACCESSORIES

120 - 140


1 AL PROFILE SYSTEMS



Black ELOX
ALUMINUM



STATIC STUDIO



**U PROFILES
TOP MOUNT
FIX**

AL/0004
AL/0004-ECO
AL/0008

FLEX

AL/0004-LIGHT
AL/0004-UnoXL
AL/0004-PRO
AL/0008-ProXL
AL/0019

FIX, FLEX



**L PROFILES
TOP MOUNT
FIX**

**AL/0006
AL/0006-ECO**

FIX, FLEX

**AL/0006-UNO
AL/0018**



**U PROFILES
SIDE MOUNT
FIX**

**AL/0005-D
AL/0009**

FLEX

AL/0005-UNO



**Y PROFILES
SIDE MOUNT
FIX**

AL/0011

FLEX

AL/0011-LIGHT

FIX, FLEX

AL/0011-ProXL



**GLASS
SETS**

**AL/ZALVR...004
AL/ZALVR...006
AL/ZALBR...005
AL/ZALBR...011**

U PROFILES

TOP MOUNT

	Material	Finish	Effect	art.	L	G/h	12	12,76	13,52	16,76	17,52	20,76	21,52	24,76	25,52	30,76	31,52	kg/m	FLEX FLEX1 FLEX2			FIX	FIX1	FIX2	COVERS			
	ALUMINIUM	satin	ELOX	AL/0004-1250-S-E	1250																							
				AL/0004-2500-S-E	2500																							
				AL/0004-5000-S-E	5000																							
			AL/0004-6000-S-E	6000																								
			AL/0004-2500-S-VA-EXCL..	2500	2,5kN	●	●					●	●							5,7	-	-	-	●	-	-	-	
			AL/0004-5000-S-VA-EXCL..	5000										●	●													
		matte	RAL 7016 RAL 9005	AL/0004-6000-R7016	6000																							
				AL/0004-6000-R9005																								
		satin	ELOX	AL/0004-ECO-2500-S-E	2500																							
				AL/0004-ECO-5000-S-E	5000																							
				AL/0004-ECO-6000-S-E																								
			natural		AL/0004-ECO-6000-N																							
			matte	RAL 7016 RAL 9005	AL/0004-ECO-6000-R7016	6000	1kN	●	●			●	●	●	●					4,8	-	-	-	●	-	-	-	
					AL/0004-ECO-6000-R9005																							
		ALUMINIUM	satin	ELOX black	AL/0004-ECO-2500-S-EB	2500																						
					AL/0004-ECO-5000-S-EB	5000																						
					AL/0004-LIGHT-2500-S-E	2500																						
				AL/0004-LIGHT-5000-S-E	5000	0,5 kN	■	■	■	■	■										4,1	-	■	-	-	-	-	✓
	AL/0004-LIGHT-6000-S-E			6000																								
	AL/0004-UnoXL-2500-S-E			2500																								
	satin		ELOX	AL/0004-UnoXL-5000-S-E	5000	1kN					■	■	■	■					5,6	-	-	■	-	-	-	✓		
				AL/0004-UnoXL-6000-S-E	6000																							
				AL/0004-PRO-2500-S-E	2500																							
			AL/0004-PRO-5000-S-E	5000	2kN (3kN*)	■	■	■	■	■		●	●							6,2	■	-	-	-	●	-	-	
			AL/0004-PRO-6000-S-E	6000																								
			AL/0008-2500-S-E	2500																								
	satin		ELOX	AL/0008-5000-S-E	5000	3kN								●		●			8,6	-	-	-	●	-	-	-		
				AL/0008-ProXL-2500-S-E	2500																							
				AL/0008-ProXL-5000-S-E	5000	3kN						■	■	■	■	■	●	●			8,9	-	-	■	-	●	✓	
			AL/0008-ProXL-6000-S-E	6000																								
			AL/0019-2500-S-E	2500																								
			AL/0019-5000-S-E	5000	3kN							■	■	■	■	■	●	●			10	-	-	■	-	●	✓	
	satin	ELOX	AL/0019-6000-S-E	6000																								

* 3kN - info according to the test protocol 03/23

L PROFILES

TOP MOUNT

	Material	Finish	Effect	art.	L	G/h	12	12,76	13,52	16,76	17,52	20,76	21,52	24,76	25,52	30,76	31,52	kg/m	FLEX FLEX1 FLEX2			FIX	FIX1	FIX2	COVERS						
	ALUMINIUM	satin	ELOX	AL/0006-1250-S-E	1250	3kN												7	-	-	-	●	-	-	-	top					
				AL/0006-2500-S-E	2500																										
				AL/0006-5000-S-E	5000				●	●	●	●																			
				AL/0006-6000-S-E	6000																										
matte		RAL 7016	AL/0006-6000-R7016	6000	3kN														5,9	-	-	-	●	-	-	-	new new				
		RAL 9005	AL/0006-6000-R9005	6000																											
		satin	ELOX	AL/0006-ECO-2500-S-E	2500	1kN													5,9	-	-	-	●	-	-	-					
				AL/0006-ECO-5000-S-E	5000																										
				AL/0006-ECO-6000-S-E	6000																										
				ELOX black	AL/0006-ECO-2500-S-EB		2500																								
		natural	ELOX	AL/0006-ECO-5000-S-EB	5000														5,9	-	-	-	●	-	-	-					
				AL/0006-ECO-6000-N	6000																										
	matte	RAL 7016 RAL 9005	AL/0006-ECO-6000-R7016	6000	1kN													6	-	■	-	-	-	-	-	✓	new				
			AL/0006-ECO-6000-R9005	6000																											
	satin	ELOX	AL/0006-UNO-2500-S-E	2500	1kN	■	■	■	■	■								6	-	-	■	-	-	●	✓	new					
			AL/0006-UNO-5000-S-E	5000																											
			AL/0006-UNO-6000-S-E	6000																											
			AL/0018-2500-S-E	2500																											
			AL/0018-5000-S-E	5000				■	■	■	■	●	●																		
			AL/0018-6000-S-E	6000														12,2	-	-	■	-	-	●	✓	new					

U PROFILES

SIDE MOUNT

Material	Finish	Effect	art.	L	G/h	12	12,76	13,52	16,76	17,52	20,76	21,52	24,76	25,52	30,76	31,52	kg/m	FLEX	FLEX1	FLEX2	FIX	FIX1	FIX2	COVERS
	ALUMINIUM	satin	AL/0005-UNO-2500-S-E	2500	1kN																			
			AL/0005-UNO-5000-S-E	5000																				
			AL/0005-UNO-6000-S-E	6000																				
		ELOX	AL/0005-D-1250-S-E	1250	2,5kN																			
			AL/0005-D-2500-S-E	2500																				
			AL/0005-D-5000-S-E	5000																				
			AL/0005-D-6000-S-E	6000																				
		ELOX black	AL/0005-D-2500-S-EB	2500	2,5kN																			
			AL/0005-D-5000-S-EB	5000																				
	ALUMINIUM	satin	AL/0009-2500-S-E	2500	3kN																			
			AL/0009-5000-S-E	5000																				


Y PROFILES

SIDE MOUNT

Material	Finish	Effect	art.	L	G/h	12	12,76	13,52	16,76	17,52	20,76	21,52	24,76	25,52	30,76	31,52	kg/m	FLEX	FLEX1	FLEX2	FIX	FIX1	FIX2	COVERS
	ALUMINIUM	natural	AL/0011-1250-N-E	1250	3kN																			
			AL/0011-2500-N-E	2500																				
			AL/0011-5000-N-E	5000																				
		ELOX black	AL/0011-6000-N-E	6000																				
			AL/0011-2500-N-EB	2500																				
			AL/0011-5000-N-EB	5000																				
		ELOX	AL/0011-LIGHT-2500-N-E	2500	0,5 kN																			
			AL/0011-LIGHT-5000-N-E	5000																				
			AL/0011-LIGHT-6000-N-E	6000																				
	ALUMINIUM	natural	AL/0011-ProXL-2500-N-E	2500	2kN																			
			AL/0011-ProXL-5000-N-E	5000																				
			AL/0011-ProXL-6000-N-E	6000																				

CONFIGURATOR

RAILING



Base > Railing > Planning > View > Shopping Cart

Rolling 0
Rolling 1

918mm
10mm
1030mm

SOON

CONTINUE

CHOOSE HEIGHT

1200mm 1000mm 900mm

CHOOSE WIDTH OF GLASS

15mm 10mm 5mm

CHOOSE HANDLE

Horizontal Only





CHOOSE HANDLE MATERIAL

Nerez Hlinik Ocel


CHOOSE PROFILE MATERIAL

Nerez Hlinik Ocel







MODEL 0004 FIX series



AL/0004-...S-E-Drain




AL/0004-...S-E
AL/0004-...S-VA



Material	Finish	Effect	art.	L	L1	G/h	glass t	
ALUMINIUM	satin	ELOX	AL/0004-1250-S-E	1250				AL/0004-S-E-Drain
			AL/0004-2500-S-E	2500	50			✓
			AL/0004-5000-S-E	5000				
			AL/0004-6000-S-E	6000	100			
			AL/0004-5000-S-E-Drain	5000		2.5	12,00-21,52	built in drain
		ELOX black	AL/0004-5000-S-EB-Drain	5000				
	matte	ELOX inox	AL/0004-2500-S-VA-EXCLUSI	2500	50			
			AL/0004-5000-S-VA-EXCLUSI	5000				✓
		RAL 7016	AL/0004-6000-R7016	6000	100			
		RAL 9005	AL/0004-6000-R9005	6000				




new
new



...-ANGLE


Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-004-S-E	0°
		ELOX inox	AL/0034-004-S-VA-EX	
		ELOX	AL/0034-004-S-E-ANGLE	≤ 45°
	matte	RAL 7016	AL/0034-004-R7016	0°
		RAL 9005	AL/0034-004-R9005	

new
new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-S-E-90-IN
		ELOX inox	AL/0004-S-VA-EX-90-IN
	matte	RAL 7016	AL/0004-R7016-90-IN
		RAL 9005	AL/0004-R9005-90-IN

new
new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-S-E-90-OUT
		ELOX inox	AL/0004-S-VA-EX-90-OUT
	matte	RAL 7016	AL/0004-R7016-90-OUT
		RAL 9005	AL/0004-R9005-90-OUT


new
new



Material	Finish	Effect	art.	compatibility	pcs
ALUMINIUM	satin	ELOX	AL/0004-S-E-Drain	AL/0004-1250...	4
				AL/0004-2500...	7
				AL/0004-5000...	13
				AL/0004-6000...	15



Glass t (mm)	L (m)	art.
12 (12)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	6	A19/0004-012-06.0
	25	A19/0004-012-25.0
12,76 (66.2)	2,5	A19/0004-013-02.5
	5	A19/0004-013-05.0
	6	A19/0004-013-06.0
	25	A19/0004-013-25.0
16,76 (88.2)	2,5	A19/0004-017-02.5
	5	A19/0004-017-05.0
	6	A19/0004-017-06.0
	25	A19/0004-017-25.0
17,52 (88.4)	2,5	A19/0004-018-02.5
	5	A19/0004-018-05.0
	6	A19/0004-018-06.0
	25	A19/0004-018-25.0
20,76 (1010.2)	2,5	A19/0004-021-02.5
	5	A19/0004-021-05.0
	6	A19/0004-021-06.0
	25	A19/0004-021-25.0
21,52 (1010.4)	2,5	A19/0004-022-02.5
	5	A19/0004-022-05.0
	6	A19/0004-022-06.0
	25	A19/0004-022-25.0



PVC-P - interior




EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



PVC-P - interior



EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
	black (exterior)	A19/0004-rubber12-13-02.5	2,5	12,76-13,52
		A19/0004-rubber12-13-05.0	5	
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	
		A19/0004-rubber17-18-02.5	2,5	16,76-17,52
		A19/0004-rubber17-18-05.0	5	
		A19/0004-rubber17-18-06.0	6	
		A19/0004-rubber17-18-25.0	25	
		A19/0004-rubber21-22-02.5	2,5	20,76-21,52
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	



Material	Finish	art.
AISI304	natural	Q10/ANGLE-0-3-60




Material	Finish	art.
AISI304	natural	Q10/60-M16/M10

AL/0004	IN	OUT	G/h [kN]	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	-	-	-	A5/08-105x11xM8	-	Q5/01B-400	-
			1,2	✓	-	Q5/08-VHG-M8-100/S	Q5/01B-400	Q5/08-12-125
			0,85	✓	-	-	W-DIN 7991 M8x20-P	Q5/08-FH12-50
			-	-	A5/08-105x11xM8	-	-	-
	OUT	-	-	-	A5/08-105x11xM8	-	Q5/01B-400	A5/08-12-125
			1,2	✓	-	A5/08-VHG-M8-100/A4	Q5/01B-400	-
			0,85	✓	-	-	W-DIN 7991-A4 M8x20-P	A5/08-HAZ-M8-80SK/A4
			-	-	-	-	-	-

MODEL 0004-ECO FIX series



Black ELOX



Material	Finish	Effect	art.	L	L1	G/h	glass t	 AL/0004-ECO-Drain
ALUMINIUM	satin	ELOX	AL/0004-ECO-2500-S-E	2500	50	1kN	12,00-21,52	✓
			AL/0004-ECO-5000-S-E	5000	100			
			AL/0004-ECO-6000-S-E	6000				
	ELOX black	AL/0004-ECO-2500-S-EB	2500	50				
		AL/0004-ECO-5000-S-EB	5000					
		AL/0004-ECO-6000-N	6000	100				
	natural	ELOX	AL/0004-ECO-6000-R7016	6000				
	matte	RAL 7016	AL/0004-ECO-6000-R7016					
RAL 9005		AL/0004-ECO-6000-R9005						


new
new



Material	Finish	art.
AISI304	natural	Q10/ANGLE-O-3-60




Material	Finish	art.
AISI304	natural	Q10/60-M16/M10




Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-004-ECO-S-E	0°
		ELOX black	AL/0034-004-ECO-S-EB	
		ELOX	AL/0034-004-ECO-S-E-ANGLE	
	matte	RAL 7016	AL/0034-004-ECO-R7016	0°
		RAL 9005	AL/0034-004-ECO-R9005	

new
new




Material	Finish	art.
AISI316	natural	A14/0005-pin

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-ECO-S-E-90-IN
		ELOX black	AL/0004-ECO-S-EB-90-IN
	matte	RAL 7016	AL/0004-ECO-R7016-90-IN
		RAL 9005	AL/0004-ECO-R9005-90-IN

new
new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-ECO-S-E-90-OUT
		ELOX black	AL/0004-ECO-S-EB-90-OUT
	matte	RAL 7016	AL/0004-ECO-R7016-90-OUT
		RAL 9005	AL/0004-ECO-R9005-90-OUT

new
new



Material	Finish	art.	compatibility	Pcs/m
AISI304	satin	A/0004-ECO-Drain	AL/0004-ECO-...-S-E AL/0004-ECO-...-S-EB	2.5



MODEL 0004-ECO FIX series

Glass t (mm)	L (m)	art.
12 (12)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	6	A19/0004-012-06.0
	25	A19/0004-012-25.0
12,76 (66.2)	2,5	A19/0004-013-02.5
	5	A19/0004-013-05.0
	6	A19/0004-013-06.0
	25	A19/0004-013-25.0
16,76 (88.2)	2,5	A19/0004-017-02.5
	5	A19/0004-017-05.0
	6	A19/0004-017-06.0
	25	A19/0004-017-25.0
17,52 (88.4)	2,5	A19/0004-018-02.5
	5	A19/0004-018-05.0
	6	A19/0004-018-06.0
	25	A19/0004-018-25.0
20,76 (1010.2)	2,5	A19/0004-021-02.5
	5	A19/0004-021-05.0
	6	A19/0004-021-06.0
	25	A19/0004-021-25.0
21,52 (1010.4)	2,5	A19/0004-022-02.5
	5	A19/0004-022-05.0
	6	A19/0004-022-06.0
	25	A19/0004-022-25.0



PVC-P - interior



EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	



AL/glass-mont-PRO



art.	use
AL/glass-mont-PRO	FLEX/FIX





Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



Quality	Finish	art.
PETG	gray	A19/glass-stop



AL/0004-ECO		G/N (kN)	CE	IN	OUT	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	-	✓	-	-	A19/27-M10	-	DIN 7380 M10x20-Zn	-
		0,7				-	-	-	Q5/08-M8-80S/S
		1				-	Q5/08-VHG-M10-80/S	DIN 7380 M10x20-Zn	-
		1				-	-	DIN 125 10-Zn	Q5/08-HAZ-M8-85S/S
	OUT	-	✓	-	-	A19/27-M10	-	A4-DIN 7380 M10x20	-
		0,7				-	A5/08-VHG-M10-80/A4	A-DIN 125-A2 M10	A5/08-M8-80S/S
		1				-	-	-	-
		0,8				-	-	-	A5/08-HAZ-M8-85S/A4






Material	Finish	Effect	art.	L	G/h	L1	glass t			
ALUMINIUM	satin	ELOX	AL/0004-LIGHT-2500-S-E	2500		50				
			AL/0004-LIGHT-5000-S-E	5000	0,5kN	100	12,00-17,52	built in drain	✓	±1,1°
			AL/0004-LIGHT-6000-S-E	6000						

new



...ANGLE



Material	Finish	art.
AISI304	natural	Q10/ANGLE-0-3-60




Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-004-LIGHT-S-E	0°
			AL/0034-004-LIGHT-S-E-ANG	≤ 45°

Material	Finish	art.
AISI316	natural	A14/0005-pin

new



Material	Finish	art.
AISI304	natural	Q10/60-M16/M10





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-LIGHT-S-E-90




Quality	Finish	art.
PETG	gray	MP/excenter-mount



Material	Finish	art.	compatibility	Pcs/m
AISI304	satin	A/0004-LIGHT-Drain	AL/0004-LIGHT-...	2,5




Glass t (mm)	L (m)	FIX	FLEX $\pm 1.1^\circ$
12 (12)	2,5	-	A19/FLEX1-012-SET-02.5
	5		A19/FLEX1-012-SET-05.0
	6		A19/FLEX1-012-SET-06.0
12,76 (6.6.2)	2,5		A19/FLEX1-013-SET-02.5
	5		A19/FLEX1-013-SET-05.0
	6		A19/FLEX1-013-SET-06.0
13,52 (6.6.4)	2,5		A19/FLEX1-014-SET-02.5
	5		A19/FLEX1-014-SET-05.0
	6		A19/FLEX1-014-SET-06.0
16,76 (8.8.2)	2,5		A19/FLEX1-017-SET-02.5
	5		A19/FLEX1-017-SET-05.0
	6		A19/FLEX1-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX1-018-SET-02.5
	5		A19/FLEX1-018-SET-05.0
	6		A19/FLEX1-018-SET-06.0



art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52




AL/glass-mont-PRO



art.	use
AL/glass-mont-PRO	FLEX/FIX

Quality	Finish	art.
PETG	gray	A19/glass-stop




				CHEM. ANCHOR (5pcs/m)	CHEM. (1 pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)		MECH ANCHOR (5pcs/m)		
	IN	-	-	A19/27-M10	-	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-	-
		0,5	-	-	-	-	-	-	Q5/08-M8-80S/S	-
		0,5	-	-	Q5/08-VHG-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-	-
		0,5	✓	-	-	-	-	-	Q5/08-HAZ-M8-85S/S	-
		0,5	-	-	-	-	-	-	-	Q5/08-BS-S-10-90/S
		0,5	-	A19/27-M10	-	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-	-
	OUT	-	-	-	-	-	-	-	A5/08-M8-80S/S	-
		0,5	-	-	A5/08-VHG-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-	-
		0,5	✓	-	-	-	-	-	A5/08-HAZ-M8-85S/A4	-
		0,5	-	-	-	-	-	-	-	A5/08-BS-S-10-90/A4
		0,5	-	-	-	-	-	-	-	-
		0,5	-	-	-	-	-	-	-	-


MODEL 0004-LIGHT CONNECTION PROFILES - TOP MOUNT




Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0051-2500-S-E	2500
			AL/0051-5000-S-E	5000
			AL/0051-6000-S-E	6000







Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0052-2500-S-E	2500
			AL/0052-5000-S-E	5000
			AL/0052-6000-S-E	6000







Material	Finish	Effect	art.	L
ALUMINIUM	natur	ELOX	AL/0053-2500-N-E	2500
			AL/0053-5000-N-E	5000
			AL/0053-6000-N-E	6000



Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0054-2500-S-E	2500
			AL/0054-5000-S-E	5000
			AL/0054-6000-S-E	6000




MODEL 0004-UnoXL FLEX series




Material	Finish	Effect	art.	L	G/h	L1	glass t			
ALUMINIUM	satin	ELOX	AL/0004-UnoXL-2500-S-E	2500		50				
			AL/0004-UnoXL-5000-S-E	5000	1kN	100	16,76-21,52	built in drain	✓	±1,1°
			AL/0004-UnoXL-6000-S-E	6000						

new



Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-004-UnoXL-S-E	0°
			AL/0034-004-UnoXL-S-E-ANGLE	≤ 45°




Material	Finish	art.
AISI316	natural	A14/0005-pin

new

Material	Finish	art.
AISI304	natural	Q10/ANGLE-0-3-60



Material	Finish	art.
AISI304	natural	Q10/60-M16/M10





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-UnoXL-S-E-90




Quality	Finish	art.
PETG	gray	MP/excenter-mount



Material	Finish	art.	compatibility	Pcs/m
AISI304	satin	A/0004-UnoXL-Drain	AL/0004-UnoXL-...	2,5




Glass t (mm)	L (m)	FIX	FLEX $\pm 1.1^\circ$
16,76 (8.8.2)	2,5		A19/FLEX2-017-SET-02.5
	5		A19/FLEX2-017-SET-05.0
	6		A19/FLEX2-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX2-018-SET-02.5
	5		A19/FLEX2-018-SET-05.0
	6		A19/FLEX2-018-SET-06.0
20,76 (10.10.2)	2,5		A19/FLEX2-021-SET-02.5
	5		A19/FLEX2-021-SET-05.0
	6		A19/FLEX2-021-SET-06.0
21,52 (10.10.4)	2,5		A19/FLEX2-022-SET-02.5
	5		A19/FLEX2-022-SET-05.0
	6		A19/FLEX2-022-SET-06.0



art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"




Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52





art.	use
AL/glass-mont-PRO	FLEX/FIX

Quality	Finish	art.
PETG	gray	A19/glass-stop




AL/0004-UnoXL	IN	OUT	G/F (kN)	CE	CHEM. ANCHOR (5pcs/m)		CHEM. (1pcs/2,5m)		MECH ANCHOR (5pcs/m)	
					A19/27-M10	-	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-
			0,9	-	-	-	-	-	-	Q5/08-M8-80S/S
			1	✓	-	Q5/08-VH-G-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-
			1	✓	-	-	-	-	-	Q5/08-HAZ-M8-85S/S
			1	✓	-	-	-	-	-	Q5/08-BB-S-10-90/S
			0,9	-	A19/27-M10	-	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-
			0,9	-	-	-	-	-	-	A5/08-M8-80S/S
			0,9	✓	-	A5/08-VH-G-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-
			0,9	✓	-	-	-	-	-	A5/08-HAZ-M8-85S/A4
			1	✓	-	-	-	-	-	A5/08-BB-S-10-90/A4




Material	Finish	Effect	art.	L	G/h	L1	glass t			
ALUMINIUM	satin	ELOX	AL/0004-PRO-2500-S-E	2500	2kN (3kN*)	50	12,00-21,52	built in drain	✓	±1,1°
			AL/0004-PRO-5000-S-E	5000		100				
			AL/0004-PRO-6000-S-E	6000						

* 3kN - info according to the test protocol 03/23



Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-004-PRO-S-E	0°
			AL/0034-004-PRO-S-E-ANGLE	≤ 45°



Material	Finish	art.
AISI316	natural	A14/0005-pin


new



Material	Finish	art.
AISI304	natural	Q10/ANGLE-0-3-60





Material	Finish	art.
AISI304	natural	Q10/60-M16/M10




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0004-PRO-S-E-90




Quality	Finish	art.
PETG	gray	MP/excenter-mount



Material	Finish	art.	compatibility	Pcs/m
AISI304	satin	A/0004-PRO-Drain	AL/0004-PRO-...-S-E	2,5



Glass t (mm)	L (m)	FIX	FLEX $\pm 1.1^\circ$
12 (12)	2,5		A19/FLEX-012-SET-02.5
	5		A19/FLEX-012-SET-05.0
	6		A19/FLEX-012-SET-06.0
12,76 (6.6.2)	2,5		A19/FLEX-013-SET-02.5
	5		A19/FLEX-013-SET-05.0
	6		A19/FLEX-013-SET-06.0
13,52 (6.6.4)	2,5		A19/FLEX-014-SET-02.5
	5		A19/FLEX-014-SET-05.0
	6		A19/FLEX-014-SET-06.0
16,76 (8.6.2)	2,5		A19/FLEX-017-SET-02.5
	5		A19/FLEX-017-SET-05.0
	6		A19/FLEX-017-SET-06.0
17,52 (8.6.4)	2,5		A19/FLEX-018-SET-02.5
	5		A19/FLEX-018-SET-05.0
	6		A19/FLEX-018-SET-06.0
20,76 (10.10.2)	2,5	A19/FIX1-21-SET-02.5	
	5	A19/FIX1-21-SET-05.0	
	6	A19/FIX1-21-SET-06.0	
21,52 (10.10.4)	2,5	A19/FIX1-22-SET-02.5	
	5	A19/FIX1-22-SET-05.0	
	6	A19/FIX1-22-SET-06.0	



art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52




AL/glass-mont-PRO




art.	use
AL/glass-mont-PRO	FLEX/FIX




Quality	Finish	art.
PETG	gray	A19/glass-stop





AL/0004-PRO	IN	G/h (kN)	CE	CHEM. ANCHOR (5pcs/m)		CHEM. (1pcs/2,5m)		MECH ANCHOR (5pcs/m)	
				A19/27-M10	-	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-
AL/0004-PRO	IN	0,8	-	-	-	-	-	-	Q5/08-M8-80S/S
		2	-	-	Q5/08-VH-G-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-
		1,2	✓	-	-	-	-	-	Q5/08-HAZ-M8-85S/S
		2	-	-	-	-	-	-	Q5/08-B5-S-10-90/S
		2	-	-	-	-	-	-	-
	OUT	0,8	-	A19/27-M10	-	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	A5/08-M8-80S/S
		2	-	-	A5/08-VH-G-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-
		0,9	✓	-	-	-	-	-	A5/08-HAZ-M8-85S/A4
		2	-	-	-	-	-	-	A5/08-B5-S-10-90/A4
		2	-	-	-	-	-	-	-



Material	Finish	Effect	art.	L	L1	G/h	glass t
ALUMINIUM	satin	ELOX	AL/0008-2500-S-E	2500	50	3kN	21,52-25,52
			AL/0008-5000-S-E	5000	100		




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0038-004-S-E



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0008-S-E-90-IN

Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0008-S-E-90-OUT

Glass t (mm)	L (m)	art.
21,52 (1010.4)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	25	A19/0004-012-25.0
25,52 (1212.4)	2,5	A19/0008-026-02.5
	5	A19/0008-026-05.0
	25	A19/0008-026-25.0



PVC-P - interior



EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	



PVC-P - interior




EPDM - exterior




Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
	black (exterior)	A19/0004-rubber12-13-02.5	2,5	12,76-13,52
		A19/0004-rubber12-13-05.0	5	
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	16,76-17,52
		A19/0004-rubber17-18-02.5	2,5	
		A19/0004-rubber17-18-05.0	5	
		A19/0004-rubber17-18-06.0	6	20,76-21,52
		A19/0004-rubber17-18-25.0	25	
		A19/0004-rubber21-22-02.5	2,5	
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52






AL/0008	G/h (kN)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
IN	-	-	A5/08-105x11xM8	-	-	-
	-	-	-	Q5/01B-400	-	Q5/08-12-125
	3	✓	-	Q5/01B-400	DIN 7991 M12x30-Zn	-
	1,2	-	Q5/08-VHG-M12-125/S	-	-	Q5/08-FH12-50
	-	-	A5/08-105x11xM8	Q5/01B-400	-	-
	-	-	-	-	-	A5/08-12-125
	3	✓	-	Q5/01B-400	A4-DIN 7991 M12x30	-
	0,9	-	-	-	-	A5/08-HAZ-M8-80SK/A4
OUT	-	-	A5/08-105x11xM8	-	-	-
	-	-	-	Q5/01B-400	-	Q5/08-12-125
	3	✓	-	Q5/01B-400	DIN 7991 M12x30	-
	1,2	-	Q5/08-VHG-M12-125/S	-	-	Q5/08-FH12-50
	-	-	A5/08-105x11xM8	Q5/01B-400	-	-
	-	-	-	-	-	A5/08-12-125
	3	✓	-	Q5/01B-400	A4-DIN 7991 M12x30	-
	0,9	-	-	-	-	A5/08-HAZ-M8-80SK/A4



Material	Finish	Effect	art.	L	L1	G/h	glass t		
ALUMINIUM	satin	ELOX	AL/0008-ProXL-2500-S-E	2500	50	3kN	16,76-31,52	built in drain	±1,1°
			AL/0008-ProXL-5000-S-E	5000	100				
			AL/0008-ProXL-6000-S-E	6000					

new
new
new





Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-008-ProXL-S-E	0°
			AL/0034-008-ProXL-S-E-ANG	≤ 45°

new
new

Material	Finish	art.
AISI316	natural	A14/0005-pin

new





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0008-ProXL-S-E-90



new

Quality	Finish	art.
PETG	gray	MP/excenter-mount

Glass t (mm)	L (m)	FIX	FLEX $\pm 1.1^\circ$
16,76 (8.8.2)	2,5		A19/FLEX2-017-SET-02.5
	5		A19/FLEX2-017-SET-05.0
	6		A19/FLEX2-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX2-018-SET-02.5
	5		A19/FLEX2-018-SET-05.0
	6		A19/FLEX2-018-SET-06.0
20,76 (10.10.2)	2,5		A19/FLEX2-021-SET-02.5
	5		A19/FLEX2-021-SET-05.0
	6		A19/FLEX2-021-SET-06.0
21,52 (10.10.4)	2,5		A19/FLEX2-022-SET-02.5
	5		A19/FLEX2-022-SET-05.0
	6		A19/FLEX2-022-SET-06.0
24,76 (12.12.2)	2,5	A19/FIX2-25-SET-02.5	
	5	A19/FIX2-25-SET-05.0	
	6	A19/FIX2-25-SET-06.0	
25,52 (12.12.4)	2,5	A19/FIX2-26-SET-02.5	
	5	A19/FIX2-26-SET-05.0	
	6	A19/FIX2-26-SET-06.0	
31,52 (15.15.4)	2,5	A19/FIX2-32-SET-02.5	
	5	A19/FIX2-32-SET-05.0	
	6	A19/FIX2-32-SET-06.0	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52





AL/glass-mont-PRO

art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"


art.	use
AL/glass-mont-PRO	FLEX/FIX

AL/0008-ProXL	IN	OUT	G/m (m)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	DIN 7380 M10x20-Zn	DIN 125 10-Zn	MECH ANCHOR (5pcs/m)
			-	-	A19/27-M10	-	-	-	-
			1,1	-	-	Q5/01B-400	-	-	Q5/08-M8-80S/S
			3	-	-	Q5/01B-400	-	-	-
			1,7	✓	-	-	-	-	Q5/08-HAZ-M8-85S/S
			3	-	-	-	-	-	-
			-	-	A19/27-M10	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	Q5/08-B5-S-10-90/S
			1,1	-	-	-	-	-	-
			3	-	-	Q5/01B-400	-	-	A5/08-M8-80S/S
			1,2	✓	-	A5/08-VHG-M10-80/A4	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-
			3	-	-	-	-	-	A5/08-HAZ-M8-85S/A4
			-	-	-	-	-	-	A5/08-B5-S-10-90/A4





Material	Finish	Effect	art.	L	L1	G/h	glass t			
ALUMINIUM	satin	ELOX	AL/0019-2500-N-E	2500	50	3kN	16,76-31,52	built in drain		AL/0011-PRO..Drain
			AL/0019-5000-N-E	5000	100					
			AL/0019-6000-N-E	6000						

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-019-N-E




Material	Finish	art.
AISI316	natural	A14/0005-pin


new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0019-N-E-90





Quality	Finish	art.
PETG	gray	MP/excenter-mount





Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0011-PRO-S-E-1250-Drain	1250
			AL/0011-PRO-S-E-2500-Drain	2500



Glass t (mm)	L (m)	FIX	FLEX $\pm 1,1^\circ$
16,76 (8.8.2)	2,5		A19/FLEX2-017-SET-02.5
	5		A19/FLEX2-017-SET-05.0
	6		A19/FLEX2-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX2-018-SET-02.5
	5		A19/FLEX2-018-SET-05.0
	6		A19/FLEX2-018-SET-06.0
20,76 (10.10.2)	2,5		A19/FLEX2-021-SET-02.5
	5		A19/FLEX2-021-SET-05.0
	6		A19/FLEX2-021-SET-06.0
21,52 (10.10.4)	2,5		A19/FLEX2-022-SET-02.5
	5		A19/FLEX2-022-SET-05.0
	6		A19/FLEX2-022-SET-06.0
24,76 (12.12.2)	2,5	A19/FIX2-25-SET-02.5	
	5	A19/FIX2-25-SET-05.0	
	6	A19/FIX2-25-SET-06.0	
25,52 (12.12.4)	2,5	A19/FIX2-26-SET-02.5	
	5	A19/FIX2-26-SET-05.0	
	6	A19/FIX2-26-SET-06.0	
31,52 (15.15.4)	2,5	A19/FIX2-32-SET-02.5	
	5	A19/FIX2-32-SET-05.0	
	6	A19/FIX2-32-SET-06.0	





Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



art.	use
AL/glass-mont-PRO	FLEX/FIX

art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"

AL/0019	IN	OUT	G/n (kN)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	DIN 7380 M10x20-Zn	DIN 125 10-Zn	MECH ANCHOR (5pcs/m)
	IN	-	-	-	A19/27-M10	-	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn
			1,7	-	-	-	-	-	-
			3	-	-	Q5/08-VHG-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn
			2,5	✓	-	-	-	-	-
			3	-	-	-	-	-	-
			3	-	-	-	-	-	Q5/08-HAZ-M8-85S/S
	OUT	-	-	-	A19/27-M10	-	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10
			1,7	-	-	-	-	-	-
			3	-	-	A5/08-VHG-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10
			1,8	✓	-	-	-	-	-
			3	-	-	-	-	-	A5/08-HAZ-M8-85S/A4
			-	-	-	-	-	-	A5/08-B5-S-10-90/A4




Material	Finish	Effect	art.	L	L1	G/h	glass t	
ALUMINIUM	satin	ELOX	AL/0006-1250-S-E	1250				 A/0006-Drain
			AL/0006-2500-S-E	2500	50			
			AL/0006-5000-S-E	5000				
			AL/0006-6000-S-E			3kN	12,00-21,52	
	matte	RAL 7016	AL/0006-6000-R7016	6000	100			
		RAL 9005	AL/0006-6000-R9005					

top


new

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0006-S-E-90-IN
	matte	RAL 7016	AL/0006-R7016-90-IN
		RAL 9005	AL/0006-R9005-90-IN

new
new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0006-S-E-90-OUT
	matte	RAL 7016	AL/0006-R7016-90-OUT
		RAL 9005	AL/0006-R9005-90-OUT

new
new





Material	Finish	art.	compatibility	Pcs/m
AlSi304	natural	A/0006-Drain	AL/0006-...-S-E	2,5







Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-006-S-E
		RAL 9005	AL/0034-006-R9005
	matte	RAL 7016	AL/0034-006-R7016
		ELOX	AL/0035-006-S-E
	matte	RAL 9005	AL/0035-006-R9005
		RAL 7016	AL/0035-006-R7016



new
new
new
new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-006-K-S-E
			AL/0035-006-K-S-E




Quality	Finish	art.
PVC	black	A24/0006-003



Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0026-2500-S-E	2500
			AL/0026-5000-S-E	5000
		ELOX black	AL/0026-6000-S-E	6000
			AL/0026-2500-S-EB	2500
	matte	ELOX black	AL/0026-5000-S-EB	5000



Glass t (mm)	L (m)	art.
12 (12)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	6	A19/0004-012-06.0
	25	A19/0004-012-25.0
12,76 (66.2)	2,5	A19/0004-013-02.5
	5	A19/0004-013-05.0
	6	A19/0004-013-06.0
	25	A19/0004-013-25.0
16,76 (88.2)	2,5	A19/0004-017-02.5
	5	A19/0004-017-05.0
	6	A19/0004-017-06.0
	25	A19/0004-017-25.0
17,52 (88.4)	2,5	A19/0004-018-02.5
	5	A19/0004-018-05.0
	6	A19/0004-018-06.0
	25	A19/0004-018-25.0
20,76 (1010.2)	2,5	A19/0004-021-02.5
	5	A19/0004-021-05.0
	6	A19/0004-021-06.0
	25	A19/0004-021-25.0
21,52 (1010.4)	2,5	A19/0004-022-02.5
	5	A19/0004-022-05.0
	6	A19/0004-022-06.0
	25	A19/0004-022-25.0




Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	



Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
	black (exterior)	A19/0004-rubber12-13-02.5	2,5	12,76-13,52
		A19/0004-rubber12-13-05.0	5	
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	
		A19/0004-rubber17-18-02.5	2,5	16,76-17,52
		A19/0004-rubber17-18-05.0	5	
		A19/0004-rubber17-18-06.0	6	
		A19/0004-rubber17-18-25.0	25	
		A19/0004-rubber21-22-02.5	2,5	20,76-21,52
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



		G/h [kN]	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)		MECH ANCHOR (5pcs/m)			
AL/0006 ¹	IN	-	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 934 M12	A-DIN 125-A2 M12	-		
		3	-	-	-	-	-	-	Q5/06-12x110CE		
		0,85	✓	-	Q5/08-VM 250-M12-160	Q5/01B-400	-	-	-		
		-	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 934 M12	A-DIN 125-A2 M12	-		
	OUT	-	-	-	-	-	-	-	A-Q5/06-12x110CE		
		3	✓	-	A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-	-		
		3	-	-	-	-	-	-	A4-Q5/06-12x110CE		
		-	-	-	-	-	-	-	-		



		G/h [kN]	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)		MECH ANCHOR (5pcs/m)			
AL/0006 ²	IN	-	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 934 M12	A-DIN 125-A2 M12	-		
		2	-	-	Q5/08-VM 250-M12-160	Q5/01B-400	-	-	Q5/08-M8-120S/S		
		3	✓	-	-	-	-	-	-		
		3	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 934 M12	A-DIN 125-A2 M12	Q5/08-HAZ-M8-85S/S		
	OUT	-	-	-	-	-	-	-	-		
		2	-	-	-	-	-	-	A5/08-M8-120S/S		
		3	✓	-	A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-	-		
		2,2	-	-	-	-	-	-	A5/08-HAZ-M8-85S/A4		

MODEL 0006-ECO FIX series



Black ELOX

ALUMINIUM





Material	Finish	Effect	art.	L	L1	G/h	glass t	
ALUMINIUM	satin	ELOX	AL/0006-ECO-2500-S-E	2500	50	1kN	12,00-21,52	✓
			AL/0006-ECO-5000-S-E	5000	100			
			AL/0006-ECO-6000-S-E	6000				
	ELOX black		AL/0006-ECO-2500-S-EB	2500	50			
			AL/0006-ECO-5000-S-EB	5000				
	natural	-	AL/0006-ECO-6000-N	6000	100			
	matte	RAL 7016	AL/0006-ECO-6000-R7016					
		RAL 9005	AL/0006-ECO-6000-R9005					

new
new




Material	Finish	art.
AISI316	natural	A14/0005-pin

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0006-ECO-S-E-90-IN
		ELOX black	AL/0006-ECO-S-EB-90-IN
	matte	RAL 7016	AL/0006-ECO-R7016-90-IN
		RAL 9005	AL/0006-ECO-R9005-90-IN

new
new





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0006-ECO-S-E-90-OUT
		ELOX black	AL/0006-ECO-S-EB-90-OUT
	matte	RAL 7016	AL/0006-ECO-R7016-90-OUT
		RAL 9005	AL/0006-ECO-R9005-90-OUT

new
new



Material	Finish	art.	compatibility	Pcs/m
AISI304	natural	A/0006-ECO-Drain	AL/0006-ECO-...-S-E AL/0006-ECO-...-S-EB	2,5





MODEL 0006-ECO FIX series





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-006-ECO-S-E
		RAL 7016	AL/0034-006-ECO-R7016
	matte	RAL 9005	AL/0034-006-ECO-R9005
		ELOX	AL/0035-006-ECO-S-E
	satin	RAL 7016	AL/0035-006-ECO-R7016
		RAL 9005	AL/0035-006-ECO-R9005
	satin	ELOX black	AL/0034-006-ECO-S-EB
			AL/0035-006-ECO-S-EB



new
new
new
new





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-006-ECO-K-S-E
			AL/0035-006-ECO-K-S-E
	satin	ELOX black	AL/0034-006-ECO-K-S-EB
			AL/0035-006-ECO-K-S-EB




Quality	Finish	art.
PVC	black	A24/0006-003



Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0026-2500-S-E	2500
			AL/0026-5000-S-E	5000
			AL/0026-6000-S-E	6000
	satin	ELOX black	AL/0026-2500-S-EB	2500
			AL/0026-5000-S-EB	5000
			AL/0026-6000-S-EB	6000



Quality	Finish	art.	D	d
PVC	gray	A24/0005-008	20	25



MODEL 0006-ECO FIX series

Glass t (mm)	L (m)	art.
12 (12)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	6	A19/0004-012-06.0
	25	A19/0004-012-25.0
12,76 (66.2)	2,5	A19/0004-013-02.5
	5	A19/0004-013-05.0
	6	A19/0004-013-06.0
	25	A19/0004-013-25.0
16,76 (86.2)	2,5	A19/0004-017-02.5
	5	A19/0004-017-05.0
	6	A19/0004-017-06.0
	25	A19/0004-017-25.0
17,52 (88.4)	2,5	A19/0004-018-02.5
	5	A19/0004-018-05.0
	6	A19/0004-018-06.0
	25	A19/0004-018-25.0
20,76 (1010.2)	2,5	A19/0004-021-02.5
	5	A19/0004-021-05.0
	6	A19/0004-021-06.0
	25	A19/0004-021-25.0
21,52 (1010.4)	2,5	A19/0004-022-02.5
	5	A19/0004-022-05.0
	6	A19/0004-022-06.0
	25	A19/0004-022-25.0



PVC-P - interior




EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52




PVC-P - interior




EPDM - exterior


Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
		A19/0004-rubber12-13-02.5	2,5	
	black (exterior)	A19/0004-rubber12-13-05.0	5	12,76-13,52
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	
		A19/0004-rubber17-18-02.5	2,5	16,76-17,52
		A19/0004-rubber17-18-05.0	5	
		A19/0004-rubber17-18-06.0	6	
		A19/0004-rubber17-18-25.0	25	
	black (exterior)	A19/0004-rubber21-22-02.5	2,5	20,76-21,52
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	



AL/0006-ECO ¹		IN			CHEM. ANCHOR (5pcs/m)							
			-	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 934 M12	A-DIN 125-A2 M12	-		
			1	✓	-	Q5/08-VM 250-M12-160	Q5/01B-400	-	-	Q5/06-12x110CE		
			-	-	-	-	-	-	-	Q5/08-FBN12-30		
			-	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 934 M12	A-DIN 125-A2 M12	-		
		OUT	-	-	-	A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-	A-Q5/06-12x110CE		
			1	✓	-	-	-	-	-	-		
			-	-	-	-	-	-	-	A4-Q5/06-12x110CE		
			-	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-		


AL/0006-ECO ²		IN										
				CHEM. ANCHOR (5pcs/m)			CHEM. (1pcs/2,5m)				MECH ANCHOR (5pcs/m)	
				-	A19/27-M10	-	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-	-	
				1	-	-	-	-	-	Q5/08-M8-80S/S	-	
				1	-	Q5/08-VHG-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-	-	
				1	-	-	-	-	-	Q5/08-HAZ-M8-85S/S	-	
		OUT		-	A19/27-M10	-	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-	-	
				1	-	-	-	-	-	A5/08-M8-80S/S	-	
				1	-	A5/08-VH-G-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-	-	
				1	-	-	-	-	-	A5/08-HAZ-M8-85S/A4	-	
				1	-	-	-	-	-	-	A5/08-BS-S-10-90/A4	
				1	-	-	-	-	-	-	-	

AL/0006-ECO ³		IN								
			-	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 1587-A2 M12	A-DIN 125-A2 M12	-
			1	-	-	Q5/08-VM 250-M12-160	Q5/01B-400	-	-	Q5/08-M10-120S/S
			1	✓	-	-	-	-	-	Q5/08-HAZ-M10-106S/S
			1	-	A-DIN 975 M12-120	-	Q5/01B-400	A-DIN 1587-A2 M12	A-DIN 125-A2 M12	-
		OUT	1	-	-	-	-	-	-	A5/08-M10-70S/S
			1	✓	-	A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-	-
			1	-	-	-	-	-	-	A5/08-HAZ-M10-106S/A4
			1	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-




Material	Finish	Effect	art.	L	L1	G/h	glass t		
ALUMINIUM	satin	ELOX	AL/0006-UNO-2500-S-E	2500	50	1kN	12,00-17,52	built in drain	✓
			AL/0006-UNO-5000-S-E	5000	100				
			AL/0006-UNO-6000-S-E	6000					

new




Material	Finish	art.
AISI316	natural	A14/0005-pin


new




Quality	Finish	art.
PETG	gray	MP/excenter-mount




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0006-UNO-S-E-90-IN



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0006-UNO-S-E-90-OUT



Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0011-PRO-S-E-1250-Drain	1250
			AL/0011-PRO-S-E-2500-Drain	2500



Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0011-PRO-S-E-1250-Drain	1250
			AL/0011-PRO-S-E-2500-Drain	2500


MODEL 0006-UNO FLEX series




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-006-UNO-S-E
			AL/0035-006-UNO-S-E



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-006-UNO-K-S-E
			AL/0035-006-UNO-K-S-E



Quality	Finish	art.
PVC	black	A24/0006-003






Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0027-2500-S-E	2500
			AL/0027-5000-S-E	5000
			AL/0027-6000-S-E	6000



new



Quality	Finish	art.	D	d
PVC	gray	A24/0005-008	20	25




A24/0006-003



MODEL 0006-UNO FLEX series

Glass t (mm)	L (m)	FIX	FLEX 
12 (12)	2,5	-	A19/FLEX1-012-SET-02.5
	5		A19/FLEX1-012-SET-05.0
	6		A19/FLEX1-012-SET-06.0
12,76 (6.6.2)	2,5		A19/FLEX1-013-SET-02.5
	5		A19/FLEX1-013-SET-05.0
	6		A19/FLEX1-013-SET-06.0
13,52 (6.6.4)	2,5		A19/FLEX1-014-SET-02.5
	5		A19/FLEX1-014-SET-05.0
	6		A19/FLEX1-014-SET-06.0
16,76 (8.8.2)	2,5		A19/FLEX1-017-SET-02.5
	5		A19/FLEX1-017-SET-05.0
	6		A19/FLEX1-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX1-018-SET-02.5
	5		A19/FLEX1-018-SET-05.0
	6		A19/FLEX1-018-SET-06.0





art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



art.	use
AL/glass-mont-PRO	FLEX/FIX



AL/0006-UNO ¹		G/h [kN]	CE		CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	-	-		A-DIN 975 M12-120	-	A-DIN 934 M12 A-DIN 125-A2 M12	-
		1	✓		- Q5/08-VM 250-M12-160	Q5/01B-400	-	Q5/06-12x110CE
		-	-		A-DIN 975 M12-120	Q5/01B-400	A-DIN 934 M12 A-DIN 125-A2 M12	Q5/08-FBN12-30
		1	✓		- A5/08-VM 250-M12-160-A4	Q5/01B-400	-	A-Q5/06-12x110CE
	OUT	-	-		A-DIN 975 M12-120	Q5/01B-400	A-DIN 934 M12 A-DIN 125-A2 M12	-
		1	✓		-	-	-	A-Q5/06-12x110CE
		-	-		A-DIN 975 M12-120	Q5/01B-400	A-DIN 934 M12 A-DIN 125-A2 M12	-
		1	✓		-	-	-	A4-Q5/06-12x110CE




AL/0006-UNO ²		G/h [kN]	CE		CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	-	-		A19/27-M10	Q5/01B-400	DIN 7380 M10x20-Zn DIN 125 10-Zn	-
		1	-		-	-	-	Q5/08-M8-80S/S
		1	✓		- Q5/08-VH-G-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn DIN 125 10-Zn	-
		1	✓		-	-	-	Q5/08-HAZ-M8-85S/S
		1	✓		-	-	-	Q5/08-B-S-10-90/S
		1	✓		-	-	-	-
	OUT	-	-		A19/27-M10	Q5/01B-400	A4-DIN 7380 M10x20 A-DIN 125-A2 M10	-
		1	-		-	-	-	A5/08-M8-80S/S
		1	✓		- A5/08-VH-G-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20 A-DIN 125-A2 M10	-
		1	✓		-	-	-	A5/08-HAZ-M8-85S/A4
		1	✓		-	-	-	-
		1	✓		-	-	-	A5/08-B-S-10-90/A4

AL/0006-UNO ³		G/h [kN]	CE		CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	-	-		A-DIN 975 M12-120	Q5/01B-400	A-DIN 1587-A2 M12 A-DIN 125-A2 M12	-
		1	-		-	-	-	Q5/08-M10-120S/S
		1	✓		- Q5/08-VM 250-M12-160	Q5/01B-400	-	-
		1	✓		-	-	-	Q5/08-HAZ-M10-106S/S
	OUT	-	-		A-DIN 975 M12-120	Q5/01B-400	A-DIN 1587-A2 M12 A-DIN 125-A2 M12	-
		1	-		-	-	-	A5/08-M10-70S/S
		1	✓		- A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-
		1	✓		-	-	-	A5/08-HAZ-M10-106S/A4



MODEL 0006-UNO CONNECTION PROFILES - TOP MOUNT




Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0051-2500-S-E	2500
			AL/0051-5000-S-E	5000
			AL/0051-6000-S-E	6000







Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0052-2500-S-E	2500
			AL/0052-5000-S-E	5000
			AL/0052-6000-S-E	6000








Material	Finish	Effect	art.	L
ALUMINIUM	natur	ELOX	AL/0053-2500-N-E	2500
			AL/0053-5000-N-E	5000
			AL/0053-6000-N-E	6000




Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0054-2500-S-E	2500
			AL/0054-5000-S-E	5000
			AL/0054-6000-S-E	6000





Material	Finish	Effect	art.	L	L1	G/h	glass t			
ALUMINIUM	satin	ELOX	AL/0018-2500-S-E	2500	50	3kN	16,76-31,52	built in drain	✓	±1,1°
			AL/0018-5000-S-E	5000	100					
			AL/0018-6000-S-E	6000						


new







Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0011-PRO-S-E-1250-Drain	1250
			AL/0011-PRO-S-E-2500-Drain	2500

Material	Finish	art.
AISI316	natural	A14/0005-pin

new



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0034-018-S-E
			AL/0035-018-S-E




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0018-S-E-90-IN

Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0018-S-E-90-OUT

Glass t (mm)	L (m)	FIX	FLEX $\pm 1.1^\circ$
16,76 (8.8.2)	2,5		A19/FLEX2-017-SET-02.5
	5		A19/FLEX2-017-SET-05.0
	6		A19/FLEX2-017-SET-06.0
	2,5		A19/FLEX2-018-SET-02.5
17,52 (8.8.4)	5		A19/FLEX2-018-SET-05.0
	6		A19/FLEX2-018-SET-06.0
	2,5		A19/FLEX2-021-SET-02.5
20,76 (10.10.2)	5		A19/FLEX2-021-SET-05.0
	6		A19/FLEX2-021-SET-06.0
	2,5		A19/FLEX2-022-SET-02.5
21,52 (10.10.4)	5		A19/FLEX2-022-SET-05.0
	6		A19/FLEX2-022-SET-06.0
	2,5	A19/FIX2-25-SET-02.5	
24,76 (12.12.2)	5	A19/FIX2-25-SET-05.0	
	6	A19/FIX2-25-SET-06.0	
	2,5	A19/FIX2-26-SET-02.5	
25,52 (12.12.4)	5	A19/FIX2-26-SET-05.0	
	6	A19/FIX2-26-SET-06.0	
	2,5	A19/FIX2-32-SET-02.5	
31,52 (15.15.4)	5	A19/FIX2-32-SET-05.0	
	6	A19/FIX2-32-SET-06.0	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52







art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"




AL/glass-mont-PRO

art.	use
AL/glass-mont-PRO	FLEX/FIX







AL/0018		G/b [kN]	CE	CHEM. ANCHOR (5pcs/m)		CHEM. (1pcs/2,5m)		MECH ANCHOR (5pcs/m)	
				A19/27-M10	-	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-
IN	3	✓		-	Q5/08-VHG-M10-80/S	Q5/01B-400	DIN 7380 M10x20-Zn	DIN 125 10-Zn	-
	3			-	-	-	-	-	Q5/08-HAZ-M8-85S/S
	-	-		A19/27-M10	-	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-
	3	✓		-	A5/08-VHG-M10-80/A4	Q5/01B-400	A4-DIN 7380 M10x20	A-DIN 125-A2 M10	-
OUT	3			-	-	-	-	-	A5/08-HAZ-M8-85S/A4
	3			-	-	-	-	-	-

MODEL 0005-UNO FLEX series



Material	Finish	Effect	art.	L	L1	G/h	glass t	A/0011-PRO-S-E...Drain	built in drain
ALUMINIUM	satin	ELOX	AL/0005-UNO-2500-S-E	2500	50	1kN	12,00 - 17,52	✓	✓
			AL/0005-UNO-5000-S-E	5000	100				
			AL/0005-UNO-6000-S-E	6000					

new



Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-005-UNO-S-E-PLATE	0°
			AL/0034-005-UNO-S-E	0°
			AL/0034-005-UNO-S-E-ANGLE	≤ 45°


new

Material	Finish	Effect	art.	L	Q9/03...
ALUMINIUM	satin	ELOX	AL/0047-2500-S-E	2500	✓
			AL/0047-5000-S-E	5000	
			AL/0047-6000-S-E	6000	


new



A24/0005-009






Material	Finish	art.	D	d
PVC	gray	A24/0005-009	30	35



Material	Finish	art.
AlSi1316	natural	A14/0005-pin

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0005-UNO-S-E-90-IN

Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0005-UNO-S-E-90-OUT


MODEL 0005-D FIX series




Black ELOX
ALUMINIUM



AL/0005-D...Drain



AL/0005-D...S-E
AL/0005-D...S-EB





Material	Finish	Effect	art.	L	L1	G/h	glass t		
ALUMINIUM	satin	ELOX	AL/0005-D-1250-S-E	1250	125	2,5kN	12,00 - 21,52	✓	✓
			AL/0005-D-2500-S-E	2500					
			AL/0005-D-5000-S-E	5000					
			AL/0005-D-5000-S-E-Drain	5000					
			AL/0005-D-6000-S-E	6000					
	ELOX black	ELOX black	AL/0005-D-2500-S-EB	2500					
			AL/0005-D-5000-S-EB	5000					





Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-005-D-S-E-PLATE	0°
			AL/0034-005-D-S-E	0°
		ELOX black	AL/0034-005-D-S-EB	0°
		ELOX	AL/0034-005-D-S-E-ANGLE	≤ 45°

new




Material	Finish	Effect	art.	D	d
ALUMINIUM	satin	ELOX	AL/0005-007	25	30
PVC	gray	-	A24/0005-007		
	black	-	A24/0005-007-BLACK		

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0005-D-S-E-90-IN
		ELOX black	AL/0005-D-S-EB-90-IN



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0005-D-S-E-90-OUT
		ELOX black	AL/0005-D-S-EB-90-OUT

Glass t (mm)	L (m)	art.
12 (12)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	6	A19/0004-012-06.0
	25	A19/0004-012-25.0
12,76 (66,2)	2,5	A19/0004-013-02.5
	5	A19/0004-013-05.0
	6	A19/0004-013-06.0
	25	A19/0004-013-25.0
16,76 (88,2)	2,5	A19/0004-017-02.5
	5	A19/0004-017-05.0
	6	A19/0004-017-06.0
	25	A19/0004-017-25.0
17,52 (88,4)	2,5	A19/0004-018-02.5
	5	A19/0004-018-05.0
	6	A19/0004-018-06.0
	25	A19/0004-018-25.0
20,76 (1010,2)	2,5	A19/0004-021-02.5
	5	A19/0004-021-05.0
	6	A19/0004-021-06.0
	25	A19/0004-021-25.0
21,52 (1010,4)	2,5	A19/0004-022-02.5
	5	A19/0004-022-05.0
	6	A19/0004-022-06.0
	25	A19/0004-022-25.0



PVC-P - interior



EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	




PVC-P - interior





EPDM - exterior


Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
	black (exterior)	A19/0004-rubber12-13-02.5	2,5	12,76-13,52
		A19/0004-rubber12-13-05.0	5	
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	
		A19/0004-rubber17-18-02.5	2,5	16,76-17,52
		A19/0004-rubber17-18-05.0	5	
		A19/0004-rubber17-18-06.0	6	
		A19/0004-rubber17-18-25.0	25	
		A19/0004-rubber21-22-02.5	2,5	20,76-21,52
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	




Material	Finish	Effect	art.	L	Q9/03...
ALUMINIUM	satin	ELOX	AL/0044-2500-S-E	2500	✓ new
			AL/0044-5000-S-E	5000	
			AL/0044-6000-S-E	6000	
		ELOX black	AL/0044-2500-S-EB	2500	
			AL/0044-5000-S-EB	5000	




MODEL 0005-D FIX series




Material	Finish	Effect	art.	compatibility	L
ALUMINIUM	satin	ELOX	AL/0005-S-E-1250-Drain	AL/0005-D-1250-S-E	1250
			AL/0005-S-E-2500-Drain	AL/0005-D-2500-S-E	
			AL/0005-S-E-5000-Drain	AL/0005-D-5000-S-E	
		ELOX black	AL/0005-S-EB-2500-Drain	AL/0005-D-2500-S-EB	2500
				AL/0005-D-5000-S-EB	



Quality	Finish	art.
PETG	gray	A19/glass-stop



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



AL/0005-D		G/N [kN]	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
IN	-	-	-	A5/08-105x11xM8	-	Q5/01B-400	-
	-	-	-	-	-	-	Q5/08-12-125
	1	✓	-	-	Q5/08-VHG-M8-100/S	Q5/01B-400	-
	1	-	-	-	-	W-DIN 7991 M8x20-P	Q5/08-FH12-50
	-	-	-	A5/08-105x11xM8	-	-	-
	-	-	-	-	Q5/01B-400	-	A5/08-12-125
	1	✓	-	-	A5/08-VHG-M8-100/A4	Q5/01B-400	-
	1	-	-	-	-	W-DIN 7991-A4 M8x20-P	A5/08-HAZ-M8-80SK/A4
OUT	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	1	✓	-	-	-	-	-
	1	-	-	-	-	-	-
	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
	1	✓	-	-	-	-	-
	1	-	-	-	-	-	-



Material	Finish	Effect
ALUMINIUM	natural	ELOX



Material	Finish	Effect
ALUMINIUM	natural satin	ELOX black



Material	Finish
CORTEN	raw



Material	Finish	Effect
ALUMINIUM	satin	ELOX



Material	Finish	Effect
ALUMINIUM	satin	ELOX inox



Material	Finish	Effect
INOX / ALUMINIUM	RAL	any color

STATIC TEST $F = \max 5kN$





DYNAMIC TEST $G = 50kg$



MODEL 0009 FIX series





STATIC STUDIO



Material	Finish	Effect	art.	L	L1	G/h	glass t
ALUMINIUM	satin	ELOX	AL/0009-2500-S-E	2500	50	3kN	21,52-25,52
			AL/0009-5000-S-E	5000	100		





Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0038-004-S-E




Material	Finish	Effect	art.	D	d
ALUMINIUM	satin	ELOX	AL/0005-007	25	30
PVC	gray	-	A24/0005-007		
	black	-	A24/0005-007-BLACK		

new



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0009-S-E-90-IN



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0009-S-E-90-OUT

Glass t (mm)	L (m)	art.
21,52 (1010.4)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	25	A19/0004-012-25.0
25,52 (1212.4)	2,5	A19/0008-026-02.5
	5	A19/0008-026-05.0
	25	A19/0008-026-25.0



PVC-P - interior



EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
		A19/0004-F-B-02.5	2,5	
	black (exterior)	A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	




PVC-P - interior




EPDM - exterior


Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
	black (exterior)	A19/0004-rubber12-13-02.5	2,5	12,76-13,52
		A19/0004-rubber12-13-05.0	5	
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	
		A19/0004-rubber17-18-02.5	2,5	16,76-17,52
		A19/0004-rubber17-18-05.0	5	
		A19/0004-rubber17-18-06.0	6	
		A19/0004-rubber17-18-25.0	25	
	black (exterior)	A19/0004-rubber21-22-02.5	2,5	20,76-21,52
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	




Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52



Quality	Finish	art.
PETG	gray	A19/glass-stop




AL/0009	IN	OUT	G/N (kN)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	OUT	-	✓	A5/08-105x11xM8	-	-	-
			-		-	-	-	-
			3		-	Q5/08-VHG-M12-125/S	Q5/01B-400	Q5/08-12-125
			2,6		-	-	DIN 7991 M12x30-Zn	-
			-		-	-	-	Q5/08-FH12-50
	OUT	IN	-	✓	A5/08-105x11xM8	-	-	-
			1		-	-	-	A5/08-12-125
			3,8		-	A5/08-VHG-M12-125/A4	A4-DIN 7991 M12x30	-
			1,9		-	-	-	A5/08-HAZ-M8-80SK/A4
			-		-	-	-	-




Black ELOX
ALUMINIUM


Material	Finish	Effect	art.	L	L1	G/h	glass t
ALUMINIUM	natural	ELOX	AL/0011-1250-N-E	1250		3kN	12-21,52
			AL/0011-2500-N-E	2500	50		
			AL/0011-5000-N-E	5000	100		
			AL/0011-6000-N-E	6000			
	black	ELOX	AL/0011-2500-N-EB	2500	50		
			AL/0011-5000-N-EB	5000	100		




Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-011-S-E-PLATE	0°
			AL/0034-011-S-E	0°
		ELOX black	AL/0034-011-S-EB	0°
		ELOX	AL/0034-011-S-E-ANGLE	≤ 45°



Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0045-2500-S-E	2500
			AL/0045-5000-S-E	5000
			AL/0045-6000-S-E	6000
			AL/0045-2500-S-EB	2500
	black	ELOX	AL/0045-5000-S-EB	5000



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0011-N-E-90-IN
	natural	ELOX black	AL/0011-N-EB-90-IN



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0011-N-E-90-OUT
	natural	ELOX black	AL/0011-N-EB-90-OUT

Glass t (mm)	L (m)	art.
12 (12)	2,5	A19/0004-012-02.5
	5	A19/0004-012-05.0
	6	A19/0004-012-06.0
	25	A19/0004-012-25.0
12,76 (66.2)	2,5	A19/0004-013-02.5
	5	A19/0004-013-05.0
	6	A19/0004-013-06.0
	25	A19/0004-013-25.0
16,76 (88.2)	2,5	A19/0004-017-02.5
	5	A19/0004-017-05.0
	6	A19/0004-017-06.0
	25	A19/0004-017-25.0
17,52 (88.4)	2,5	A19/0004-018-02.5
	5	A19/0004-018-05.0
	6	A19/0004-018-06.0
	25	A19/0004-018-25.0
20,76 (1010.2)	2,5	A19/0004-021-02.5
	5	A19/0004-021-05.0
	6	A19/0004-021-06.0
	25	A19/0004-021-25.0
21,52 (1010.4)	2,5	A19/0004-022-02.5
	5	A19/0004-022-05.0
	6	A19/0004-022-06.0
	25	A19/0004-022-25.0



PVC-P - interior




EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-F-G-02.5	2,5	12-21,52
		A19/0004-F-G-05.0	5	
		A19/0004-F-G-25.0	25	
	black (exterior)	A19/0004-F-B-02.5	2,5	
		A19/0004-F-B-05.0	5	
		A19/0004-F-B-06.0	6	
		A19/0004-F-B-25.0	25	



Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52




PVC-P - interior





EPDM - exterior

Quality	Finish	art.	L(m)	glass t
Rubber	gray (interior)	A19/0004-17-18-G-02.5	2,5	16,76-17,52
		A19/0004-17-18-G-05.0	5	
		A19/0004-17-18-G-25.0	25	
		A19/0004-rubber12-13-02.5	2,5	
	black (exterior)	A19/0004-rubber12-13-05.0	5	12,76-13,52
		A19/0004-rubber12-13-06.0	6	
		A19/0004-rubber12-13-25.0	25	
		A19/0004-rubber17-18-02.5	2,5	
		A19/0004-rubber17-18-05.0	5	16,76-17,52
		A19/0004-rubber17-18-06.0	6	
		A19/0004-rubber17-18-25.0	25	
	black (exterior)	A19/0004-rubber21-22-02.5	2,5	20,76-21,52
		A19/0004-rubber21-22-05.0	5	
		A19/0004-rubber21-22-06.0	6	
		A19/0004-rubber21-22-25.0	25	




AL/0011	IN	OUT	G/h (N/m)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
	IN	OUT	-	-	A-DIN 975 M12-120	-	A-DIN 934 M12	A-DIN 125-A2 M12
			1,4	-	-	-	-	-
			3	-	-	-	-	-
			2	✓	-	Q5/01B-400	-	-
			0,9	-	-	-	-	-
			-	-	A-DIN 975 M12-120	-	A-DIN 934 M12	A-DIN 125-A2 M12
	OUT	OUT	1,4	-	-	-	-	-
			3	-	-	-	-	-
			1,5	✓	-	-	-	-
			3	-	-	-	-	-
			-	-	A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-
			-	-	-	-	-	-





Material	Finish	Effect	art.	L	L1	G/h	glass t		
ALUMINIUM	natural	ELOX	AL/0011-LIGHT-2500-N-E	2500	50	0,5kN	12-17,52	built in drain	±1,1°
			AL/0011-LIGHT-5000-N-E	5000	100				
			AL/0011-LIGHT-6000-N-E	6000					

new
new
new





Material	Finish	art.
AISI316	natural	A14/0005-pin

new



AL/0034-011.. ...ANGLE AL/0035-011.. ...PLATE





Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-011-LIGHT-S-E-PLATE	0°
			AL/0034-011-LIGHT-S-E	0°
			AL/0034-011-LIGHT-S-E-ANG	≤ 45°
			AL/0035-011-LIGHT-S-E	0°

new
new
new
new

Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0048-2500-S-E	2500
			AL/0048-5000-S-E	5000
			AL/0048-6000-S-E	6000

new
new
new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0011-LIGHT-N-E-90-IN

new

Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0011-LIGHT-N-E-90-OUT

new

Glass t (mm)	L (m)	FIX	FLEX $\pm 1,1^\circ$
12 (12)	2,5		A19/FLEX1-012-SET-02.5
	5		A19/FLEX1-012-SET-05.0
	6		A19/FLEX1-012-SET-06.0
12,76 (6.6.2)	2,5		A19/FLEX1-013-SET-02.5
	5		A19/FLEX1-013-SET-05.0
	6		A19/FLEX1-013-SET-06.0
13,52 (6.6.4)	2,5		A19/FLEX1-014-SET-02.5
	5		A19/FLEX1-014-SET-05.0
	6		A19/FLEX1-014-SET-06.0
16,76 (8.8.2)	2,5		A19/FLEX1-017-SET-02.5
	5		A19/FLEX1-017-SET-05.0
	6		A19/FLEX1-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX1-018-SET-02.5
	5		A19/FLEX1-018-SET-05.0
	6		A19/FLEX1-018-SET-06.0



art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"





Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52




AL/glass-mont-PRO


art.	use
AL/glass-mont-PRO	FLEX/FIX



AL/0011-LIGHT	IN	OUT	G/h (kN)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
AL/0011-LIGHT	IN	OUT	-	-	A-DIN 975 M12-120	-	A-DIN 934 M12	A-DIN 125-A2 M12
			0,5	-	-	-	-	-
			0,5	-	-	-	-	-
			0,5	✓	-	Q5/08-VM 250-M12-160	-	-
			0,5	✓	-	-	-	-
			0,5	✓	-	-	-	-
	OUT	IN	-	-	A-DIN 975 M12-120	-	A-DIN 934 M12	A-DIN 125-A2 M12
			0,5	-	-	-	-	-
			0,5	-	-	-	-	-
			0,5	✓	-	A5/08-VM 250-M12-160-A4	-	-
			0,5	✓	-	-	-	-
			0,5	✓	-	-	-	-



Material	Finish	Effect	art.	L	L1	G/h	glass t			
ALUMINIUM	natural	ELOX	AL/0011-ProXL-2500-N-E	2500	50	2kN	16,76-31,52	built in drain	✓	±1,1°
			AL/0011-ProXL-5000-N-E	5000	100					
			AL/0011-ProXL-6000-N-E	6000						





Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0011-PRO-S-E-1250-Drai	1250
			AL/0011-PRO-S-E-2500-Drai	2500




Material	Finish	art.
AISI316	natural	A14/0005-pin

new





Material	Finish	Effect	art.	slope angle
ALUMINIUM	satin	ELOX	AL/0034-011-ProXL-S-E-PLATE	0°
			AL/0034-011-ProXL-S-E	0°
			AL/0034-011-ProXL-S-E-ANGLE	≤ 45°
			AL/0035-011-ProXL-S-E	0°
			AL/0035-011-ProXL-S-E-ANGLE	≤ 45°

new




Material	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/0046-2500-S-E	2500
			AL/0046-5000-S-E	5000
			AL/0046-6000-S-E	6000

new




Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0011-ProXL-N-E-90-IN



Material	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/0011-ProXL-N-E-90-OUT

MODEL 0011-ProXL FLEX/FIX series



Glass t (mm)	L (m)	FIX	FLEX $\pm 1,1^\circ$
16,76 (8.8.2)	2,5		A19/FLEX2-017-SET-02.5
	5		A19/FLEX2-017-SET-05.0
	6		A19/FLEX2-017-SET-06.0
17,52 (8.8.4)	2,5		A19/FLEX2-018-SET-02.5
	5		A19/FLEX2-018-SET-05.0
	6		A19/FLEX2-018-SET-06.0
20,76 (10.10.2)	2,5		A19/FLEX2-021-SET-02.5
	5		A19/FLEX2-021-SET-05.0
	6		A19/FLEX2-021-SET-06.0
21,52 (10.10.4)	2,5		A19/FLEX2-022-SET-02.5
	5		A19/FLEX2-022-SET-05.0
	6		A19/FLEX2-022-SET-06.0
24,76 (12.12.2)	2,5	A19/FIX2-25-SET-02.5	
	5	A19/FIX2-25-SET-05.0	
	6	A19/FIX2-25-SET-06.0	
25,52 (12.12.4)	2,5	A19/FIX2-26-SET-02.5	
	5	A19/FIX2-26-SET-05.0	
	6	A19/FIX2-26-SET-06.0	
31,52 (15.15.4)	2,5	A19/FIX2-32-SET-02.5	
	5	A19/FIX2-32-SET-05.0	
	6	A19/FIX2-32-SET-06.0	




art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"












Quality	Finish	art.	L	glass t
Rubber	black	A19/0004-D-B-100	100	12-21,52




art.	use
AL/glass-mont-PRO	FLEX/FIX





AL/0011-ProXL	IN	OUT	G/h (kN)	CE	CHEM. ANCHOR (5pcs/m)	CHEM. (1pcs/2,5m)	CHEM. ANCHOR FASTENERS (5pcs/m)	MECH ANCHOR (5pcs/m)
			-		A-DIN 975 M12-120	-	A-DIN 934 M12	-
			1,7	-	-	-	A-DIN 125-A2 M12	-
			2		-	-	-	-
			2	✓	-	Q5/01B-400	-	Q5/08-M8-80S/S
			-		Q5/08-VM 250-M12-160	Q5/01B-400	-	Q5/06-12x110CE
			-		-	-	-	-
			-		-	-	-	Q5/08-HAZ-M8-85S/S
			-		-	-	-	Q5/08-FBN12-30
			-		A-DIN 975 M12-120	Q5/01B-400	A-DIN 934 M12	-
			1,7	-	-	-	A-DIN 125-A2 M12	A5/08-M8-80S/S
			-		-	-	-	-
			2		-	-	-	A-Q5/06-12x110CE
			1,9	✓	A5/08-VM 250-M12-160-A4	Q5/01B-400	-	-
			2		-	-	-	A5/08-HAZ-M8-85S/A4
			-		-	-	-	A4-Q5/06-12x110CE







		L	L1	L2
	AL/0004-...	1250		200
		2500	50	
		5000	100	
		6000	100	
	AL/0008-...	2500	50	
		5000	100	
		6000	100	
	AL/0006-...	1250		
		2500	50	
		5000	100	
		6000	100	







		L	L1	L2
	AL/0005...	1250	125	250
		2500		
		5000		
		6000		
	AL/0009...	2500		150
		5000		
	AL/0011...	1250	50	200
		2500		
		5000		
		6000		







		L	L1
	AL/0004-LIGHT...	2500	50
		5000	100
	AL/0004-PRO... AL/0008-ProXL...	2500	50
		5000 6000	100
	AL/0011-LIGHT... AL/0011-PRO...	2500	50
		5000	100



		L	L1
	AL/0006-UNO...	2500	50
		5000	100
	AL/0018...	2500	50
		5000	100
	AL/0019...	2500	50
		5000	100




AL PROFILE SET



	art.	h	L	glass t
	AL/ZVR100-2500-004			
	AL/ZVR100-2500-004-ECO	1000	2500	16,76 VSG/ESG
	AL/ZVR100-2500-004-LIGHT			

new
new



	art.	h	L	glass t
	AL/ZVR100-2500-006			
	AL/ZVR100-2500-006-ECO	1000	2500	16,76 VSG/ESG
	AL/ZVR100-2500-006-UNO			

new
new



	art.	h	L	glass t
	AL/ZBR100-2500-005			
	AL/ZBR100-2500-005-UNO	1000	2500	16,76 VSG/ESG


new



	art.	h	L	glass t
	AL/ZBR100-2500-011			
	AL/ZBR100-2500-011-LIGHT	1000	2500	16,76 VSG/ESG



new

MODEL 0742





Quality	Finish	art.		glass t
AISI304	satin	A/0742-SET	M5X20 (INCLUDED)	8-8,76
			M5X25 (INCLUDED)	10-12,76
			M5X30 (INCLUDED)	13,52-17,52


new





ALUMINIUM RAILING SETS (2,5m) - PRICE COMPARISON






Glass balustrade configurator (for glass t=16,76 mm, height 1000/1100/1200 mm)

2-fields
3X=18-60mm

3-fields
4X=24-80mm

4-fields
5X=30-100mm

handrail length L (mm)		glass length b (mm)																		alternative
min.	max.	500	600	700	800	825	850	875	900	925	950	975	1000	1100	1200	1300	1400	1500		
1618	1660				2															
1643	1685				1	1														
1668	1710					2														
1693	1735					1	1													
1718	1760						2													
1743	1785						1	1												
1768	1810							2												
1793	1835							1	1											
1818	1860								2											
1843	1885								1	1										
1868	1910									2										
1893	1935									1	1									
1918	1960										2									
1943	1985										1	1								
1968	2010											2								
1993	2035											1	1							
2018	2060												2							
2024	2080	2											1							
2049	2105					1														
2074	2130		2				1													
2124	2180		2						1											
2174	2230		2								1									
2224	2280		2										1							
2249	2305			2		1														
2299	2355			2				1												
2349	2405			2						1										
2399	2455			2								1								
2424	2480				3															
2474	2530				2		1													
2524	2580				2				1											
2574	2630				2						1									
2624	2680				2								1							
2649	2705							3												
2699	2755							2		1										
2749	2805							2				1								
2799	2855									3										
2849	2905									2		1								
2874	2930										3									
2924	2980										2		1							
2949	3005											3								
2974	3030											2	1							
3024	3080												3							
3074	3130											2		1						
3124	3180												2	1						
3174	3230												2		1					
3224	3280													1	2					
3274	3330						1									2				
3324	3380														3					
3374	3430										1					2				
3424	3480														2	1				
3230	3300				4															
3280	3350				2	2														
3330	3400				2		2												4x825	
3380	3450				2			2											2x825+2x850	
3430	3500				2				2										4x850	
3480	3550						2	2												
3530	3600					2			2										4x875	
3580	3650							2	2											
3630	3700								4											
3680	3750								2	2										
3730	3800								2		2								4x925	
3780	3850								2			2							2x925+2x950	
3830	3900								2				2						4x950	
3880	3950									2	2									
3930	4000										4									
3980	4050										2	2								
4030	4100												4							
4080	4150								2					2						
4130	4200									2					2					
4180	4250										2				2					
4230	4300											2				2				
4280	4350														2					
4330	4400										2				2					
4380	4450														2					
4430	4500										2					2				
4480	4550											2					2		4x1100	
4530	4600												2							
4580	4650															2				
4630	4700															2				
4680	4750																2			
4730	4800										2									
4780	4850																2			
4830	4900																			
4880	4950										2								4x1200	
4930	5000											2						2		
4980	5050										2							2		
5030	5100											2						2	2x1200+2x1300	



GLASSES IN STOCK

GLASS - VSG ESG 12,76

Quality	art.	t	a	b
VSG/ ESG 6.6.2	GS/12,76-100x60-VSG/ESG	12,76	1000	600
	GS/12,76-100x70-VSG/ESG			700
	GS/12,76-100x80-VSG/ESG			800
	GS/12,76-100x90-VSG/ESG			900
	GS/12,76-100x95-VSG/ESG			950
	GS/12,76-100x100-VSG/ESG			1000

Quality	art.	t	a	b
VSG/ ESG 6.6.2	GS/12,76-110x60-VSG/ESG	12,76	1100	600
	GS/12,76-110x70-VSG/ESG			700
	GS/12,76-110x80-VSG/ESG			800
	GS/12,76-110x90-VSG/ESG			900
	GS/12,76-110x95-VSG/ESG			950
	GS/12,76-110x100-VSG/ESG			1000

GLASS - VSG ESG 16,76

Quality	art.	t	a	b
VSG/ ESG 8.8.2	GS/16,76-100x40-VSG/ESG	16,76	1000	400
	GS/16,76-100x50-VSG/ESG			500
	GS/16,76-100x60-VSG/ESG			600
	GS/16,76-100x70-VSG/ESG			700
	GS/16,76-100x80-VSG/ESG			800
	GS/16,76-100x82,5-VSG/ESG			825
	GS/16,76-100x85-VSG/ESG			850
	GS/16,76-100x87,5-VSG/ESG			875
	GS/16,76-100x90-VSG/ESG			900
	GS/16,76-100x92,5-VSG/ESG			925
	GS/16,76-100x95-VSG/ESG			950
	GS/16,76-100x97,5-VSG/ESG			975
	GS/16,76-100x100-VSG/ESG			1000
	GS/16,76-110x100-VSG/ESG			1100
	GS/16,76-120x100-VSG/ESG			1200
	GS/16,76-100x130-VSG/ESG			1300
	GS/16,76-100x140-VSG/ESG			1400
	GS/16,76-100x150-VSG/ESG			1500


Quality	art.	t	a	b
VSG/ ESG 8.8.2	GS/16,76-110x40-VSG/ESG	16,76	1100	400
	GS/16,76-110x50-VSG/ESG			500
	GS/16,76-110x60-VSG/ESG			600
	GS/16,76-110x70-VSG/ESG			700
	GS/16,76-110x80-VSG/ESG			800
	GS/16,76-110x82,5-VSG/ESG			825
	GS/16,76-110x85-VSG/ESG			850
	GS/16,76-110x87,5-VSG/ESG			875
	GS/16,76-110x90-VSG/ESG			900
	GS/16,76-110x92,5-VSG/ESG			925
	GS/16,76-110x95-VSG/ESG			950
	GS/16,76-110x97,5-VSG/ESG			975
	GS/16,76-110x100-VSG/ESG			1000
	GS/16,76-110x110-VSG/ESG			1100
	GS/16,76-120x110-VSG/ESG			1200
	GS/16,76-110x130-VSG/ESG			1300
	GS/16,76-110x140-VSG/ESG			1400
	GS/16,76-110x150-VSG/ESG			1500

Quality	art.	t	a	b
VSG/ ESG 8.8.2	GS/16,76-120x40-VSG/ESG	16,76	1200	400
	GS/16,76-120x50-VSG/ESG			500
	GS/16,76-120x60-VSG/ESG			600
	GS/16,76-120x70-VSG/ESG			700
	GS/16,76-120x80-VSG/ESG			800
	GS/16,76-120x82,5-VSG/ESG			825
	GS/16,76-120x85-VSG/ESG			850
	GS/16,76-120x87,5-VSG/ESG			875
	GS/16,76-120x90-VSG/ESG			900
	GS/16,76-120x92,5-VSG/ESG			925
	GS/16,76-120x95-VSG/ESG			950
	GS/16,76-120x97,5-VSG/ESG			975
	GS/16,76-120x100-VSG/ESG			1000
	GS/16,76-120x110-VSG/ESG			1100
	GS/16,76-120x120-VSG/ESG			1200
	GS/16,76-120x130-VSG/ESG			1300
	GS/16,76-120x140-VSG/ESG			1400
	GS/16,76-120x150-VSG/ESG			1500

GLASS - VSG ESG 17,52

Quality	art.	t	a	b
ULTRA CLEAR VSG/ ESG 8.8.4	GSU/17,52-110x80-VSG/ESG	17,52	1100	800
	GSU/17,52-110x82,5-VSG/ESG			825
	GSU/17,52-110x85-VSG/ESG			850
	GSU/17,52-110x87,5-VSG/ESG			875
	GSU/17,52-110x90-VSG/ESG			900
	GSU/17,52-110x92,5-VSG/ESG			925
	GSU/17,52-110x95-VSG/ESG			950
	GSU/17,52-110x97,5-VSG/ESG			975
	GSU/17,52-110x100-VSG/ESG			1000
	GSU/17,52-110x110-VSG/ESG			1100
	GSU/17,52-110x120-VSG/ESG			1200
	GSU/17,52-110x130-VSG/ESG			1300
	GSU/17,52-110x140-VSG/ESG			1400
	GSU/17,52-110x150-VSG/ESG			1500

COLOR GLASS ATYP




Quality	art.	t	a	b
VSG/ESG	GS/COLOR-ATYP			

info@umakov.sk *new*

VSG Glass	4.4.2	5.5.2	6.6.2	6.6.4	8.8.2	8.8.4	10.10.2	10.10.4
t1	2x4	2x5	2x6	2x6	2x8	2x8	2x10	2x10
t2	0,76	0,76	0,76	1,52	0,76	1,52	0,76	1,52
t	8,76	10,76	12,76	13,52	16,76	17,52	20,76	21,52

Glass	FLOAT, ESG							
t1 (mm)	3	4	5	6	8	10	12	15
Tolerance (± mm)	0,2	0,2	0,2	0,2	0,3	0,3	0,3	0,5
Weight (kg/m²)	7,5	10	12,5	15	20	25	30	37,5



2

GLASS ADAPTERS






ROUND MODELS

FLEX1

FLEX2

FLEX3

FIX



SQUARE MODELS

FLEX

FIX




DOUBLE ADAPTERS


GLASS



SETS



MOUNT system A





MOUNT system B



ROUND	MODEL	MOUNT system	art.	Ø	MxL	glass t *	L	L1	L2	T
	FLEX1	A	A/0746-FLEX1-B	30	M8x40	6-12,76	40	19,5 - 26,2	20,5 - 13,7	0+
			A/0742-FLEX1	40	M10x45	8-17,52	45	21,5 - 31	23,5 - 13,9	0+
			A/0747-FLEX1-B	50	M10x130	8-17,52	130	27 - 36,5	103 - 93,4	0+
	FLEX2	A	A/0747-FLEX2	50	M10x125	8-17,52	125	52 - 72 61,5 - 81,5	73 - 53 63,4 - 43,4	-
			A/0747-501 FLEX2	50	M10x40	8-17,52	40	16,2 - 25,7	9,9 - 0,3	-
		B	A/0747-502 FLEX2	50	M10x40	8-17,52	40	16,2 - 25,7	9,9 - 0,3	-
			A/0747-503 FLEX2	50	M10x40	8-17,52	40	16,2 - 25,7	9,9 - 0,3	-
	FLEX3	B	A/0742-FLEX3	40	M10x40	8-17,52	40	12,6 - 22,1	9,9 - 0,3	-
			A/0747-FLEX3	50	M10x40	8-17,52	40	17,1 - 26,6	10,9 - 1,3	-
	FIX	A	A/0746-000	30	M8x40	6-12,76	40	24 - 30,7	16 - 9,2	-
			A/0746-300	30	M8x80	6-12,76	80	41 - 47,7	39 - 32,2	-
			A/0746-400	30	M8x80	6-12,76	80	51 - 57,7	29 - 22,2	-
			A/0746-500	30	M8x100	6-12,76	100	61 - 67,7	39 - 32,2	-
			A/0746-033	30	M8x50	6-12,76	40	24 - 30,7	16 - 9,2	-
			A/0746-042	30	M8x40	6-12,76	40	24 - 30,7	16 - 9,2	-
			A/0742-000	40	M10x100	8-17,52	100	20 - 29,5	80 - 70,4	-
			A/0742-042	40	M10x40	8-17,52	40	20 - 29,5	20 - 10,4	-
			A/0742-FIX	40	M10x100	8-17,52	100	37 - 46,5 50 - 59,5 60 - 69,5	63 - 53,4 50 - 40,4 40 - 30,4	-
			A/0747-000-S	50	M8x45	8-17,52	45	25 - 34,5	20 - 10,4	-
			A/0747-000	50	M10x45	8-17,52	45	25 - 34,5	20 - 10,4	-
			A/0747-200	50	M10x70	8-17,52	70	37 - 46,5	33 - 23,4	-
			A/0747-300	50	M10x70	8-17,52	70	47 - 56,5	23 - 13,4	-
			A/0747-400	50	M10x90	8-17,52	90	57 - 66,5	33 - 23,4	-
			A/0747-500	50	M10x90	8-17,52	90	67 - 76,5	23 - 13,4	-
			A/0747-242	50	M10x50	8-17,52	50	25 - 34,5	25 - 15,4	-
			A/0749-000	60	M10x100	8-17,52	100	23 - 32,5	77 - 67,4	-
			A/0749-042	60	M10x100	8-17,52	100	20 - 29,5	80 - 70,4	-
			A/0748-000	70	M10x45	8-17,52	45	25 - 34,5	20 - 10,4	-
			A/0748-242	70	M10x40	8-17,52	40	25 - 34,5	15 - 5,4	-

SQUARE	MODEL	MOUNT system	art.	□	M	glass t	L	L1	L2	T
	FLEX1	A	A/0745-300-FLEX1	40x40	M10x100	8-17,52	100	42 - 51,5	58 - 48,4	-
	FIX	A	A/0745-300	40x40	M10x100	8-17,52	100	42 - 51,5	58 - 48,4	-
			A/0745-500	40x40	M10x100	8-17,52	100	62 - 71,5	38 - 28,4	-


* For ATYP GLASS > 17,52, please use appropriate screw MxL. (info : info@umakov.sk)





FLEX1




FLEX2




FLEX3-742




FLEX3-747



Quality	Finish	Ø	art.	glass t	glass hole	DISC Ø
AISI304	satín	flat	A/0746-FLEX1-B	6-12,76	15	30




Quality	Finish	Ø	art.	glass t	glass hole	DISC Ø
AISI304	satín	flat	A/0742-FLEX1	8-17,52	20	40





Quality	Finish	Ø	art.	glass t	glass hole	DISC Ø
AISI304	satín	flat	A/0747-FLEX1-B	8-17,52	20	50

MODEL FLEX2





Quality	Finish	Effect	Ø	art.	glass t	glass hole	DISC Ø
AISI304	satin	-	flat	A/0747-FLEX2	8-17,52	20	50
	polish	PVD black		A-PVD/0747-FLEX2			
	polish	-		A-PVD/0747-FLEX2-L			
AISI316	satin	-		A14/0747-FLEX2			





Quality	Finish	Effect	Ø	art.	h	glass t	glass hole	DISC Ø
AISI304	satin	-	flat	A/0747-501 FLEX2	42-47	8-17,52	30	50
	matte	RAL 9005		A-BL/0747-501 FLEX2				
	satin	PVD black		A-PVD/0747-501 FLEX2				
		-		A/0747-502 FLEX2	32-37			
	matte	RAL 7016		A-AN/0747-502 FLEX2				
	satin	-		A/0747-503 FLEX2				

new
new
new

MODEL FLEX3




Quality	Finish	Ø	art.	glass t	glass hole	DISC Ø
AISI304	satin	flat	A/0742-FLEX3	8-17,52	22	40




Quality	Finish	Ø	art.	glass t	glass hole	DISC Ø
AISI304	satin	flat	A/0747-FLEX3	8-17,52	30	50
AISI316	polish		A14/0747-FLEX3			
	polish		A14/0747-FLEX3-L			






Quality	Finish	Ø	art.	D	d	glass t	glass hole	DISC Ø
AISI304	satín	flat	A/0742-000	40	18,5	8-17,52	22	40
			A/0749-000	60	18		20	60




Quality	Finish	Effect	Ø	art.	D	MxL	glass t	glass hole	DISC Ø
AISI304	satín	-	flat	A/0747-000-S	50	M8x45	8-17,52	20	50
		PVD black		A/0747-000					
	matte	RAL 9005		A-PVD/0747-000					
		RAL 7016		A-BL/0747-000					
	polish	-		A-AN/0747-000					
AISI316	satín	-		A/0747-000-L	70	M8x45	8-17,52	20	70
ZAMAK	natural	-		A14/0747-000					
				A14/0747-000-S					
AISI304	satín	-		ZN/0747-000	70	M10x45	8-17,52	20	70
				A/0748-000					




Quality	Finish	Effect	Ø	art.	h	MxL	glass t	glass hole	DISC Ø
AISI304	satín	-	flat	A/0746-000	15	M8x40	6-12,76	15	30
	matte	RAL 9005		A-BL/0746-000					
		RAL 7016		A-AN/0746-000					
		polish							
AISI316	satín	-		A14/0746-000					
ZAMAK	natural	-		ZN/0746-000					
AISI304	satín	-		A/0746-300	32	M8x80			
				A/0746-400	42				
				A/0746-500	52				







Quality	Finish	Ø	art.	h	MxL	glass t	glass hole	DISC Ø
AISI304	satin	flat	A/0747-200	22	M10x70	8-17,52	20	50
			A/0747-300	32				
			A/0747-400	42	M10x90			
			A/0747-500	52				
AISI316			A14/0747-300	32	M10x70			




Quality	Finish	Ø	art.	D	glass t	glass hole
AISI304	satin	flat	A/0763-000	30	6-12,76	15
			A/0764-000	40	8-17,52	
AISI316			A14/0763-000	30	6-12,76	
			A14/0764-000	40	8-17,52	




Quality	Finish	Ø	art.	glass t	glass hole
AISI304	satin	flat	A/0742-FIX	8-17,52	22




Quality	Finish	Ø	art.	h	MxL	glass t	glass hole
AISI304	satin	33,7	A/0746-033	13	M8x50	6-12,76	15
		42,4	A/0746-042	15	M8x40		
AISI316			A14/0746-042				





Quality	Finish	Ø	art.	glass t	glass hole
AISI304	satin	42,4	A/0742-042	8-17,52	22



Quality	Finish	Ø	art.	D	MxL	glass t	glass hole
AISI304	satin	42,4	A/0747-242	50	M10x45	8-17,52	20
			A/0748-242	70	M10x80		
AISI316			A14/0747-242	50	M10x45		




Quality	Finish	Ø	art.	glass t	glass hole
AISI304	satin	42,4	A/0749-042	8-17,52	20




Quality	Finish	art.
AISI304	satın	A/0746-plate


Quality	Finish	art.
AISI304	satın	A/0746-front



A/0747-plate




A/0742-plate



Quality	Finish	art.	D	Ø
AISI304	satın	A/0742-plate	40	38,7
		A/0747-plate	50	48,7


Quality	Finish	art.	M
AISI304	satın	A/0747-front	10
		A/0747-S-front	8



A19/47-Black




A19/47-1-White




Quality	Finish	art.	Compatibility
Rubber	black	A19/46-Black	A/0746-...
	white	A19/46-White	

Quality	Finish	art.	D	h	d	d1	t	Ø	Compatibility
Rubber	black	A19/47-Black	48	8	17	10,5		14	A/0747-...
		A19/47-1-Black			25	14,5		22	
	white	A19/42-Black	38	6	18,5	10,5	2	14,5	A/0742-...
		A19/47-White			17			14	
PVC	black	A19/47-1-White	48	8	25			22	A/0747-...
		A19/47-PVC		-	-	14,5	0,7	-	

new




Quality	Finish	art.
AISI304	satın	A/5736-242-M10



A/...-000


A/...-042



Quality	Finish	Ø	D	art.	L
AISI304	satın	flat	33,7x2	A/33,7x2-22-000	22
				A/42,4x2-22-000	
			42,4x2	A/42,4x2-35-000	35
				A/42,4x2-45-000	45
		42,4	33,7x2	A/33,7x2-22-042	22
			42,4x2	A/42,4x2-22-042	


new

MODEL FLEX




Quality	Finish	Ø	art.	glass t	glass hole
AISI304	satín	flat	A/0745-300-FLEX1	8-17,52	18


MODEL FIX




Quality	Finish	Ø	art.	h	glass t	glass hole
AISI304	satín	flat	A/0745-300	32	8-17,52	18
			A/0745-500	52		



Quality	Finish	art.
AISI304	satín	A/0745-D30





GLASS... VSG ESG 16,76





Quality	art.	a	glass t	holes
VSG/ESG	GS/16,76-98x100-VSG/ESG	980	16,76	4
	GS/16,76-133x100-VSG/ESG	1330		
	GS/16,76-108x100-VSG/ESG	1080		6
	GS/16,76-143x100-VSG/ESG	1430		









Quality	Finish	art.	glass hole
AISI304	satın	A/2740-000	18



Quality	Finish	art.	glass hole
AISI304	satın	A/2747-000	20



Quality	Finish	art.	D	H	M
AISI304	satın	A/2746-000 plate T10mm	40	190	8
AISI304	satın	A/2747-000 plate T10mm	50	200	10



Quality	Finish	art.	glass hole
AISI316	satın	A14/3000-000	18

3

SPIGOTS



ROUND MODELS
FIX



ELIPSE MODELS
FLEX





SQUARE MODELS
FIX



POST MODELS
FIX



GLASSES + SETS



3

Quality	Finish	Effect	art.	G/h	pcs/m	Glass t
AISI304	satin	-	A/6100-000-B	0,5kN	3	12-17,52
	matte	RAL 9005	A-BL/6100-000-B			
AISI316	satin	-	A14/6100-000-B			
	polish	-	A14/6100-000-B-L			
S.S.2205	satin	-	A22/6100-000-B			




new

new

GLASS 12,76/16,76 → 65



Quality	Finish	art.
AISI304	natural	Q10/ANGLE-0-2-100



Quality	Finish	Effect	art.
AISI304	satin	-	A/0512-050
AISI316			A14/0512-050
AISI304	matte	RAL 9005	A-BL/0512-050



new





A14/6210-000

.../6200-000-C





Quality	Finish	Effect	art.	G/h	pcs/m	Glass t
AISI304	satin	-	A/6200-000-C	0,5kN	3	12-17,52
	matte	RAL 9005	A-BL/6200-000-C			
	matte	RAL 7016	A-AN/6200-000-C			
AISI316	satin	-	A14/6200-000-C	0,5kN	2	12-17,52
	polish	-	A14/6200-000-C-L			
	polish	-	A14/6210-000			
S.S.2205	satin	-	A22/6200-000-C	0,5kN	2	12-17,52
				1kN	3	

new
new

new


GLASS 12,76/16,76 → 65



Quality	Finish	art.	G/h	pcs/m	Glass t
S.S.2205	satin	A22/6230-000	-	-	12-17,52

new


GLASS 12,76/16,76 → 65



Quality	Finish	Effect	art.	☑
AISI316	satin	-	A14/4511-050-B	51,5
	polish	-	A14/4511-050-B-L	
	matte	RAL 9005	A14-BL/4511-050-B	


new





Quality	Finish	art.	G/h	pcs/m	Glass t	glass hole
AISI304	satín	A/6200-000-B	0,5kN	3	12-17,52	15


GLASS 12,76/16,76 →



Quality	Finish	Effect	art.	G/h	pcs/m	Glass t
AISI316	satín	-	A14/6220-014	0,25kN*	3	12,0-13,5
			A14/6220-018			16,0-17,5
	matte	RAL 9005	A14-BL/6220-018			

* for use only with anchored cap rail

new





GLASS 12,76/16,76 →





Quality	Finish	Effect	art.	G/h	pcs/m	Glass t
AISI304	satín	-	A/6501-000	0,5kN 1kN	2 3	16,76-21,52
AISI316			A14/6501-000			
S.S.2205			A22/6501-000			
AISI304	matte	RAL 9005	A-BL/6501-000			

new




MODEL FIX


Quality	Finish	art.	Glass	Glass hole
AISI316	satın	A14/6300-000	GS/16,76-...	20

MODEL FIX


Quality	Finish	art.	Glass	Glass hole
AISI304	satın	A/6400-040	GS/16,76-...	20



Quality	Finish	art.	Glass	Glass hole
AISI304	satın	A/6400-040-plate	GS/16,76-...	20

GLASS... VSG ESG 16,76


Quality	art.	a	glass t	holes
VSG/ESG	GS/16,76-98x100-VSG/ESG	980	16,76	4
	GS/16,76-133x100-VSG/ESG	1330		
	GS/16,76-108x100-VSG/ESG	1080		6
	GS/16,76-143x100-VSG/ESG	1430		




MODEL 6100 SET





art.	G/h	glass t
GS/FRB8-120x100-6100-6	0,5kN 16,76	VSG/ESG

MODEL 6200 SET




art.	G/h	glass t
GS/FRB-103x120-6200	0,5kN 16,76	VSG/ESG


• handrail is not included, but it is recommended in this SET.




art.	G/h	glass t
GS/FRB8-120x100-6200-6	1kN 16,76	VSG/ESG



	art.	G/h	glass t	
	GS/FRB8-120x100-6501-6	1kN	16,76 VSG/ESG	<i>new</i>



	art.	G/h	glass t	
	GS/FRB-120x100-6501	0,5kN	16,76 VSG/ESG	<i>new</i>




4

JULIET BALCONY



Black ELOX
ALUMINUM


MODEL **FRB10-BK** SET WITHOUT GLASS



Quality	Finish	Effect	art.	Glass t	L
ALUMINIUM	natural	ELOX	GS/FRB10-100-BK-N-E	10,76-21,52	1000
		ELOX black	GS/FRB10-100-BK-N-EB		
		ELOX	GS/FRB10-110-BK-N-E		
		ELOX black	GS/FRB10-110-BK-N-EB		
	matte	RAL 7021	GS/FRB10-110-BK-R7021		1100
		RAL 9005	GS/FRB10-110-BK-R9005		
	natural	ELOX	GS/FRB10-120-BK-N-E		1200
		ELOX black	GS/FRB10-120-BK-N-EB		

new
new
new
new
new
new
new
new

MODEL **FRB10-ZK** SET WITHOUT GLASS




Quality	Finish	Effect	art.	Glass t	L
ALUMINIUM	natural	ELOX	GS/FRB10-100-ZK-N-E	10,76-21,52	1000
		ELOX black	GS/FRB10-100-ZK-N-EB		
		ELOX	GS/FRB10-110-ZK-N-E		
		ELOX black	GS/FRB10-110-ZK-N-EB		
	matte	RAL 7021	GS/FRB10-110-ZK-R7021		1100
		RAL 9005	GS/FRB10-110-ZK-R9005		
	natural	ELOX	GS/FRB10-120-ZK-N-E		1200
		ELOX black	GS/FRB10-120-ZK-N-EB		

new
new
new
new
new
new
new
new

Accessories




Quantity	1x pair	1x pair	1x pair	3x pair
----------	---------	---------	---------	---------




Accessories



Quantity	1x pair	1x pair	1x pair	3x pair
----------	---------	---------	---------	---------




MODEL **FRB10-BK** SET WITH GLASS



Quality	Finish	Effect	art.	Glass t	L
ALUMINIUM	matte	RAL 9005	GS/FRB10-100x100-BK-R9005	12,76	1000
			GS/FRB10-110x100-BK-R9005		1100

new
new

MODEL **FRB10-ZK** SET WITH GLASS



Quality	Finish	Effect	art.	Glass t	L
ALUMINIUM	natural	ELOX	GS/FRB10-100x100-ZK-N-E	12,76	1000
	matte	RAL 7021	GS/FRB10-110x100-ZK-R7021		1100
		RAL 9005	GS/FRB10-110x100-ZK-R9005		

new
new
new

5

CAP RAILS

**Black ELOX
ALUMINUM**





ROUND MODELS LED



SQUARE MODELS




CAP RAIL RUBBERS



CAP RAIL FITTINGS END CAPS


MODEL 42,4x1,5



EPDM - exterior





PVC-P - interior



Quality	Finish	art.	L
AISI304	satin	A/6925-042-1250	1250
		A/6925-042	2500
		A/6920-042	5000
		A/6921-042	6000
		A14/6920-042	5000
AISI316	polish	A14/6920-042-L	5000

top

Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	10-12,76	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
Rubber interior	gray (interior)	A19/5042-G-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-G-16-5000				5000




Quality	Finish	art.
AISI304	satin	A/6732-042
AISI316		A14/6732-042


top

Quality	Finish	art.
AISI304	satin	A/6790-042
AISI316		A14/6790-042

top




Quality	Finish	art.
AISI304	satin	A/6313-042
AISI316		A14/6313-042




Quality	Finish	art.
AISI316	satin	A14/6303-042


MODEL 42,4x1,5




Quality	Finish	art.
AISI304	satin	A/6302-042
AISI316		A14/6302-042




Quality	Finish	art.
AISI304	satin	A/6312-042
AISI316		A14/6312-042



Quality	Finish	art.
AISI316	satin	A14/6505-042



Quality	Finish	art.
AISI316	satin	A14/6727-042




Quality	Finish	Effect	art.	L
ALUMINIUM	satin	ELOX	AL/6925-042-S-E	3000
		ELOX black	AL/6925-042-S-EB	
		ELOX	AL/6920-042-S-E	6000
		ELOX black	AL/6920-042-S-EB	




EPDM - exterior



PVC-P - interior




Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	10-12,76	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
		A19/5042-21-6000				6000
Rubber interior	gray (interior)	A19/5042-G-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-G-16-5000				5000




Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6732-042-S-E
		ELOX black	AL/6732-042-S-EB

new




Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6790-042-S-E
		ELOX black	AL/6790-042-S-EB

new




Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6313-042-S-E
		ELOX black	AL/6313-042-S-EB

new




Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6505-042-S-E
		ELOX black	AL/6505-042-S-EB

new






MODEL 48x1,5





EPDM - exterior




Quality	Finish	art.	L
AISI304	satin	A/6920-048	5000
		A/6925-048	2500
AISI316		A14/6920-048	5000
		A14/6925-048	2500

Quality	Finish	art.	Glass t	L
Rubber	black (exterior)	A19/5048-15-5000	15,0-17,5	5000
		A19/5048-22-2500	20,0-20,5	2500
		A19/5048-26-5000	24,76-25,52	5000





Quality	Finish	art.
AISI304	satin	A/6732-048

Quality	Finish	art.
AISI304	satin	A/6790-048





Quality	Finish	art.
AISI304	satin	A/6313-048



Quality	Finish	art.
AISI304	satin	A/6505-048


MODEL 80x40x1,5



EPDM - exterior




PVC-P - interior




Quality	Finish	art.	L
AISI304	satın	A/6920-080	5000

Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	11,5-13,5	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
Rubber interior	gray (interior)	A19/5042-G-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-G-16-5000				5000


MODEL 42,4



Quality	Finish	art.	L
Beech		WB/6925-042-17	2500
Oak	natural	WD/6925-042-17	
		WD/6925-042-17-CINK	




MODEL 40x40x1,5



EPDM - exterior





PVC-P - interior





Quality	Finish	art.	L
AISI304	satin	A/6925-040	2500
		A/6920-040	5000
		A/6921-040	6000
AISI316		A14/6920-040	5000

Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	11,5-13,5	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000				30000
		A19/5042-21-2500	20,76-21,52	24	3,5	2500
		A19/5042-21-5000				5000
		A19/5042-21-6000				6000
Rubber interior	gray (interior)	A19/5042-G-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-G-16-5000				5000





Quality	Finish	art.
AISI304	satin	A/6732-040
AISI316		A14/6732-040

Quality	Finish	art.
AISI304	satin	A/6790-040
AISI316		A14/6790-040



Material	Finish	art.
AISI316	satin	A14/6303-040


Quality	Finish	art.
AISI304	satin	A/6313-040
AISI316		A14/6313-040



Material	Finish	art.
AISI316	satin	A14/6302-040


Material	Finish	art.
AISI316	satin	A14/6312-040

MODEL 40x40x1,5



Quality	Finish	art.
AISI316	satın	A14/6505-040

MODEL 50x40x2/AL



Quality	Finish	Effect	art.	L
ALUMINIUM	satın	ELOX	AL/6925-540-S-E	3000
			AL/6920-540-S-E	6000
		ELOX black	AL/6925-540-S-EB	3000
			AL/6920-540-S-EB	6000


Black ELOX ALUMINUM




EPDM - exterior




PVC-P - interior




Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500				2500
		A19/5042-11-5000	11,5-13,5	25	4,5	5000
		A19/5042-11-6000				6000
		A19/5042-16-2500				2500
		A19/5042-16-5000				5000
		A19/5042-16-6000	16,0-17,5	21,5	4,2	6000
		A19/5042-16-30000				30000
		A19/5042-21-2500				2500
		A19/5042-21-5000	20,76-21,52	24	3,5	5000
		A19/5042-21-6000				6000
Rubber interior	gray (interior)	A19/5042-G-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-G-16-5000				5000




Quality	Finish	Effect	art.	new
ALUMINIUM	satın	ELOX	AL/6732-540-S-E	50x40x2
		ELOX black	AL/6732-540-S-EB	50x40x2



Quality	Finish	Effect	art.	new
ALUMINIUM	satın	ELOX	AL/6790-540-S-E	50x40x2
		ELOX black	AL/6790-540-S-EB	50x40x2




Quality	Finish	Effect	art.	new
ALUMINIUM	satın	ELOX	AL/6313-540-S-E	50x40x2
		ELOX black	AL/6313-540-S-EB	50x40x2



Quality	Finish	Effect	art.	new
ALUMINIUM	satın	ELOX	AL/6505-540-S-E	50x40x2
		ELOX black	AL/6505-540-S-EB	50x40x2


MODEL 60x40x1,5



EPDM - exterior





PVC-P - interior




Quality	Finish	art.	L
AISI304	satin	A/6920-640	5000
		A/6925-640	2500
AISI316		A14/6920-640	5000
		A14/6925-640	2500

Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	11,5-13,5	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
		A19/5042-21-6000	16,0-17,5	21,5	4,2	6000
		A19/5042-G-16-2500				2500
Rubber interior	gray (interior)	A19/5042-G-16-5000				5000




Quality	Finish	art.
AISI316	satin	A14/6732-640

Quality	Finish	art.
AISI316	satin	A14/6790-640



Quality	Finish	art.
AISI316	satin	A14/6313-640

MODEL 40x40/WOOD





Quality	Finish	art.	L
Beech	natural	WB/6925-040-17	2500
Oak		WD/6925-040-17	





MODEL 18x12x2

Black ELOX
ALUMINIUM



Material	Finish	Effect	art.	L	glass t
ALUMINIUM	satin	ELOX	AL/6901-014-3000-S-E	3000	12-13,52
			AL/6901-014-6000-S-E	6000	
		ELOX black	AL/6901-014-6000-S-EB		




Material	Finish	Effect	art.	L	glass t
ALUMINIUM	satin	ELOX	AL/6901-014-G90-S-E	200	12-13,52
			AL/6901-014-G90-S-EB		
		ELOX black			

new

5

CAP RAILS


MODEL 22x9x2



Material	Finish	Effect	art.	L	glass t
ALUMINIUM	satin	ELOX	AL/6901-017-3000-S-E	3000	16,76
			AL/6901-017-6000-S-E	6000	




MODEL 22x16x2

Black ELOX
ALUMINIUM



Material	Finish	Effect	art.	L	glass t	R
AISI304	satin	-	A/6901-018-2500	2500	16-17,52	3
			A/6901-018-5000	5000		
			A/6901-A-018-2500	2500		5
			A/6901-A-018-5000	5000		
ALUMINIUM	ELOX	black	AL/6901-018-3000-S-E	3000	16-17,52	1
			AL/6901-018-6000-S-E	6000		
			AL/6901-018-6000-S-EB	6000		

top




Material	Finish	Effect	art.	L	glass t
AISI304	satin	-	A/6901-018-G90	200	16-17,52
ALUMINIUM		ELOX	AL/6901-018-G90-S-E		
		ELOX black	AL/6901-018-G90-S-EB		

new

Material	Finish	art.	L	glass t
AISI304	satin	A/6901-018-CAP	200	16-17,52

new

MODEL dx10x1




Material	Finish	art.	L	b	d	glass t
AISI304	satin	A/6902-014-2500	2500	13,5	17,5	13,52
		A/6902-018-2500		17,5	21,5	17,52
		A/6902-022-2500		21,5	25,5	21,52
		A/6902-014-5000	5000	13,5	17,5	13,52
		A/6902-018-5000		17,5	21,5	17,52
		A/6902-022-5000		21,5	25,5	21,52

5

CAP RAILS

MODEL 26x20x2

Black ELOX
ALUMINIUM





Material	Finish	Effect	art.	L	glass t
ALUMINIUM	satin	ELOX	AL/6901-022-3000-S-E	3000	20-21,52
			AL/6901-022-6000-S-E	6000	
		ELOX black	AL/6901-022-6000-S-EB		



Q9/03-3x12


Q5/05TR-310



Material	Finish	Effect	art.	L	glass t
ALUMINIUM	satin	ELOX	AL/6901-022-G90-S-E	200	20-21,52
		ELOX black	AL/6901-022-G90-S-EB		

new


MODEL 28x26x2



EPDM - exterior





PVC-P - interior



Quality	Finish	art.	L	glass t	R
AISI304	satin	A/6900-024-2500	2500	8-24	3
		A/6900-024-2500-EXCLUSIVE			3,5
		A/6900-A-024-2500			5
		A/6900-024-5000	5000		3
		A/6900-024-5000-EXCLUSIVE			3,5
		A/6900-A-024-5000			5

Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	11,5-13,5	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
Rubber interior	gray (interior)	A19/5042-21-6000	16,0-17,5	21,5	4,2	6000
		A19/5042-G-16-2500				2500
		A19/5042-G-16-5000				5000




Material	Finish	art.	L	glass t	R
AISI304	satin	A/6900-024-G90	200	8-24	3

new

Material	Finish	art.	L	glass t
AISI304	satin	A/6900-024-CAP	200	8-24

MODEL 28x30x2



Material	Finish	Effect	art.	L	glass t
ALUMINIUM	satin	ELOX	AL/6902-024-3000-S-E	3000	8-21,52
			AL/6902-024-6000-S-E	6000	

new



EPDM - exterior

PVC-P - interior

Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	11,5-13,5	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
Rubber interior	gray (interior)	A19/5042-21-6000	16,0-17,5	21,5	4,2	6000
		A19/5042-G-16-2500				2500
		A19/5042-G-16-5000				5000




Material	Finish	art.	compatibility
AISI304	satin	A/6902-024-G90	AL/6902-024...

new

Material	Finish	art.	compatibility
AISI304	satin	A/6902-024-G00	AL/6902-024...




new

MODEL ax6x1



Material	Finish	art.	L	a	glass t	R
AISI304	satin	A/6903-014-6000	6000	16,5	12-13,52	1,75
		A/6903-018-6000		20,5	16-17,52	
		A/6903-022-6000		24,5	20-21,52	2
		A/6903-025-6000		28,5	24,76-25,52	

new



Material	Finish	art.	L	a	glass t	R
AISI304	satin	A/6903-014-G90	200	16,5	12-13,52	1,75
		A/6903-018-G90		20,5	16-17,52	
		A/6903-022-G90		24,5	20-21,52	2
		A/6903-025-G90		28,5	24,76-25,52	

new

Material	Finish	art.	L	a	glass t	R
AISI304	satin	A/6903-014-CAP	200	16,5	12-13,52	1,75
		A/6903-018-CAP		20,5	16-17,52	
		A/6903-022-CAP		24,5	20-21,52	2
		A/6903-025-CAP		28,5	24,76-25,52	

new

6

LED
HANDRAILS







**LED HANDRAILS -
ROUND**



**LED HANDRAIL SETS -
ROUND**




**LED HANDRAIL SETS -
SQUARE**



EPDM - exterior





PVC-P - interior



Quality	Finish	Effect	art.	L	
ALUMINIUM	satin	ELOX	AL/6920-050-LED-S-E	6000	✓
		ELOX black	AL/6920-050-LED-S-EB		



Quality	Finish	art.	Glass t	b	h	L
Rubber	black (exterior)	A19/5042-08-2500	8,0-11,0	22	5	2500
		A19/5042-08-5000				5000
		A19/5042-08-6000				6000
		A19/5042-11-2500	11,5-13,5	25	4,5	2500
		A19/5042-11-5000				5000
		A19/5042-11-6000				6000
		A19/5042-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-16-5000				5000
		A19/5042-16-6000				6000
		A19/5042-16-30000	20,76-21,52	24	3,5	30000
		A19/5042-21-2500				2500
		A19/5042-21-5000				5000
Rubber interior	gray (interior)	A19/5042-G-16-2500	16,0-17,5	21,5	4,2	2500
		A19/5042-G-16-5000				5000






Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6732-050-LED-S-E
		ELOX black	AL/6732-050-LED-S-EB

new

Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6790-050-LED-S-E
		ELOX black	AL/6790-050-LED-S-EB

new



Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6313-050-LED-S-E
		ELOX black	AL/6313-050-LED-S-EB

new

Quality	Finish	Effect	art.
ALUMINIUM	satin	ELOX	AL/6505-050-LED-S-E
		ELOX black	AL/6505-050-LED-S-EB

new


								
Quality	Finish	Ø	art.	A/6925-042	LED/24x24-24V	YEM/2x0,75-SET	A14/4114-042-LED	A/6732-042
AISI304	satín	42,4x1,5	A/6920-042-iLED-2500	1x (2500mm)	1x (2500mm)	1x	3x	2x



Quality	Finish	Color	art.	L	a x b	IP	Lumen	Power	Voltage	
PVC + SILICONE	white	5000K	LED/24x24-24V	25m	24 x 24	IP40/IP65 *	120lm/m	8W/m	24VDC	✓

* IP65 using silicone end

art.	L(m)
YEM/2x0,75-SET	0,75



art.	t	b	L
Q9/03-0,2x9	0,2	9	50
Q9/03-0,5x9	0,5	9	33

art.	g
A/GLUE-50g-C	50

top




MODEL ROUND



Quality	Finish	Ø	art.	A/6920-042	AL/23x24-5000-LED-SET	A14/PD-LED-23x24	A14/0112-000-LED-B	A/0112-000	A/6732-042
AISI304	satin	42,4x1,5	A/6920-042-LED-5000-S1	1x (5000mm)	1x (5000mm)	5x	1x	4x	2x

+

art.	A-DIN 7380-A2 M5x12	A-DRILL-M5	A/GLUE-20g
Quantity	20x	1x	1x



Material	Effect	art.	L
ALUMINIUM	natural	AL/23x24-5000-LED-SET	5000




Material	Effect	art.
AISI316	natural	A14/PD-LED-23x24

Quality	Finish	art.
PVC	Black	A19/PD-LED

6

LED HANDRAILS




MODEL SQUARE




Quality	Finish	phi SQ	art.		A/6920-040	AL/23x24-5000-LED-SET	A14/PD-LED-23x24	A/4111-000-LED	A/4732-040
AISI304	satin	40x40	A/6920-040-LED-5000-S1		1x (5000mm)	1x (5000mm)	5x	5x	2x

+

art.	A-DIN 7380-A2 M5x12	A-DRILL-M5	A/GLUE-20g
Quantity	20x	1x	1x




Material	Effect	art.	L
ALUMINIUM	natural	AL/23x24-5000-LED-SET	5000



Material	Effect	art.
AISI316	natural	A14/PD-LED-23x24



Quality	Finish	art.
PVC	Black	A19/PD-LED






A14/0112-000-LED-B



Quality	Finish	art.
AISI316		A14/0112-000-LED-B
AISI304	satén	A/0112-000
AISI316		A14/0112-000



A14/0112-000-LED-B







...0112-000



Quality	Finish	art.
AISI304	satén	A/4111-000-LED



Quality	Finish	art.
AISI316	satén	A14/4114-042-LED



Quality	Finish	art.
AISI304	satén	A/0710-242-LED





7

GLASS CONNECTORS
HANDRAIL HOLDERS
FOR GLASS




GLASS CONNECTORS ROUND MODELS



GLASS CONNECTORS SQUARE MODELS





HANDRAIL HOLDERS FOR GLASS



Quality	Finish	art.		Test
AISI316	satın	A14/2500-700	1x	A19/04-PVC


	glass t						
	6	8	8,76	10	10,76	12	12,76
	A19/25-006	A19/25-008	A19/25-009	A19/25-010	A19/25-011	A19/25-012	A19/25-013




Quality	Finish	art.		Test
AISI316	satın	A14/2500-900	1x	A19/04-PVC

	glass t						
	6	8	8,76	10	10,76	12	12,76
	A19/25-006	A19/25-008	A19/25-009	A19/25-010	A19/25-011	A19/25-012	A19/25-013


MODEL 0746



Quality	Finish	art.	glass hole	included	glass t
AISI304	satín	A/0746-SET	15	A-DIN 913-A2 M8x16 A-DIN 913-A2 M8x20 A-DIN 913-A2 M8x25 A-DIN 913-A2 M8x30	8-8,76 10-12,76 13,52-17,52 20,76-21,52




MODEL 0747





Quality	Finish	art.	glass hole
AISI304	satín	A/0747-S-SET	20

MODEL 0742




Quality	Finish	art.	included	glass t
AISI304	satín	A/0742-SET	M5X20 (INCLUDED) M5X25 (INCLUDED) M5X30 (INCLUDED)	8-8,76 10-12,76 13,52-17,52

new




MODEL 230P



Quality	Finish	art.		Test
AISI316	satın	A14/230P-700	1x	A19/04-PVC

	glass t							
	6	6,76	8	8,76	10	10,76	12	12,76
	A19/23-P06/K08	A19/23-P07/K09	A19/23-P08/K10	A19/23-P09/K11	A19/23-P10/K12	A19/23-P11/K13	A19/23-P12	A19/23-P13

	plate t				
	1,5	2	3	4	5
	A19/23-P1,5/K3,5	A19/23-P02/K04	A19/23-P03/K05	A19/23-P04/K06	A19/23-P05/K07




Quality	Finish	art.		Test
AISI316	satın	A14/230P-900	1x	A19/04-PVC


	glass t							
	6	6,76	8	8,76	10	10,76	12	12,76
	A19/23-P06/K08	A19/23-P07/K09	A19/23-P08/K10	A19/23-P09/K11	A19/23-P10/K12	A19/23-P11/K13	A19/23-P12	A19/23-P13

	plate t				
	1,5	2	3	4	5
	A19/23-P1,5/K3,5	A19/23-P02/K04	A19/23-P03/K05	A19/23-P04/K06	A19/23-P05/K07


MODEL 0745




Quality	Finish	art.	glass hole	included	glass t
AISI304	satın	A/0745-SET	15	A-DIN 913-A2 M8x16 A-DIN 913-A2 M8x20 A-DIN 913-A2 M8x25 A-DIN 913-A2 M8x30	8-8,76 10-12,76 13,52-17,52 20,76-21,52




Quality	Finish	art.	glass t
AISI316	satın	A14/0771-000	16,76 - 21,52




Quality	Finish	art.	glass t
AISI316	satın	A14/0771-015	12 - 15




Quality	Finish	art.	glass t
AISI316	satın	A14/0773-000	16,76 - 21,52




Quality	Finish	art.	glass t
AISI316	satın	A14/0773-015	12 - 15




Quality	Finish	art.	glass t
AISI316	satın	A14/0772-000	16,76 - 21,52



Quality	Finish	art.	glass t
AISI316	satın	A14/0772-015	12 - 15





Quality	Finish	art.	glass t
AISI316	satın	A14/0774-000	16,76 - 21,52





Quality	Finish	art.	glass t
AISI316	satın	A14/0774-015	12 - 15

MODEL FLEX





Quality	Finish	art.	Glass hole
AISI304	satín	A/0155-000	20



Quality	Finish	art.	Glass hole
AISI304	satín	A/0155-042-B	20
AISI316	satín	A14/0155-042	20


top




Quality	Finish	art.	Glass hole
AISI316	satín	A14/0155-048	20




Quality	Finish	art.	Glass hole
AISI304	satın	A/0156-000	20



Quality	Finish	art.	Glass hole
AISI304	satın	A/0156-042	20



Quality	Finish	art.	Glass hole
AISI304	satın	A/0156-048	20



8

ACCESSORIES






Quality	Finish	art.	M	L
AISI304	natural	A-DIN 914-A2 M5x5	5	5
		A-DIN 914-A2 M5x6		6
		A-DIN 914-A2 M5x8		8
		A-DIN 914-A2 M6x6	6	6
		A-DIN 914-A2 M8x40	8	40
AISI316		A4-DIN 914 M5x5	5	5

new




Quality	Finish	art.
AISI304	natural	A-DIN 916-A2 M10x14
AISI316		A4-DIN 916 M10x14




Quality	Finish	art.	M	D
AISI304	natural	A-DIN 6334V M8x25-A2	8	11
		A-DIN 6334V M10x25-A2	10	13
		A-DIN 6334V M12x40-A2	12	40

new



Quality	Finish	art.	M	L
AISI304	natural	A-DIN 913-A2 M5x10	5	10
		A-DIN 913-A2 M6x10		
		A-DIN 913-A2 M6x12	6	12
		A-DIN 913-A2 M6x35		35
		A-DIN 913-A2 M8x16	8	16
		A-DIN 913-A2 M8x20		20
		A-DIN 913-A2 M8x25		25
		A-DIN 913-A2 M8x30		30
		A-DIN 913-A2 M8x40	8	40
		A-DIN 913-A2 M8x80		80
		A-DIN 913-A2 M10x12	10	12
		A-DIN 913-A2 M10x35		35
		A-DIN 913-A2 M10x100		100
AISI316		A4-DIN 913 M5x5	5	5
		A4-DIN 913 M5x10	6	10
		A4-DIN 913 M6x10		
		A4-DIN 913 M6x12	10	12
		A4-DIN 913 M10x12		
		A4-DIN 913 M10x16		16
		A4-DIN 913 M10x55		55

new



Quality	Finish	art.	M	L
steel 8.8	Zn	DIN 7991 M8x20-Zn	8	20
		DIN 7991 M12x30-Zn	12	30
		DIN 7991 M12x40-Zn		40
AISI304	natural	A-DIN 7991-A2 M5x8	5	8
		A-DIN 7991-A2 M5x12	5	12
		A-DIN 7991-A2 M5x16		16
		A-DIN 7991-A2 M5x20		20
		A-DIN 7991-A2 M6x8	6	8
		A-DIN 7991-A2 M6x14		14
		A-DIN 7991-A2 M6x16		16
		A-DIN 7991-A2 M6x20		20
		A-DIN 7991-A2 M6x40	6	40
		A-DIN 7991-A2 M6x60		60
		A-DIN 7991-A2 M8x12	8	12
		A-DIN 7991-A2 M8x16		16
		A-DIN 7991-A2 M8x30		30
		A-DIN 7991-A2 M8x35		35
		A-DIN 7991-A2 M8x50		50
		A-DIN 7991-A2 M8x70		70
		A-DIN 7991-A2 M8x80		80
		A-DIN 7991-A2 M8x110		110
		A-DIN 7991-A2 M10x35	10	35
		A-DIN 7991-A2 M12x16	12	16
AISI316		A4-DIN 7991 M5x8	5	8
		A4-DIN 7991 M5x16		16
		A4-DIN 7991 M6x14	6	14
		A4-DIN 7991 M6x40		40
		A4-DIN 7991 M8x20	8	20
		A4-DIN 7991 M8x30		30
		A4-DIN 7991 M8x70		70
		A4-DIN 7991 M8x100		100
		A4-DIN 7991 M8x120	10	120
		A4-DIN 7991 M10x20		20
		A4-DIN 7991 M12x30	12	30

new

new

new

new

new

new



new

new

new


new

new





Quality	Finish	art.	M	L	k	
steel 8.8	Zn	DIN 912 M6x20-Zn		20		new
		DIN 912 M6x25-Zn		25		new
		DIN 912 M6x30-Zn		30		new
		DIN 912 M6x40-Zn		40		new
		DIN 912 M6x50-Zn	6	50	6	new
		DIN 912 M6x60-Zn		60		new
		DIN 912 M6x70-Zn		70		new
		DIN 912 M6x80-Zn		80		new
		DIN 912 M8x20-Zn		20		new
		DIN 912 M8x30-Zn		30		new
		DIN 912 M8x40-Zn		40		new
		DIN 912 M8x50-Zn	8	50	8	new
		DIN 912 M8x60-Zn		60		new
		DIN 912 M8x70-Zn		70		new
		DIN 912 M8x80-Zn		80		new
		DIN 912 M8x90-Zn		90		new
		DIN 912 M10x20-Zn		20		new
		DIN 912 M10x30-Zn		30		new
		DIN 912 M10x40-Zn		40		new
		DIN 912 M10x50-Zn		50		new
		DIN 912 M10x60-Zn	10	60	10	new
		DIN 912 M10x70-Zn		70		new
		DIN 912 M10x80-Zn		80		new
		DIN 912 M10x90-Zn		90		new
		DIN 912 M10x100-Zn		100		new
		DIN 912 M12x40-Zn		40		new
		DIN 912 M12x50-Zn		50		new
		DIN 912 M12x60-Zn	12	60	12	new
		DIN 912 M12x70-Zn		70		new
		DIN 912 M12x80-Zn		80		new
AISI304	natural	A-DIN 912-A2 M5x20	5	5		new
		A-DIN 912-A2 M6x20	6	20	6	new
		A-DIN 912-A2 M8x20				new
		A-DIN 912-A2 M8x25	8	25	8	new
		A-DIN 912-A2 M8x45		45		new
		A-DIN 912-A2 M10x45		45		new
		A-DIN 912-A2 M10x60	10	60	10	new
		A-DIN 912-A2 M12x25	12	25	12	new
AISI316		A-DIN 912-A2 M12x35		35		new
		A4-DIN 7984 M8x12	8	12	5	new

Quality	Finish	art.	M	L	
steel 8.8	Zn	DIN 933 M10x30-Zn	10	30	new
		DIN 933 M12x80-Zn	12	80	new
		DIN 933 M16x80-Zn	16		new
AISI316	natural	A4-DIN 933 M10x30	10	30	



Quality	Finish	art.	M	L	
AISI304	natural	A-DIN 603-A2 M8x16	8	16	new



Quality	Finish	art.	M	L	
steel 8.8	Zn	DIN 7380 M10x20-Zn	10	20	
AISI304	natural	A-DIN 7380-A2 M5x12	5	12	
		A-DIN 7380-A2 M6x12	6		
		A-DIN 7380-A2 M8x10		10	
		A-DIN 7380-A2 M8x12		12	
		A-DIN 7380-A2 M8x20	8	20	
		A-DIN 7380-A2 M8x35		35	new
		A-DIN 7380-A2 M10x20	10	20	
		A-DIN 7380-A2 M12x20	12		
AISI316		A4-DIN 7380 M5x12		12	
		A4-DIN 7380 M5x16	5	16	
		A4-DIN 7380 M6x12	6	12	
		A4-DIN 7380 M8x20	8		
		A4-DIN 7380 M10x20	10	20	

Quality	Finish	art.
steel 8.8	Zn	W-DIN 7991 M8x20-P
AISI316	natural	W-DIN 7991-A4 M8x20-P




Quality	Finish	art.	M	L	
AISI304	natural	SOL-M8x25	8	25	new



Quality	Finish	art.	d	L
AISI304	natural	SOL-TSS-530	5,5	30
		SOL-TSS-540		40

new



Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7504K-A2 4,2x13	4,2	13
		A-DIN 7504K-A2 4,2x16		16
		A-DIN 7504K-A2 5,5x25	5,5	25
		A-DIN 7504K-A2 6,3x16	6,3	16

new
new
new
new



Quality	Finish	art.	d	L
AISI304	natural	A-PH 5x20	5	20
		A-PH 5x35		35
		A-PH 6x45	6	45



Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7981C-A2-TX 4,2x60	4,2	60




Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7505A 4,2x16	4,2	16
		A-DIN 7505A 5x20	5	20
		A-DIN 7505A 5x35		35
		A-DIN 7505A 5x45		45



Quality	Finish	art.	d	L
AISI304	natural	A-DIN 7982C-TX-A2 4,2x22	4,2	22

new




Quality	Finish	art.	pack [pcs]
Fe	Zn	H/01PVC-FS	6
		H/01PVC-FS-J	4

new





Quality	Finish	art.
Fe	Zn	H/01PVC-FS-AL


new




Quality	Finish	art.	d	anchor system
AISI316	satın	A14/7604-005	3-5	C2



Quality	Finish	art.	d	anchor system
AISI316	satın	A14/7601-005	7	C2



Quality	Finish	art.	d2	M	D	h	anchor system
AISI316	satın	A14/7350-003	6,5	6	12	6	C2,C3
		A14/7350-005	9,5	10	20	9,7	



Quality	Finish	art.	M	H	L	C	K	Ø	anchor system
AISI316	satin	A14/7333-M6	6	14	44	30	4	8,5	C3
		A14/7333-M6 LEFT							
		A14/7333-M10	10	22	90	63	6	10,5	
		A14/7333-M10 LEFT							

new
new
new
new



Quality	Finish	art.	M	t	d	D
steel	Zn	DIN 7980 M10-Zn	10		10	16
		DIN 7980 M12-ZN	12	2,5	12	18
		DIN 127 B M12	12		12	21

new
new
new



Quality	Finish	art.	M	plate t
steel	Zn	MK-M8 Zn	8	1,8 - 3,2
		MK-M10 Zn	10	

new
new




Quality	Finish	art.
PVC	natural	VCT.40 FP-M8

new




A19/04-PVC A19/04-PVC-L A19/04-PVC-BLACK

Quality	Finish	art.
PVC	natural	A19/04-PVC
	polish	A19/04-PVC-L
	black	A19/04-PVC-BLACK




Quality	Finish	art.
steel	Zn	M4-GN505


new



A12/12-PVC A12/12-35-PVC

Quality	Finish	art.
PVC	natural	A12/12-PVC
		A12/12-35-PVC





Quality	Finish	art.	M	t
steel 8.8	Zn	DIN 934 M6-Zn	6	5
		DIN 934 M8-Zn	8	6,5
		DIN 934 M10-Zn	10	8
		DIN 934 M12-Zn	12	10
AISI304	natural	A-DIN 934 M6	6	5
		A-DIN 439B-A2 M8	8	4
		A-DIN 934 M8	8	6,5
		A-DIN 934 M10	10	8
		A-DIN 934 M12	12	10
		A-DIN 934 M16	16	13
AISI316		A4-DIN 439B M8	8	4
		A4-DIN 934 M10	10	8

new
new
new
new
new

new




Quality	Finish	art.	D	d	t
steel	Zn	DIN 125 M6-Zn	12	6,4	1,6
		DIN 125 M8-Zn	16	8,4	
		DIN 125 M10-Zn	20		2
		DIN 9021 M10-Zn	30	10,5	2,5
		DIN 9021 M12-Zn	37	13	
		DIN 9021 M16-Zn	50	17	3
		DIN 125 M12-Zn	24	13	2,5
		DIN 125 M16-Zn	30	17	3
AISI304	natural	A-DIN 125-A2 M5	10	5	1
		A-DIN 9021-A2 M8	30	8	2,5
		A-DIN 125-A2 M8	16		1,6
		A-DIN 125-A2 M10	20	10	2
		A-DIN 125-A2 M12	24	12	2,5
		A-DIN 433-A2 M12	20		2
AISI316		A4-DIN 9021 M8	24	8,4	
		A4-DIN 9021 M16	50	17	2,5

new
new
new
new
new


new
new

new




Quality	Finish	art.	M	t
steel	Zn	DIN 1587 M6-Zn	6	12
		DIN 1587 M8-Zn	8	15
		DIN 1587 M10-Zn	10	18
		DIN 1587 M12-Zn	12	22
AISI304	natural	A-DIN 1587-A2 M6	6	12
		A-DIN 1587-A2 M8	8	15
		A-DIN 1587-A2 M10	10	18
		A-DIN 1587-A2 M12	12	22
AISI316		A4-DIN 1587 M10	10	18

new
new
new
new



Quality	Finish	art.	M	s	t
AISI304	natural	A-DIN 562 M6	6	10	3,2
		A-DIN 562 M8	8	13	4
		A-DIN 562 M10	10	17	5




Quality	Finish	art.	M	t
AISI304	natural	A-DIN 6923-A2 M8	8	10



Quality	Finish	art.	M	t
AISI304	natural	A-DIN 917 M8	8	10
		A-DIN 917 M10	10	12




Quality	Finish	art.
AISI304	natural	A-DIN 7337-A2 4,8x20



Quality	Finish	art.	M	L	b	h	SW
AISI304	natural	A-DIN 9210 M6x60-A2	6	60	20	37	-
		A-DIN 9210 M8x60-A2	8		42	48	✓
		A-DIN 9210 M8x100-A2	8	100	30	57	✓
AISI316	natural	A-DIN 9210 M10x100-A2	10		30	57	✓
		A4-DIN 9210 M6x100	6	100			✓
		A4-DIN 9210 M8x60	8	60	20	37	-
		A4-DIN 9210 M8x100	8	100	42	48	✓




Quality	Finish	art.	M
steel	Zn	WOOD/M8-D	8
		WOOD/M10-D	10




Quality	Finish	art.	M	L	a	b	SW
AISI316	natural	A4-DUAL M6/M6	6	65	30	30	✓ <i>new</i>
		A4-DUAL M10/M10	10				



Quality	Finish	art.	M	L
AISI304	natural	A-FTT-M5	5	12
		A-FTT-M6	6	14
		A-FTT-M8	8	16,5
		A-FTT-M10	10	19



Quality	Finish	art.
AISI316	natural	A14/08-WASHER




Quality	Finish	art.	L	Ø	D/v	CE	load
steel	Zn	Q5/08-M8-75SK/S	75	22/5	-		medium
		Q5/08-HAZ-M8-80SK/S	80	20,5/5	✓		heavy
		Q5/08-FH12-50	125	12	22/5,8	✓	heavy
		Q5/08-12-125	125	12	22/5,8	-	heavy
AISI304	natural	A5/08-12-125	125	12	22/5,8	-	heavy
AISI316	gray	A5/08-HAZ-M8-80SK/A4	80	20,5/5	✓		heavy

new

top

new

new



Quality	Finish	art.	M	L	d	D/v	CE	load
steel	Zn	Q5/08-M8-80S/S	8	80	11	22/7,5	-	medium
		Q5/08-HAZ-M8-85S/S	8	85	12	20/7,5	✓	heavy
		Q5/08-M8-120S/S	10	120	11	22/7,5	-	medium
		Q5/08-FH15/25 S	10	89	15	25/9,5	✓	heavy
		Q5/08-HAZ-M10-106S/S	10	106	14	25/8,3	-	medium
		Q5/08-M10-120S/S	10	120	14	25/8,3	-	medium
AISI304	natural	A5/08-M8X80	8	80	10	20/7,5	-	medium
		A5/08-M8-80S/S	8	80	11	22/7,5	-	medium
		A5/08-M8-120S/S	10	120	11	22/7,5	-	medium
		A5/08-M10-70S/S	10	70	14	25/8,3	-	medium
AISI316	gray	A5/08-HAZ-M8-85S/A4	8	85	12	20/7,5	✓	heavy
		A5/08-HAZ-M10-106S/A4	10	106	15	25/9,5	✓	heavy

new

new

new


new

new

new

new


new




Quality	Finish	art.	CE	load
AISI304	natural	A5/08-105x11xM8	-	N/A
AISI316	gray	A14/08-105x11xM8	-	N/A



Quality	Finish	art.	M	CE	load
steel	natural	Q11/FPX-M8	8	✓	heavy
		Q11/FPX-M10	10	✓	heavy




Quality	Finish	art.	CE	load
steel	Zn	Q5/09-Quick-Fix QF5	-	N/A




Quality	Finish	art.	d	L	CE	load
steel 5.8	Zn	Q5/08-BS-S-10-90/S	10	90	✓	heavy
AISI316	natural	A5/08-BS-S-10-90/A4	10	90	✓	heavy
steel 5.8	Zn	Q5/08-BS-S-12-110/S	12	110	✓	heavy
AISI316	natural	A5/08-BS-S-12-110/A4	12	110	✓	heavy

new




Quality	Finish	art.	CE	load
steel	Zn	Q5/08-FAZ-IG-M10-70/S	✓	heavy
AISI316	natural	A5/08-FAZ-IG-M10-70/A4	✓	heavy




Quality	Finish	art.	D	screw	L
NYLON	gray	Q5/07-8 NYLON	8	4-5-6	40
		Q5/07-10 NYLON	10	6-8	50
		Q5/07-12 NYLON	12	8-10	60



Quality	Finish	art.	M	L		CE	load
steel	Zn	Q5/08-VM 250-M10-115	10	115	✓		heavy
		Q5/08-VM 250-M10-165		165	✓		heavy
		Q5/08-VM 250-M12-135	12	135	✓		heavy
		Q5/08-VM 250-M12-160		160	✓		heavy
AISI316	natural	A5/08-VM 250-M10-115-A4	10	115	✓		heavy
		A5/08-VM 250-M10-165-A4		165	✓		heavy
		A5/08-VM 250-M12-135-A4	12	135	✓		heavy
		A5/08-VM 250-M12-160-A4		160	✓		heavy




Quality	Finish	art.	M	L	D	b		CE	load
AISI304	natural	A19/27-M8	8	11			-		N/A
		A19/27-M10	10	140	13		-		N/A
		A19/27-M12	12	130	15	25	-		N/A



Quality	Finish	art.	M	L		CE	load
AISI304	natural	A-DIN 975-1587 M10x100	10	100	N/A		N/A

new



Quality	Finish	art.	M	L		CE	load
steel	Zn	Q5/06-6x60CE	6	60	-		heavy
		Q5/06-8x100CE	8	92	-		heavy
		Q5/06-10x120CE	10	120	-		heavy
		Q5/06-12x110CE	12	110	-		heavy
		Q5/08-FBN12-30		126	✓		heavy
		Q5/06-16x123CE	16	123	-		heavy
AISI304	natural	Q5/06-16x138CE	16	138	-		heavy
		A-Q5/06-8x90CE	8	90	-		heavy
		A-Q5/06-10x120CE	10	120	-		heavy
AISI316	natural	A-Q5/06-12x110CE			-		heavy
		A4-Q5/06-12x110CE	12	110	✓		heavy


new

new

new

new

new




Quality	Finish	art.	M	L		CE	load
steel	Zn	DIN 975 M6-Zn	6	1000			
		DIN 975 M8-Zn	8				
		DIN 975 M10-Zn	10				
		DIN 975 M12-Zn	12				
		DIN 975 M16-Zn	16				
AISI304	natural	A-DIN 975 M6	6	1000			
		A-DIN 975 M8	8				
		A-DIN 975 M8-100			100		
		A-DIN 975 M8-120			120		
		A-DIN 975 M8-150	8		150		
		A-DIN 975 M8-200			200		
		A-DIN 975 M10	10				
		A-DIN 975 M10-100			100		
		A-DIN 975 M10-120			120		
		A-DIN 975 M10-150	10		150		
		A-DIN 975 M10-200			200		
		A-DIN 975 M12	12				
		A-DIN 975 M12-100			100		
		A-DIN 975 M12-120			120		
		A-DIN 975 M12-150	12		150		
		A-DIN 975 M12-200			200		
		A-DIN 975 M16	16				
		A4-DIN 975 M10	10				

new
new
new
new
new


new
new
new
new

new
new
new
new


new
new
new
new
new




Quality	Finish	art.	M	L	D		CE	load
steel 5.8	Zn	Q5/08-VI-IG-M8-100/S	8	100	12	✓		heavy
		Q5/08-VI-IG-M10-80/S	10	80	16	✓		heavy
		Q5/08-VI-IG-M12-125/S	12	125	20	✓		heavy
AISI316	natural	A5/08-VI-IG-M8-100/A4	8	100	12	✓		heavy
		A5/08-VI-IG-M10-80/A4	10	80	16	✓		heavy
		A5/08-VI-IG-M12-125/A4	12	125	20	✓		heavy






Quality	Finish	art.
ALUMINIUM	satín	AL/0792-3842





Quality	Finish	art.
AISI304	satín	A6/2xM8-77x40



Quality	Finish	art.	description
Fe	Zinc	MP/GLASS-01	glass mount on post railings



Quality	art.	Ø	h
AISI304	A/40580-PLASTIC	42,4	40



Quality	art.	compatibility
AISI304	A/40580-PLASTIC-V2	AL/0004... AL/0004-eco... AL/0004-PRO...


new




art.
AL/glass-mont-PRO

new

FIX series




FLEX series



Quality	Finish	art.
PETG	gray	MP/excenter-mount


new





art.	glass t
AL/GLASS-HOLDER	1-70mm





art.	total length	ext. square
Q8/70-275-PRO	275mm	1/4"



Quality	Finish	art.	M
AISI304	natural	Q10/Therm-M12/M12	12/12
		Q10/Therm-mini-M10/M8	10/8
		Q10/Therm-M12/M16	12/16



Quality	Finish	art.
PVC	black	A19/05-100





Quality	Finish	art.
PVC	black	MP/water-level

new





Quality	Finish	art.
AISI304	natural	Q10/ANGLE-0-3-60

new





Quality	Finish	art.
AISI304	natural	Q10/60-M16/M10

new



Quality	Finish	art.
AISI304	natural	Q10/ANGLE-0-2-100

new





art.	ml	quality	description
Q5/01GF-300 Nordic			-20°C +10°C
Q5/01GF-400 Nordic		vinylester	
Q5/01GF-300			-10°C +30°C
Q5/01GF-400			

top



art.	ml	quality	description
Q5/01B-300			-10°C +40°C
Q5/01B-400		vinylester	-10°C +40°C
Q5/01B-400 Winter			-20°C +20°C

new



art.	ml	quality	description
Q5/01GFP-300		Polyester	-5°C +30°C
Q5/01GFP-400			



art.	ml	quality	description
Q5/05TR-310		Silicone	-5°C +40°C



art.	ml	quality	description
Q5/01-WIT-UH300...	320	uretan vinylester	-5°C +40°C
Q5/01-WIT-VM250...	300	vinylester	-10°C +40°C



Q5/04-250

art.	M	L
Q5/04	17	215
Q5/04-250	8	250

new



art.	ml	description
A/spray-R7016	400	Repair spray



art.	description
Q5/03-50	50ml, profi



art.	ml	description
Q5/05-LOCTITE	50	epoxy adhesive



art.	description
Q5/03-300	300ml, hobby



art.	description
Q5/03-400	400ml, profi



art.	description
Q5/01-16x130	mesh



art.	description
Q5/02	blow pump



art.	t	b	L
Q9/03-3x12	3	12	16,5





art.	t	b	L
Q9/03-0,2x9	0,2	9	50
Q9/03-0,5x9	0,5	9	33
Q9/03-2x6	2	6	16,5

new



Quality	Finish	art.
AISI304	natural	A19/model741-8



art.	Ø	description
Q1/B02-INOX	3-45	Pipe cutting



art.	compatibility
Q1/B02-INOX-RK	Q1/B02-INOX




Q/INOX-INSTALL-SET



Q/INOX-INSTALL-SET-B

new

art.								
Q/INOX-INSTALL-SET	1x	-	-	1x	1x	1x	1x	1x
Q/INOX-INSTALL-SET-B	-	1x	1x	2x	2x	1x	1x	2x



art.	granularity
Q1/G01	360



art.	description
Q1/RN01-125x1	cutting disc
Q1/RN01-150x1,6	
Q1/RN01-230x2	

top
new




art.	description
Q1/L01-125-40	flap disc
Q1/L01-125-60	
Q1/L01-125-80	
Q1/L01-125-120	

new



new

art.	description	operation
Q8/LP-7x4,5	riveting punch	2 steps



new

art.	description	operation
Q8/LP-7x4,5-B	riveting punch	1 step



new


Quality	art.	use	Ø
HSS-TiN	A-DRILL-D4-20	metal	4-20




Quality	art.	M	Ø
HSS-CO5	A-DRILL-M5	5	4
	A-DRILL-M6	6	4,8
	A-DRILL-M8	8	6,4



Quality	art.	M
HSSE	A/FDRILL-M5C	5
	A/FDRILL-M6C	6
	A/FDRILL-M8C	8
	A/FDRILL-M10C	10



art.	Mould size	W	H
Q8/95	4	4	3
	6	5	3,5
	8	6	4,5
	10	6,5	5,4
	16	7,3	6,4
	25	9	7,4
	35	11	9,2
	50	13	10,8
	70	15	12,6





CA/ACTIVATOR CA/LAK

art.	g	description
CA/ACTIVATOR	1000	corten effect
CA/LAK		lacquer for corten

new
new



art.	ml	description
A/spray-WS	400	INOX

top



art.	ml	description
A/Cleaner-500ml	500	INOX



A/GLUE-577-50g A/GLUE-638-10g A/GLUE-638-50g

art.	g	gap	description
A/GLUE-577-50g	50	0,4	INOX, contains activator
A/GLUE-638-10g	10	0,15-	
A/GLUE-638-50g	50	0,25	

new
new
new



art.	g	description
A/ACTIVATOR-500ml	500 ml	for A/Glue..



new

art.	description	ml
J08/08	cutting/drilling oil	400



art.	g	gap	description
A/GLUE-10g-C	10	0,2	INOX



A/GLUE-403-20g A/GLUE-20g

art.	g	gap	description
A/GLUE-20g	20	0,2	all purpose superfast
A/GLUE-403-20g			

new



art.	g	gap	description
A/GLUE-50g-C	50	0,2	INOX
A/GLUE-50g-D		0,4	INOX



new

art.	ml	description
Q5/05-MAMUT	290	instant fix



new

art.	ml
GS/Cleaner-Glass	200



new

art.	ml
GS/Cleaner-Metal	200



Art.
PNL/G04-23x15-BOX



Art.	profile sample
PNL/G04-23x15	AL/0004-PRO
PNL/G05-23x15	AL/0004-LIGHT
PNL/G06-23x15	AL/0006-UNO
PNL/G07-23x15	AL/0005-UNO
PNL/G08-23x15	AL/0011-ProXL

*new
new
new
new*



Art.
FG/SAMPLE-... *new*



Art.
REK-CASE-ALU




Art.
REK-CASE-INOX3



Art.
REK-CASE-FG *new*



Art.
REK-CASE-ALU-FLEX *new*



Art.
KAT-ALU-SYSTEMS 25-26



Art.
KAT-GATES 24-25



Art.
KAT-AUTIOMATIONS 25-26



Art.
KAT-SOLAR SYSTEMS 24-25



Art.
KAT-GLASS RAILINGS 24-25



Art.
KAT-POST RAILINGS 24-25



Art.
KAT-GLASS SYSTEMS 25-26

